
Geotehnično preiskovanje in preskušanje - Preskušanje na terenu - 1. del: Metoda električnega stožca in piezoconski penetracijski preskus (ISO 22476-1:2012)

Geotechnical investigation and testing - Field testing - Part 1: Electrical cone and piezocone penetration test (ISO 22476-1:2012)

Geotechnische Erkundung und Untersuchung - Felduntersuchungen - Teil 1: Drucksondierungen mit elektrischen Messwertaufnehmern und Messeinrichtungen für den Porenwasserdruck (ISO 22476-1:2012)

Reconnaissance et essais géotechniques - Essais en place - Partie 1: Essai de pénétration au cône électrique et au piezocone (ISO 22476-1:2012)

Ta slovenski standard je istoveten z: EN ISO 22476-1:2012

ICS:

93.020	Zemeljska dela. Izkopavanja.	Earthworks. Excavations.
	Gradnja temeljev. Dela pod zemljo	Foundation construction. Underground works

SIST EN ISO 22476-1:2013**en,fr,de**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 22476-1:2013](https://standards.iteh.ai/catalog/standards/sist/659b8af-b73e-41e9-b857-212ddee95533/sist-en-iso-22476-1-2013)

<https://standards.iteh.ai/catalog/standards/sist/659b8af-b73e-41e9-b857-212ddee95533/sist-en-iso-22476-1-2013>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN ISO 22476-1

September 2012

ICS 93.020

English Version

**Geotechnical investigation and testing - Field testing - Part 1:
Electrical cone and piezocone penetration test (ISO 22476-
1:2012)**

Reconnaissance et essais géotechniques - Essais en place
- Partie 1: Essai de pénétration au cône électrique et au
piézocône (ISO 22476-1:2012)

Geotechnische Erkundung und Untersuchung -
Felduntersuchungen - Teil 1: Drucksondierungen mit
elektrischen Messwertaufnehmern und Messeinrichtungen
für den Porenwasserdruck (ISO 22476-1:2012)

This European Standard was approved by CEN on 14 September 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
Foreword.....	3

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 22476-1:2013](https://standards.iteh.ai/catalog/standards/sist/659b8af-b73e-41e9-b857-212ddee95533/sist-en-iso-22476-1-2013)
<https://standards.iteh.ai/catalog/standards/sist/659b8af-b73e-41e9-b857-212ddee95533/sist-en-iso-22476-1-2013>

Foreword

This document (EN ISO 22476-1:2012) has been prepared by Technical Committee CEN/TC 341 "Geotechnical Investigation and Testing", the secretariat of which is held by ELOT, in collaboration with Technical Committee ISO/TC 182 "Geotechnics".

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2013, and conflicting national standards shall be withdrawn at the latest by March 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 22476-1:2013](https://standards.iteh.ai/catalog/standards/sist/659b8af-b73e-41e9-b857-212ddee95533/sist-en-iso-22476-1-2013)

<https://standards.iteh.ai/catalog/standards/sist/659b8af-b73e-41e9-b857-212ddee95533/sist-en-iso-22476-1-2013>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 22476-1:2013

<https://standards.iteh.ai/catalog/standards/sist/659b8af-b73e-41e9-b857-212ddee95533/sist-en-iso-22476-1-2013>

INTERNATIONAL
STANDARD

ISO
22476-1

First edition
2012-09-15

**Geotechnical investigation and testing —
Field testing —**

Part 1:
**Electrical cone and piezocone
penetration test**

iTeh STANDARD PREVIEW
Reconnaissance et essais géotechniques — Essais en place —
(standards.iteh.ai) *Partie 1: Essais de pénétration au cône électrique et au piézocône*

[SIST EN ISO 22476-1:2013](https://standards.iteh.ai/catalog/standards/sist/659b8af-b73e-41e9-b857-212ddee95533/sist-en-iso-22476-1-2013)

<https://standards.iteh.ai/catalog/standards/sist/659b8af-b73e-41e9-b857-212ddee95533/sist-en-iso-22476-1-2013>



Reference number
ISO 22476-1:2012(E)

© ISO 2012

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 22476-1:2013](https://standards.iteh.ai/catalog/standards/sist/659b8af-b73e-41e9-b857-212ddee95533/sist-en-iso-22476-1-2013)

<https://standards.iteh.ai/catalog/standards/sist/659b8af-b73e-41e9-b857-212ddee95533/sist-en-iso-22476-1-2013>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	v
Introduction.....	vi
1 Scope	1
2 Normative references	2
3 Terms, definitions and symbols	2
3.1 Terms and definitions	2
3.2 Symbols.....	9
4 Equipment	10
4.1 Cone penetrometer.....	10
4.2 Tolerances.....	10
4.3 Surface roughness	11
4.4 Cone.....	11
4.5 Friction sleeve	12
4.6 Filter element	13
4.7 Gaps and soil seals	15
4.8 Push rods	15
4.9 Measuring system	15
4.10 Thrust machine.....	16
5 Test procedures.....	16
5.1 Selection of cone penetrometer.....	16
5.2 Selection of equipment and procedures.....	17
5.3 Position and level of thrust machine.....	19
5.4 Preparation of the test	19
5.5 Pushing of the cone penetrometer	19
5.6 Use of friction reducer	20
5.7 Frequency of logging parameters	20
5.8 Registration of penetration length.....	20
5.9 Dissipation test.....	21
5.10 Test completion	21
5.11 Equipment checks and calibrations	21
5.12 Safety requirements	22
6 Test results	22
6.1 Measured parameters	22
6.2 Correction of parameters.....	22
6.3 Calculated parameters	24
7 Reporting.....	24
7.1 General	24
7.2 Reporting of test results	24
7.3 Presentation of test results	26
7.4 Presentation of test results and calculated parameters	26
Annex A (normative) Maintenance, checks and calibration.....	28
Annex B (normative) Calculation of penetration depth	32
Annex C (informative) Correction of sleeve friction for water pressure	33
Annex D (informative) Preparation of the piezocone	34
Annex E (informative) Uncertainties in cone penetrometer testing.....	35

ISO 22476-1:2012(E)

Bibliography	36
---------------------------	-----------

Figures

Figure 1 — Cross section of an example of a cone penetrometer	3
Figure 2 — Locations of pore pressure filters.....	6
Figure 3 — Penetration length and penetration depth (schematic only)	8
Figure 4 — Tolerance requirements for use of 1000 mm ² cone penetrometer	12
Figure 5 — Geometry and tolerances of friction sleeve	13
Figure 6 — Correction of cone resistance and sleeve friction due to the unequal end area effect.....	23
Figure A.1 — Pressure chamber for determination of the net area ratio, <i>a</i>	30

Tables

Table 1 — Types of cone penetration test.....	17
Table 2 — Application classes.....	18
Table A.1 — Control scheme for maintenance routines.....	29

iTeH STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 22476-1:2013
<https://standards.iteh.ai/catalog/standards/sist/659b8af-b73e-41e9-b857-212ddee95533/sist-en-iso-22476-1-2013>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 22476-1 was prepared by the European Committee for Standardization (CEN) Technical Committee CEN/TC 341, *Geotechnical investigation and testing*, in collaboration with Technical Committee ISO/TC 182, *Geotechnics*, Subcommittee SC 1 *Geotechnical investigation and testing*, in accordance with the Agreement on technical cooperation between ISO and CEN (Vienna Agreement).

ISO 22476 consists of the following parts, under the general title *Geotechnical investigation and testing* — *Field testing*:

- [SIST EN ISO 22476-1:2013](https://standards.iteh.ai/catalog/standards/sist/659b8af-b73e-41e9-b857-212ddee95533/sist-en-iso-22476-1-2013)
<https://standards.iteh.ai/catalog/standards/sist/659b8af-b73e-41e9-b857-212ddee95533/sist-en-iso-22476-1-2013>
- *Part 1: Electrical cone and piezocone penetration test*
 - *Part 2: Dynamic probing*
 - *Part 3: Standard penetration test*
 - *Part 4: Ménard pressuremeter test*
 - *Part 5: Flexible dilatometer test*
 - *Part 7: Borehole jack test*
 - *Part 9: Field vane test*
 - *Part 10: Weight sounding test* [Technical Specification]
 - *Part 11: Flat dilatometer test* [Technical Specification]
 - *Part 12: Mechanical cone penetration test (CPTM)*

Introduction

The electrical cone penetration test (CPT) consists of pushing a cone penetrometer using a series of push rods into the soil at a constant rate of penetration. During penetration, measurements of cone resistance and sleeve friction are recorded. The piezocone penetration test (CPTU) also includes the measurement of pore pressures around the cone. The test results can be used for interpretation of stratification, classification of soil type and evaluation of engineering soil parameters. Two International Standards define cone penetration tests: ISO 22476-1 defines CPT and CPTU practice using electronic transducers; ISO 22476-12 defines CPT practice using mechanical measuring systems.

“Cone resistance” is the term used in practice and in this part of ISO 22476, although “cone penetration resistance” is a more correct description of the process.

The test results of this part of ISO 22476 are specially suited for the qualitative and/or quantitative determination of a soil profile together with direct investigations (e.g. sampling according to ISO 22475-1 [2]) or as a relative comparison of other *in situ* tests.

The results from a cone penetration test are used to evaluate:

- stratification;
- soil type;
- geotechnical parameters such as
 - soil density,
 - shear strength parameters, and
 - deformation and consolidation characteristics.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 22476-1:2013
https://standards.iteh.ai/catalog/standards/sist/659b8af-b73e-41e9-b857-212ddee95533/sist-en-iso-22476-1-2013](https://standards.iteh.ai/catalog/standards/sist/659b8af-b73e-41e9-b857-212ddee95533/sist-en-iso-22476-1-2013)

Geotechnical investigation and testing — Field testing —

Part 1: Electrical cone and piezocone penetration test

1 Scope

This part of ISO 22476 deals with equipment requirements, the execution of and reporting on electrical cone and piezocone penetration tests.

NOTE 1 This part of ISO 22476 fulfills the requirements for electrical cone and piezocone penetration tests as part of geotechnical investigation and testing according to EN 1997-1 [3] and EN 1997-2 [4].

Within the electrical cone and piezocone penetration test, two subcategories of the cone penetration test are considered:

- electrical cone penetration test (CPT), which includes measurement of cone resistance and sleeve friction;
- piezocone test (CPTU), which is a cone penetration test with the additional measurement of pore pressure.

The CPTU is performed like a CPT with the measurement of the pore pressure at one or several locations on the penetrometer surface.

NOTE 2 CPT or CPTU can also be used without measurement of sleeve friction, but this is not covered in this part of ISO 22476.

This part of ISO 22476 specifies the following features:

- a) type of cone penetration test, according to Table 1;
- b) application class, according to Table 2;
- c) penetration length or penetration depth;
- d) elevation of the ground surface or the underwater ground surface at the location of the cone penetration test with reference to a datum;
- e) location of the cone penetration test relative to a reproducible fixed location reference point;
- f) pore pressure dissipation tests.

NOTE 3 This part of ISO 22476 covers onshore and nearshore CPT. For extra requirements for offshore CPT, see NORSOK G-001 [8].