



SLOVENSKI STANDARD
kSIST FprEN 15501:2012

01-november-2012

Toplotnoizolacijski proizvodi za opremo stavb in industrijske inštalacije - Proizvodi iz ekspandiranega perlita (EPB) in vermikulita (EV) - Specifikacija

Thermal insulation products for building equipment and industrial installations - Factory made expanded perlite (EP) and exfoliated vermiculite (EV) products - Specification

Wärmedämmstoffe für die Haustechnik und für betriebstechnische Anlagen - Werkmäßig hergestellte Produkte aus Blähperlit (EP) und expandiertem Vermiculit (EV) - Spezifikation

Produits isolants thermiques pour l'équipement du bâtiment et les installations industrielles - Produits manufacturés en perlite expansée (EP) et en vermiculite exfoliée (EV) - Spécification

Ta slovenski standard je istoveten z: FprEN 15501

ICS:

91.100.60	Materiali za toplotno in zvočno izolacijo	Thermal and sound insulating materials
-----------	---	--

kSIST FprEN 15501:2012

en,fr,de

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

FINAL DRAFT
FprEN 15501

August 2012

ICS 91.100.60

English Version

Thermal insulation products for building equipment and industrial installations - Factory made expanded perlite (EP) and exfoliated vermiculite (EV) products - Specification

Produits isolants thermiques pour l'équipement du bâtiment et les installations industrielles - Produits manufacturés en perlite expansée (EP) et en vermiculite exfoliée (EV) - Spécification

Wärmedämmstoffe für die Haustechnik und für betriebstechnische Anlagen - Werkmäßig hergestellte Produkte aus Blähperlit (EP) und expandiertem Vermiculit (EV) - Spezifikation

This draft European Standard is submitted to CEN members for unique acceptance procedure. It has been drawn up by the Technical Committee CEN/TC 88.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

1	Scope	7
2	Normative references	7
3	Terms, definitions, symbols, units and abbreviated terms	8
3.1	Terms and definitions	8
3.1.1	Terms and definitions as given in EN ISO 9229:2007	8
3.1.2	Additional terms and definitions	9
3.2	Symbols, units and abbreviated terms	10
3.2.1	Symbols and units used in this standard	10
3.2.2	Abbreviated terms used in this standard	11
4	Requirements	11
4.1	General	11
4.2	For all applications	11
4.2.1	Thermal conductivity	11
4.2.2	Dimensions and tolerances	12
4.2.3	Dimensional stability	13
4.2.4	Reaction to fire of the product as placed on the market	13
4.2.5	Durability characteristics	13
4.3	For specific applications	14
4.3.1	General	14
4.3.2	Maximum service temperature	14
4.3.3	Minimum service temperature	14
4.3.4	Compressive stress or compressive strength	15
4.3.5	Trace quantities of water soluble ions and the pH value	15
4.3.6	Water vapour diffusion resistance	15
4.3.7	Short term water absorption by partial immersion	15
4.3.8	Dangerous substances	15
4.3.9	Continuous glowing combustion	16
5	Test methods	16
5.1	Sampling	16
5.2	Conditioning	16
5.3	Testing	16
5.3.1	General	16
5.3.2	Thermal conductivity	18
5.3.3	Maximum service temperature	19
5.3.4	Reaction to fire	19
6	Designation code	19
7	Evaluation of conformity	20
7.1	General	20
7.2	Initial Type Testing	20
7.3	Factory Production Control	20
8	Marking and labelling	20
Annex A	(normative) Factory production control	21
Annex B	(informative) Special conditions for the determination of organic content	24
B.1	Principle	24
B.2	Apparatus	24
B.3	Procedure	24
B.4	Calculation and expression of results	24

B.5	Test report	24
Annex C	(informative) Preparation of the test specimens to measure thermal conductivity	25
C.1	Preparation of the test specimens to measure thermal conductivity	25
C.2	Ageing	25
Annex D	(informative) Product specific details for mounting and fixing for reaction to fire testing	26
Annex E	(informative) Additional properties	30
E.1	General	30
E.2	Coefficient of thermal expansion	30
E.3	Apparent and true porosity	30
E.4	Air flow resistance	30
E.5	Creep in compression	30
E.6	Permeability to gases	30
E.7	Bending strength	30
E.8	Apparent density	30
Annex ZA	(informative) Clauses of this European Standard addressing the provisions of the	
	EU Construction Products Directive	32
ZA.1	Scope and relevant characteristics	32
ZA.2	Procedures for attestation of conformity of factory made expanded perlite and exfoliated vermiculite products	34
ZA.2.1	Systems of attestation of conformity	34
ZA.2.2	EC certificate and declaration of conformity	36
ZA.3	CE Marking and labelling	37
	Bibliography	40

Figures

Figure ZA.1	— Example of CE marking information	39
-------------	---	----

Tables

Table 1	— Dimensional tolerances.....	12
Table 2	— Levels for maximum service temperatures.....	14
Table 3	— Levels for compressive stress at 10 % deformation or compressive strength	15
Table 4	— Test methods, test specimens and conditions	17
Table A.1	— Minimum product testing frequencies.....	21
Table A.2	— Minimum product testing frequencies for the reaction to fire characteristics	23
Table D.1	— Product parameters for EP / EV - flat products when tested as placed on the market or in standard test configuration of assemblies.....	26
Table D.2	— Installation Parameters for EP / EV - flat products as placed on the market.....	27
Table D.3	— Product parameters for EP / EV - pipe insulation products, as placed on the market.....	27
Table D.4	— Installation Parameters for EP / EV - pipe insulation products, as placed on the market.....	28
Table D.5	— Installation Parameters for EP / EV - flat products in standard test configuration of assemblies simulating end-use applications	28
Table E.1	— Test methods, test specimens, and conditions	31

FprEN 15501:2012 (E)

Table ZA.1— Relevant clauses	33
Table ZA.2 — System(s) of attestation of conformity	34
Table ZA.3.1 — Assignment of evaluation of conformity tasks for products under system 1 for reaction to fire and system 3 for other characteristics.....	35
Table ZA.3.2 — Assignment of evaluation of conformity tasks for products under system 3 or system 3 combined with system 4 for reaction to fire	36