SLOVENSKI STANDARD

SIST ISO 31-6:1995

prva izdaja maj 1995

Veličine in enote - 6. del: Svetlobna in sorodna elektromagnetna valovanja

Quantities and units - Part 6: Light and related electromagnetic radiations

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ISO 31-6+A1:2008 https://standards.iteh.ai/catalog/standards/sist/3b6ce980-3310-40b6-8b8f-36fbe838b212/sist-iso-31-6a1-2008

ICS 01.060; 07.030

Referenčna številka SIST ISO 31-6:1995(en)

© Standard je založil in izdal Slovenski inštitut za standardizacijo. Razmnoževanje ali kopiranje celote ali delov tega dokumenta ni dovoljeno

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ISO 31-6+A1:2008 https://standards.iteh.ai/catalog/standards/sist/3b6ce980-3310-40b6-8b8f-36fbe838b212/sist-iso-31-6a1-2008

INTERNATIONAL STANDARD

Third edition 1992-09-01

Quantities and units —

Part 6:

Light and related electromagnetic radiations **iTeh STANDARD PREVIEW**

(Grandeurs at unites iteh.ai)

Partie 6: Lumière et rayonnements électromagnétiques connexes SIST ISO 31-6+A1:2008

https://standards.iteh.ai/catalog/standards/sist/3b6ce980-3310-40b6-8b8f-36fbe838b212/sist-iso-31-6a1-2008



Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

International Standard ISO 31-6 was prepared by Technical Committee ISO/TC 12, *Quantities, units, symbols, conversion factors*.

This third edition cancels and replaces_{SIS}theso second addition (ISO 31-6:1980). The major technical changes from the second edition are the following: 36fbe838b212/sist-iso-31-6a1-2008

- the decision by the International Committee for Weights and Measures (Comité International des Poids et Mesures, CIPM) in 1980 concerning the status of supplementary units has been incorporated;
- the unit angström, Å, in use temporarily, has been transferred to the "Conversion factors and remarks" column;
- a number of new items have been added, e.g. photonic quantities and units.

The scope of Technical Committee ISO/TC 12 is standardization of units and symbols for quantities and units (and mathematical symbols) used within the different fields of science and technology, giving, where necessary, definitions of these quantities and units. Standard conversion factors for converting between the various units also come under the scope of the TC. In fulfilment of this responsibility, ISO/TC 12 has prepared ISO 31.

© ISO 1992

Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization

- Part 0: General principles
- Part 1: Space and time
- Part 2: Periodic and related phenomena
- Part 3: Mechanics
- Part 4:' Heat
- Part 5: Electricity and magnetism
- Part 6: Light and related electromagnetic radiations
- Part 7: Acoustics
- Part 8: Physical chemistry and molecular physics
- Part 9: Atomic and nuclear physics
- Part 10: Nuclear reactions and ionizing radiations

— Part 11: Mathematical signs and symbols for use in the physical **iTeh ST** sciences and technology **VIEW**

(staPart 12: Characteristic numbers

Part 13: Solid state physics SIST ISO 31-6+A1:2008

https://standards.iteh.ai/catalog/standards/sist/3b6ce980-3310-40b6-8b8f-36fbe838b212/sist-iso-31-6a1-2008

Introduction

0.1 Arrangement of the tables

The tables of quantities and units in ISO 31 are arranged so that the quantities are presented on the left-hand pages and the units on the corresponding right-hand pages.

All units between two full lines belong to the quantities between the corresponding full lines on the left-hand pages.

Where the numbering of an item has been changed in the revision of a part of ISO 31, the number in the preceding edition is shown in parentheses on the left-hand page under the new number for the quantity; a dash is used to indicate that the item in question did not appear in the preceding VIEW edition.

0.2 Tables of quantities

The most important quantities within the field of this document are given together with their symbols and, in most cases, definitions. These definitions are given merely for identification; they are not intended to be complete.

(standards.iteh.ai)

The vectorial character of some quantities is pointed out, especially when this is needed for the definitions, but no attempt is made to be complete or consistent.

In most cases only one name and only one symbol for the quantity are given; where two or more names or two or more symbols are given for one quantity and no special distinction is made, they are on an equal footing. When two types of italic (sloping) letter exist (for example as with ϑ , θ ; φ , ϕ ; g, g) only one of these is given. This does not mean that the other is not equally acceptable. In general it is recommended that such variants should not be given different meanings. A symbol within parentheses implies that it is a "reserve symbol", to be used when, in a particular context, the main symbol is in use with a different meaning.

0.3 Tables of units

0.3.1 General

Units for the corresponding quantities are given together with the international symbols and the definitions. For further information, see ISO 31-0.

The units are arranged in the following way:

 a) The names of the SI units are given in large print (larger than text size). The SI units have been adopted by the General Conference on Weights and Measures (Conference Générale des Poids et Mesures, CGPM). b) The names of non-SI units which may be used together with SI units because of their practical importance or because of their use in specialized fields are given in normal print (text size).

These units are separated by a broken line from the SI units for the quantities concerned.

- c) The names of non-SI units which may be used temporarily together with SI units are given in small print (smaller than text size) in the "Conversion factors and remarks" column.
- d) The names of non-SI units which should not be combined with SI units are given only in annexes in some parts of ISO 31. These annexes are informative and not integral parts of the standard. They are arranged in three groups:
 - 1) special names of units in the CGS system;
 - names of units based on the foot, pound and second and some other related units;
 - 3) names of other units.

iTeh STANDARD PREVIEW 0.3.2 Remark on units for quantities of dimension one (standards.iteh.ai)

The coherent unit for any quantity of dimension one is the number one (1). When the value of such a quantity is expressed, the unit 1 is generally not written out explicitly. Prefixes shall not be used to form multiples or subhttps://standards.it/multiples/of/this/unit//instead/of/prefixes/powers of 10 may be used.

36fbe838b212/sist-iso-31-6a1-2008 EXAMPLES

Refractive index $n = 1,53 \times 1 = 1,53$

Reynolds number $Re = 1,32 \times 10^3$

Considering that plane angle is generally expressed as the ratio between two lengths, and solid angle as the ratio between an area and the square of a length, the CIPM specified in 1980 that, in the International System of Units, the radian and steradian are dimensionless derived units. This implies that the quantities plane angle and solid angle are considered as dimensionless derived quantities. The units radian and steradian may be used in expressions for derived units to facilitate distinction between quantities of different nature but having the same dimension.

0.4 Numerical statements

All numbers in the "Definition" column are exact.

When numbers in the "Conversion factors and remarks" column are exact, the word "exactly" is added in parentheses after the number.

0.5 Special remarks

0.5.1 Quantities

This part of ISO 31 contains a selection of quantities pertaining to light and other electromagnetic radiation. "Radiant" quantities relating to radiation

in general may be useful for the whole range of electromagnetic radiations, whereas "luminous" quantities pertain only to visible light.

In several cases, the same symbol is used for a trio of corresponding radiant, luminous and photonic quantities with the understanding that subscripts e for energetic, v for visible and p for photonic will be added whenever confusion between these quantities might otherwise occur.

For ionizing radiations, however, see ISO 31-10.

Several quantities in this part of ISO 31 are spectral concentrations expressed in terms of wavelength. The definition is given explicitly in 6.9 and the relation to 6.8 is shown in the remarks column. Other spectral concentrations are indicated by equations in the "Remarks" column. The subscript λ is used as part of the symbol to indicate that the quantity has the dimension of a derivative with respect to λ . Spectral concentrations expressed in terms of frequency or repetency are defined and denoted similarly, the subscript λ being replaced by ν or σ respectively. Spectral concentrations are also called distribution functions, for example wavelength distribution function, frequency distribution function. The name of a quantity which is a spectral concentration may be shortened by replacing the words "spectral concentration of" by the adjective "spectral", for example spectral concentration of radiant energy density may be called spectral radiant energy density.

The adjective "spectral" is also used to designate quantities which are functions of wavelength (or frequency or repetency), but which are not spectral concentrations, for example spectral emissivity (see 6-21.2). The VIEW functional dependence is usually indicated by including λ (or ν or σ) in parentheses as part of the symbol, for example $e(\lambda)$ -ndards.iteh.ai)

0.5.2 Units

SIST ISO 31-6+A1:2008

In photometry and radiometry the sunit steradian is used for convehience-3310-40b6-8b8f-36fbe838b212/sist-iso-31-6a1-2008

Quantities and units —

Part 6:

Light and related electromagnetic radiations

1 Scope

This part of ISO 31 gives names and symbols for quantities and units of light and related electromagnetic radiations. Where appropriate, conversion factors are also given.

2 Normative reference

part of ISO 31 are encouraged to investigate the possibility of applying the most recent edition of the standard indicated below. Members of IEC and ISO maintain registers of currently valid International Standards.

ISO 31-8:1992, Quantities and units - Part 8: Phys-

IEW

KF

(standards.ifcalchenistry and molecular physics.

The following standard contains provisions which, 1-6+A **3**²⁰⁰**Names and symbols** through reference in this text, constitute provisions and sist/3b6ce980-3310-40b6-8b8fof this part of ISO 31. At the time of publication, the st-iso-3 The names and symbols for quantities and units of edition indicated was valid. All standards are subject to revision, and parties to agreements based on this on the following pages.

LIGHT AND RELATED							
Item No.	Quantity	Symbol	Definition	Remarks			
6-1	frequency	f, v	Number of cycles divided by time				
6-2	angular frequency	ω	$\omega = 2\pi v$				
6-3	wavelength	۶ iTeh S	Distance in the direction of propagation of a periodic wave between two successive points where at a given time the phase is the same PREV	The wavelength in a medium is equal to the wavelength in vac- uum divided by the refractive index of the medium (see 6-44).			
6-4	repentency, wavenumber htt	σ ps://standards.ite	$\sigma = 1/\lambda$ $\sigma = 1/\lambda$ SIST ISO 31-6+A1:2008 h.ai/catalog/standards/sist/3b6ce980-3310 36fbe838b212/sist-iso-31-6a1-2008	In molecular spectroscopy \tilde{v} is used for v/c . The vector quantities σ and k corresponding to repetency and			
6-5 (<i>6-4.2</i>)	angular repetency, angular wavenumber	k	$k = 2\pi\sigma$	angular repetency are called wave vector and propagation vector respectively.			
6-6 (<i>6-5.1</i>)	velocity (speed) of electromagnetic waves in vacuum	<i>c, c</i> ₀		c = 299 792 458 m/s (exactly) When it is necessary to make a distinction between phase velocity in a medium and phase velocity in vacuum, c is used for the former and c_0 for the latter.			
6-7 (<i>6-6.1</i>)	radiant energy	Q, W, (U, Q _e)	Energy emitted, transferred or received as radiation				

		LIGHT AND RELATED				
Units	ELECTROMAGNETIC RADIATIONS					
ltem No.	Name of unit	International symbol for unit	Definition	Conversion factors and remarks		
6-1.a	hertz	Hz	$1 \text{ Hz} = 1 \text{ s}^{-1}$			
6-2.a	radian per second	rad/s				
6.2.b	reciprocal second, second to the power minus one	s ⁻¹				
6-3.a	metre	m		ångström (Å), 1 Å = 10^{-10} m		
	Ti	eh STA	NDARD PREV	EW		
6-4.a	reciprocal metre, metre to the power minu <mark>s</mark> tps://st one	m ⁻¹ SI andards.iteh.ai/cat 36fbe8	<u>ST ISO 31-6+A1:2008</u> alog/standards/sist/3b6ce980-3310 8b212/sist-iso-31-6a1-2008	The multiple $cm^{-1} (= 100 m^{-1})$ is often used. -40b6-8b8f-		
6-5.a	radian per metre	rad/m				
6-5.b	reciprocal metre, metre to the power minus one	m ⁻¹				
6-6.a	metre per second	m/s				
6-7.a	joule	J	1 J = 1 N · m			