



SLOVENSKI STANDARD

SIST ETS 300 009-2:1998

01-november-1998

Digitalno omrežje z integriranimi storitvami (ISDN) - Signalizacija št. 7 - Krmilni del signalizacijske zveze (SCCP) (nepovezavni in povezavni razred 2) za podporo mednarodnega medsebojnega povezovanja - 2. del: Izjava o skladnosti izvedbe protokola (PICS) - Proforma specifikacije

Integrated Services Digital Network (ISDN); Signalling System No.7; Signalling Connection Control Part (SCCP) (connectionless and connection-oriented class 2) to support international interconnection; Part 2: Protocol Implementation Conformance Statement (PICS) proforma specification

(standards.iteh.ai)

[SIST ETS 300 009-2:1998](https://standards.iteh.ai/catalog/standards/sist/8518ac74-e3de-4218-8281-4d944e0494dc/sist-ets-300-009-2-1998)

<https://standards.iteh.ai/catalog/standards/sist/8518ac74-e3de-4218-8281-4d944e0494dc/sist-ets-300-009-2-1998>

Ta slovenski standard je istoveten z: ETS 300 009-2 Edition 1

ICS:

33.080	Digitalno omrežje z integriranimi storitvami (ISDN)	Integrated Services Digital Network (ISDN)
--------	---	--

SIST ETS 300 009-2:1998

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 009-2:1998](#)

<https://standards.iteh.ai/catalog/standards/sist/8518ac74-e3de-4218-8281-4d944e0494dc/sist-ets-300-009-2-1998>



EUROPEAN
TELECOMMUNICATION
STANDARD

ETS 300 009-2

September 1996

Source: ETSI TC-SPS

Reference: RE/SPS-02018-2

ICS: 33.080

Key words: ISDN, SS7, SCCP, PICS

**Integrated Services Digital Network (ISDN);
Signalling System No.7;
Signalling Connection Control Part (SCCP)
(connectionless and connection-oriented class 2)
to support international interconnection;
Part 2: Protocol Implementation Conformance Statement (PICS)
proforma specification**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 92 94 42 00 - Fax: +33 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1996. All rights reserved.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 009-2:1998](https://standards.iteh.ai/catalog/standards/sist/8518ac74-e3de-4218-8281-4d944e0494dc/sist-ets-300-009-2-1998)

<https://standards.iteh.ai/catalog/standards/sist/8518ac74-e3de-4218-8281-4d944e0494dc/sist-ets-300-009-2-1998>

Contents

Foreword	5
Introduction	5
1 Scope	7
2 Normative references	7
3 Definitions	7
4 Abbreviations	7
5 Conformance	8
Annex A (normative): PICS proforma for ETS 300 009-1	9
A.1 Guidance for completing the PICS proforma	9
A.1.1 Purposes and structure	9
A.1.2 Abbreviations and conventions	9
A.1.3 Instructions for completing the PICS	10
A.2 Identification of the implementation	11
A.2.1 Date of the statement	11
A.2.2 Implementation Under Test (IUT) identification	11
A.2.3 System Under Test (SUT) identification	11
A.2.4 Product supplier	11
A.2.5 Client	12
A.2.6 PICS contact person	12
A.3 Identification of the protocol	13
A.4 Global statement of conformance	13
A.5 Capabilities	13
A.5.1 General requirements	14
A.5.1.1 Implemented class	14
A.5.1.2 SCCP routing capabilities	14
A.5.1.3 Called/Calling address parameter	15
A.5.1.4 MTP interface	15
A.5.1.5 Roles	16
A.5.2 Major capabilities - SCCP management	16
A.5.3 Major capabilities - connectionless SCCP	17
A.5.4 Major capabilities - connection-oriented SCCP	17
A.5.5 Timers used in SCCP	20
A.5.6 Messages	21
A.5.7 Message parameters	22
A.5.8 Multi-layer dependencies	29
History	30

Blank page

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 009-2:1998](https://standards.iteh.ai/catalog/standards/sist/8518ac74-e3de-4218-8281-4d944e0494dc/sist-ets-300-009-2-1998)

<https://standards.iteh.ai/catalog/standards/sist/8518ac74-e3de-4218-8281-4d944e0494dc/sist-ets-300-009-2-1998>

Foreword

This European Telecommunication Standard (ETS) has been produced by the Signalling Protocols and Switching (SPS) Technical Committee of the European Telecommunications Standards Institute (ETSI).

This ETS is part 2 of a multi-part standard covering the Signalling System No.7 Signalling Connection Control Part (SCCP) to support international interconnection as described below:

Part 1: "Protocol specification [ITU-T Recommendations Q.711 to Q.714 and Q.716 (1993), modified]";

Part 2: "Protocol Implementation Conformance Statement (PICS) proforma specification";

Part 3: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification".

Transposition dates	
Date of adoption of this ETS:	6 September 1996
Date of latest announcement of this ETS (doa):	31 December 1996
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):	30 June 1997
Date of withdrawal of any conflicting National Standard (dow):	30 June 1997

iTeh STANDARD PREVIEW

Introduction

(standards.iteh.ai)

To evaluate conformance of a particular implementation, it is necessary to have a statement of which capabilities and options have been implemented for a given OSI protocol. Such a statement is called a Protocol Implementation Conformance Statement (PICS).

Blank page

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 009-2:1998](https://standards.iteh.ai/catalog/standards/sist/8518ac74-e3de-4218-8281-4d944e0494dc/sist-ets-300-009-2-1998)

<https://standards.iteh.ai/catalog/standards/sist/8518ac74-e3de-4218-8281-4d944e0494dc/sist-ets-300-009-2-1998>

1 Scope

This second part of ETS 300 009 provides the Protocol Implementation Conformance Statement (PICS) proforma for Signalling Connection Control Part (SCCP) signalling protocol of Signalling System No.7 for use between and, optionally, in public networks as specified in ETS 300 009-1 [1] in compliance with the relevant requirements and in accordance with the relevant guidance given in ISO/IEC 9646-7 [3].

The supplier of a protocol implementation that is claimed to conform to ETS 300 009-1 [1] is required to complete a copy of the PICS proforma provided in annex A of this ETS and is required to provide the information necessary to identify both the supplier and the implementation.

2 Normative references

This ETS incorporates by dated and undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

- [1] ETS 300 009-1 (1996): "Integrated Services Digital Network (ISDN); Signalling System No.7; Signalling Connection Control Part (SCCP) (connectionless and connection-oriented class 2) to support international interconnection; Part 1: Protocol specification [ITU-T Recommendations Q.711 to Q.714 and Q.716 (1993), modified]".
- [2] ISO/IEC 9646-1: "Information technology - Open systems interconnection - Conformance testing methodology and framework - Part 1: General concepts".
- [3] ISO/IEC 9646-7: "Information technology - Open systems interconnection - Conformance testing methodology and framework - Part 7: Implementation Conformance Statements".

3 Definitions

SIST ETS 300 009-2:1998

[https://standards.iteh.ai/catalog/standards/sist/8518ac74-e3de-4218-8281-](https://standards.iteh.ai/catalog/standards/sist/8518ac74-e3de-4218-8281-4d944e0494dc/sist-ets-300-009-2-1998)

[4d944e0494dc/sist-ets-300-009-2-1998](https://standards.iteh.ai/catalog/standards/sist/8518ac74-e3de-4218-8281-4d944e0494dc/sist-ets-300-009-2-1998)

For the purposes of this ETS, the definitions in ETS 300 009-1 [1], ISO/IEC 9646-1 [2] and ISO/IEC 9646-7 [3] apply. In particular, the following terms defined in ISO/IEC 9646-1 [2] apply:

Implementation Conformance Statement (ICS): A statement made by the supplier of an implementation or system claimed to conform to a given specification, stating which capabilities have been implemented. The ICS can take several forms: protocol ICS (PICS), profile ICS, profile specific ICS, and information object ICS.

Protocol Implementation Conformance Statement (PICS): An ICS for an implementation or system claimed to conform to a given protocol specification.

PICS proforma: A document, in the form of a questionnaire, which when completed for an implementation or system becomes a PICS.

4 Abbreviations

For the purposes of this ETS, the following abbreviations apply:

AK	Data Acknowledgement message
c	Conditional
CC	Connection Confirm message
CR	Connection Request message
CREF	Connection Refused message
DPC	Destination Point Code
DT1	Data Form 1 message
DT2	Data Form 2 message
EA	Expedited Data Acknowledgement message
ED	Expedited Data message

EOP	End of Optional Parameter
ERR	Protocol Data Unit Error message
GT	Global Title
ICS	Implementation Conformance Statement
ISDN	Integrated Services Digital Network
IT	Inactivity Test message
IUT	Implementation Under Test
m	Mandatory
MTP	Message Transfer Part
n/a	Not Applicable
NSDU	Network Service Data Unit
o	Optional
o.<n>	Optional, but, if chosen, support is required for either at least one or only one of the options in the group labelled by the same numeral <n>
OPC	Originating Point Code
OSI	Open System Interconnection
PICS	Protocol Implementation Conformance Statement
RLC	Release Complete message
RLSD	Released message
RSC	Reset Confirm message
RSR	Reset Request message
SCCP	Signalling Connection Control Part
SCS	System Conformance Statement
SOG	Subsystem Out Of Service Grant message
SOR	Subsystem Out Of Service Request message
SPC	Signalling Point Code
SS	SubSystem
SSA	Subsystem Allowed message
SSN	SubSystem Number
SSP	Subsystem Prohibited message
SST	Subsystem Status Test message
SUT	System Under Test
UDT	UnitData message
UDTS	UnitData Service message
UPU	User Part Unavailable
x	Excluded
XUDT	Extended UnitData message
XUDTS	Extended UnitData Service message

5 Conformance

A PICS proforma that conforms to this PICS proforma specification shall be technically equivalent to annex A, and shall preserve the numbering and ordering of the items in annex A.

A PICS that conforms to this PICS proforma specification shall:

- a) describe an implementation which conforms to ETS 300 009-1 [1];
- b) be a conforming PICS proforma, which has been completed in accordance with the instructions for completion given in clause A.1;
- c) include the information necessary to uniquely identify both the supplier and the implementation.

Annex A (normative): PICS proforma for ETS 300 009-1

Notwithstanding the provisions of the copyright clause related to the text of this ETS, ETSI grants that users of this ETS may freely reproduce the PICS proforma in this annex so that it can be used for its intended purposes and may further publish the completed PICS.

A.1 Guidance for completing the PICS proforma

A.1.1 Purposes and structure

The purpose of this PICS proforma is to provide a mechanism whereby a supplier of an implementation of the requirements defined in ETS 300 009-1 [1] may provide information about the implementation in a standardized manner.

The PICS proforma is subdivided into clauses for the following categories of information:

- guidance for completing the PICS proforma;
- identification of the implementation;
- identification of the protocol;
- global statement of conformance;
- explicit statements about the implemented capabilities.

A.1.2 Abbreviations and conventions

The PICS proforma contained in this annex is comprised of information in tabular form in accordance with the guidelines presented in ISO/IEC 9646-7 [3].

Item column

The item column contains a number which identifies the item in the table.

Item description column

The item description column describes in free text each respective item (e.g. parameters, timers, etc.). It implicitly means "is <item description> supported by the implementation?".

Status column

The following notations, defined in ISO/IEC 9646-7 [3], are used for the status column:

m	mandatory - the capability is required to be supported.
o	optional - the capability may be supported or not.
n/a	not applicable - in the given context, it is impossible to use the capability.
x	prohibited (excluded) - there is a requirement not to use this capability in the given context.
o.i	qualified optional - for mutually exclusive or selectable options from a set. "i" is an integer which identifies an unique group of related optional items and the logic of their selection which is defined immediately following the table.
ci	conditional - the requirement on the capability ("m", "o", "x" or "n/a") depends on the support of other optional or conditional items. "i" is an integer identifying an unique conditional status expression which is defined immediately following the table.

Reference column

The reference column gives reference to ITU-T Recommendations Q.711 to Q.714 as modified by ETS 300 009-1 [1], except where explicitly stated otherwise.

Note, however, that a reference merely indicates the place where the core of a description of an item can be found. Any additional information contained in ETS 300 009-1 [1] needs to be taken into account when making a statement about the conformance of that particular item.

Support column

The support column shall be filled in by the supplier of the implementation. The following common notations, defined in ISO/IEC 9646-7 [3], are used for the support column:

Y or y	supported by the implementation
N or n	not supported by the implementation
N/A, n/a or -	no answer required (allowed only if the status is n/a, directly or after evaluation of a conditional status)

NOTE: As stated in ISO/IEC 9646-7 [3], support for a received PDU requires the ability to parse all valid parameters of that PDU. Supporting a PDU while having no ability to parse a valid parameter is non-conformant. Support for a parameter of a PDU implies that the semantics of that parameter are supported.

If this PICS proforma is completed in order to describe a multiple-profile support in a system, it is necessary to be able to answer that a capability is supported for one profile and not supported for another. In that case, the supplier shall enter the unique reference to a conditional expression, preceded by "?" (e.g. ?3). This expression shall be given in the space for comments provided at the bottom of the table. It uses predicates defined in the System Conformance Statement (SCS), each of which refers to a single profile and which takes the value TRUE if and only if that profile is to be used.

EXAMPLE: ?3: IF prof1 THEN Y ELSE N

References to items

For each possible item answer (answer in the support column) within the PICS proforma exists a unique reference, used, for example, in the conditional expressions. It is defined as the table identifier, followed by a solidus character "/", followed by the item number in the table.

EXAMPLE: A.5/4 is the reference to the answer of item 4 in table 5 of annex A.

A.1.3 Instructions for completing the PICS

The supplier of the implementation shall complete the PICS proforma in each of the spaces provided. In particular, an explicit answer shall be entered in each of the support boxes provided, using the notation described in subclause A.1.2.

If necessary, the supplier may provide additional comments in the space at the bottom of the tables or separately.

More detailed instructions are given at the beginning of the different subclauses of the PICS proforma.