INTERNATIONAL STANDARD

ISO 22663

First edition 2006-04-15

Space data and information transfer systems — Proximity-1 space link protocol — Data link layer

Systèmes de transfert des informations et données spatiales — Protocole pour liaisons spatiales de proximité 1 — Couche de liaisons de données

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 22663:2006 https://standards.iteh.ai/catalog/standards/sist/b65ddfe1-e699-43d6-bdd5-d66a4da563e9/iso-22663-2006



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 22663:2006 https://standards.iteh.ai/catalog/standards/sist/b65ddfe1-e699-43d6-bdd5-d66a4da563e9/iso-22663-2006

© ISO 2006

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 22663 was prepared by the Consultative Committee for Space Data Systems (CCSDS) (as CCSDS 211.0-B-3, May 2004) and was adopted (without modifications, except those stated in Clause 2 of this International Standard) by Technical Committee ISO/TC 20, Aircraft and space vehicles, Subcommittee SC 13, Space data and information transfer systems.

(standards.iteh.ai)

ISO 22663:2006 https://standards.iteh.ai/catalog/standards/sist/b65ddfe1-e699-43d6-bdd5-d66a4da563e9/iso-22663-2006

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 22663:2006

https://standards.iteh.ai/catalog/standards/sist/b65ddfe1-e699-43d6-bdd5-d66a4da563e9/iso-22663-2006

Space data and information transfer systems — Proximity-1 space link protocol — Data link layer

1 Scope

This International Standard defines the data link layer (framing, media access, data services and input-output sublayers) of a Proximity-1 space link protocol. The specifications for the protocol data units, framing, media access control, expedited and sequenced controlled data transfer, timing service, i/o control as well as the procedures for establishing and terminating a session between a caller and responder are defined in this International Standard.

This International Standard does not specify

- a) individual implementations or products,
- b) implementation of service interfaces within real systems,
- c) methods or technologies required to perform the procedures, or
- d) management activities required to configure and control the protocol.

The scope and field of application are furthermore detailed in subclauses 1.2 and 1.3 of the enclosed CCSDS publication.

https://standards.iteh.ai/catalog/standards/sist/b65ddfe1-e699-43d6-bdd5-d66a4da563e9/iso-22663-2006

2 Requirements

Requirements are the technical recommendations made in the following publication (reproduced on the following pages), which is adopted as an International Standard:

CCSDS 211.0-B-3, May 2004, Proximity-1 space link protocol — Data link layer.

For the purposes of international standardization, the modifications outlined below shall apply to the specific clauses and paragraphs of publication CCSDS 211.0-B-3.

Pages i to v

This part is information that is relevant to the CCSDS publication only.

Pages 1-6 to 1-7

Add the following information to the references indicated:

- [2] Document CCSDS 232.1-B-1, September 2003, is equivalent to ISO 22667:2005.
- [3] Document CCSDS 232.0-B-1, September 2003, is equivalent to ISO 22664:2005.
- [4] Document CCSDS 132.0-B-1, September 2003, is equivalent to ISO 22645:2005.
- [5] Document CCSDS 131.0-B-1, September 2003, is equivalent to ISO 22641:2005.

© ISO 2006 – All rights reserved

ISO 22663:2006(E)

- [7] Document CCSDS 301.0-B-3, January 2002, is equivalent to ISO 11104:2003.
- [8] Document CCSDS 211.2-B-1, April 2003, is equivalent to ISO 21459:—1).
- [9] Document CCSDS 211.1-B-1, April 2003, is equivalent to ISO 21460:—1).

3 Revision of publication CCSDS 211.0-B-3

It has been agreed with the Consultative Committee for Space Data Systems that Subcommittee ISO/TC 20/SC 13 will be consulted in the event of any revision or amendment of publication CCSDS 211.0-B-3. To this end, NASA will act as a liaison body between CCSDS and ISO.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 22663:2006 https://standards.iteh.ai/catalog/standards/sist/b65ddfe1-e699-43d6-bdd5-d66a4da563e9/iso-22663-2006

-

¹⁾ To be published.

Consultative Committee for Space Data Systems

RECOMMENDATION FOR SPACE DATA SYSTEM STANDARDS

PROXIMITY-1 SPACE LINK PROTOCOL—

DATA LINK LAYER

(standards.iteh.ai)


ISO 22663:2006

https://standards.iteh.ai/catalog/standards/sist/b65ddfe1-e699-43d6-bdd5-d66a4da563e9/iso-22663-2006

CCSDS 211.0-B-3

BLUE BOOK

May 2004



© ISO 2006 – All rights reserved

AUTHORITY

Issue: Blue Book, Issue 3

Date: May 2004

Location: St. Hubert, Canada

This document has been approved for publication by the Management Council of the Consultative Committee for Space Data Systems (CCSDS) and represents the consensus technical agreement of the participating CCSDS Member Agencies. The procedure for review and authorization of CCSDS Recommendations is detailed in *Procedures Manual for the Consultative Committee for Space Data Systems*, and the record of Agency participation in the authorization of this document can be obtained from the CCSDS Secretariat at the address below.

This Recommendation is published and maintained by:

CCSDS Secretariat STANDARD PREVIEW

Office of Space Communication (Code M-3) hai) National Aeronautics and Space Administration

Washington, DC 20546, USA ISO 22663:2006

https://standards.iteh.ai/catalog/standards/sist/b65ddfe1-e699-43d6-bdd5-d66a4da563e9/iso-22663-2006

STATEMENT OF INTENT

The Consultative Committee for Space Data Systems (CCSDS) is an organization officially established by the management of member space Agencies. The Committee meets periodically to address data systems problems that are common to all participants, and to formulate sound technical solutions to these problems. Inasmuch as participation in the CCSDS is completely voluntary, the results of Committee actions are termed **Recommendations** and are not considered binding on any Agency.

This **Recommendation** is issued by, and represents the consensus of, the CCSDS Plenary body. Agency endorsement of this **Recommendation** is entirely voluntary. Endorsement, however, indicates the following understandings:

- Whenever an Agency establishes a CCSDS-related standard, this standard will be in accord with the relevant Recommendation. Establishing such a standard does not preclude other provisions which an Agency may develop.
- Whenever an Agency establishes a CCSDS-related standard, the Agency will provide other CCSDS member Agencies with the following information:
 - The **standard** itself.
 - The anticipated date of initial operational capability.
 - The anticipated duration of operational service.
- Specific service arrangements are made via memoranda of agreement. Neither this Recommendation nor any ensuing standard is a substitute for a memorandum of agreement.

No later than five years from its date of issuance, this **Recommendation** will be reviewed by the CCSDS to determine whether it should: (1) remain in effect without change; (2) be changed to reflect the impact of new technologies, new requirements, or new directions; or, (3) be retired or canceled.

In those instances when a new version of a **Recommendation** is issued, existing CCSDS-related Agency standards and implementations are not negated or deemed to be non-CCSDS compatible. It is the responsibility of each Agency to determine when such standards or implementations are to be modified. Each Agency is, however, strongly encouraged to direct planning for its new standards and implementations towards the later version of the Recommendation.

FOREWORD

Through the process of normal evolution, it is expected that expansion, deletion, or modification of this document may occur. This Recommendation is therefore subject to CCSDS document management and change control procedures which are defined in the *Procedures Manual for the Consultative Committee for Space Data Systems*. Current versions of CCSDS documents are maintained at the CCSDS Web site:

http://www.ccsds.org/

Questions relating to the contents or status of this document should be addressed to the CCSDS Secretariat at the address indicated on page i.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 22663:2006 https://standards.iteh.ai/catalog/standards/sist/b65ddfe1-e699-43d6-bdd5-d66a4da563e9/iso-22663-2006 At time of publication, the active Member and Observer Agencies of the CCSDS were:

Member Agencies

- Agenzia Spaziale Italiana (ASI)/Italy.
- British National Space Centre (BNSC)/United Kingdom.
- Canadian Space Agency (CSA)/Canada.
- Centre National d'Etudes Spatiales (CNES)/France.
- Deutsches Zentrum für Luft- und Raumfahrt e.V. (DLR)/Germany.
- European Space Agency (ESA)/Europe.
- Federal Space Agency (FSA)/Russian Federation.
- Instituto Nacional de Pesquisas Espaciais (INPE)/Brazil.
- Japan Aerospace Exploration Agency (JAXA)/Japan.
- National Aeronautics and Space Administration (NASA)/USA.

Observer Agencies

- Austrian Space Agency (ASA)/Austria.
- Central Research Institute of Machine Building (TsNIIMash)/Russian Federation.
- Centro Tecnico Aeroespacial (CTA)/Brazil. PRFVIFW
- Chinese Academy of Space Technology (CAST)/China.
- Commonwealth Scientific and Industrial Research Organization (CSIRO)/Australia.
- Communications Research Laboratory (CRL)/Japan.
- Danish Space Research Institute (DSRI)/Denmark.
- European Organization for the Exploitation of Meteorological Satellites (EUMETSAT)/Europe.
- European Telecommunications Satellite Organization (EUTELSAT)/Europe.
- Federal Science Policy Office (FSPO)/Belgium.
- Hellenic National Space Committee (HNSC)/Greece.
- Indian Space Research Organization (ISRO)/India.
- Institute of Space Research (IKI)/Russian Federation.
- KFKI Research Institute for Particle & Nuclear Physics (KFKI)/Hungary.
- Korea Aerospace Research Institute (KARI)/Korea.
- MIKOMTEK: CSIR (CSIR)/Republic of South Africa.
- Ministry of Communications (MOC)/Israel.
- National Oceanic & Atmospheric Administration (NOAA)/USA.
- National Space Program Office (NSPO)/Taipei.
- Space and Upper Atmosphere Research Commission (SUPARCO)/Pakistan.
- Swedish Space Corporation (SSC)/Sweden.
- United States Geological Survey (USGS)/USA.

DOCUMENT CONTROL

Document	Title and Issue	Date	Status
CCSDS 211.0-B-1	Proximity-1 Space Link Protocol	October 2002	Superseded
CCSDS	Proximity-1 Space Link Protocol—	April	Superseded
211.0-B-2	Data Link Layer	2003	
CCSDS	Proximity-1 Space Link Protocol—	May	Current Issue
211.0-B-3	Data Link Layer	2004	

Note

Physical layer specifications, previously contained in annex F, and Coding and Synchronization sublayer specifications, previously contained in subsection 4.1 and annex D, have been moved to two new documents. CCSDS 211.1-B-1 (reference [9]) and CCSDS 211.2-B-1 (reference [8]), respectively.

(standards.iteh.ai)

Additionally, text has been added to two notes in annex Á in order to clarify cross support requirements.

ISO 22663:2006

https://standards.iteh.ai/catalog/standards/sist/b65ddfe1-e699-43d6-bdd5-d66a4da563e9/iso-22663-2006

CONTENTS

Section		<u>Page</u>	
1	INT	RODUCTION	1-1
	1.1	PURPOSE	
	1.2	SCOPE	
	1.3	APPLICABILITY	
	1.4	RATIONALE	
	1.5 1.6	CONVENTIONS AND DEFINITIONS	
2	ov	ERVIEW	2-1
	2.1	CONCEPT OF PROXIMITY-1	2-1
	2.2	OVERVIEW OF SERVICES	
3	PRO	OTOCOL DATA UNITS	3-1
	3.1	CONTEXT OF THE VERSION-3 TRANSFER FRAME.	3-1
	3.2	VERSION-3 TRANSFER FRAME (Standards:item.ai)	3-1
4	DA	ΓA LINK LAYERISO 22663:2006	
	4.1	https://standards.iteh.ai/catalog/standards/sist/b65ddfe1-e699-43d6-bdd5-FRAME SUBLAYER d66a4da563e9/iso+22663+2006	<i>1</i> ₋ 1
	4.2	MEDIUM ACCESS CONTROL (MAC) SUBLAYER	4-2
	4.3	DATA SERVICES SUBLAYER	4-5
	4.4	I/O INTERFACE SUBLAYER	
5	PRO	OXIMITY-1 TIMING SERVICES	5-1
	5.1	COUPLED NON-COHERENT PROXIMITY TIMING SERVICE	5-1
	5.2	PROXIMITY TIME CORRELATION	5-1
6	DA'	ΓA SERVICES OPERATIONS	6-1
	6.1	OVERVIEW	
	6.2	PROXIMITY-1 STATE TABLES	
	6.3	ELEMENTS AND EVENTS THAT AFFECT STATE STATUS	
	6.4	STATE TRANSITION TABLES AND DIAGRAMS	
	6.5	SIMPLEX OPERATIONS	
	6.6	INTERFACES WITH THE PHYSICAL LAYER	
	6.7	SENDING OPERATIONS	
	6.8	RECEIVING OPERATIONS	6-31

CONTENTS (continued)

Sect	<u>10n</u>	Page
	COMMUNICATION OPERATIONS PROCEDURE FOR PROXIMITY LINE	
	7.1 SENDING PROCEDURES (FOP-P)	7-1
	7.2 RECEIVING PROCEDURES (FARM-P)	
8 1	INPUT/OUTPUT (I/O) SUBLAYER OPERATIONS	
	3.1 SENDING OPERATIONS	
(3.2 RECEIVING OPERATIONS	8-2
ANI	NEX A VARIABLE-LENGTH SUPERVISORY PROTOCOL DATA FIELD FORMATS	Δ-1
	NEX B MANAGEMENT INFORMATION BASE (MIB) PARAMETERS NEX C NASA MARS SURVEYOR PROJECT 2001 ODYSSEY ORBITER	B-1
	PROXIMITY SPACE LINK CAPABILITIES	C-1
	NEX D NOTIFICATIONS TO VEHICLE CONTROLLER	
ANI	NEX E ABBREVIATIONS AND ACRONYMS NEX F INFORMATIVE REFERENCES.ILEM.21)	E-1
ANI	NEX F INFORMATIVE REFERENCES	F -1
<u>Figu</u>	ISO 22663:2006 https://standards.iteh.ai/catalog/standards/sist/b65ddfe1-e699-43d6-bdd5- d66a4da563e9/iso-22663-2006	
1 1		1.6
1-1 2-1	Bit Numbering Convention Proximity-1 Layered Protocol Model	
3-1	Proximity-1 Layered Protocol Model	
3-1	Version-3 Transfer Frame	
3-3	Transfer Frame Header	
3-4	Proximity-1 Transfer Frame Data Field Structure	
3-5	Proximity Link Control Word Fields	
4-1	COP-P Process	
5-1	Proximity Time Tagging and Time Correlation	
5-2	Transferring Time to a Remote Asset	
6-1	Full Duplex State Transition Diagram	
6-2	Half Duplex State Transition Diagram	
6-3	Simplex Operations	. 6-28
A-1	Type 1 SPDU Data Field Contents	A-2
A-2	SET TRANSMITTER PARAMETERS Directive	A-3
A-3	SET CONTROL PARAMETERS Directive	A-6
A-4	SET RECEIVER PARAMETERS Directive	A-8
A-5	SET V(R) Directive	A-10
A-6	Report Request	A-11

CONTENTS (continued)

<u>Figu</u>	<u>gure</u>	
A-7	Proximity Link Control Word	A-13
A-8	SET PL EXTENSIONS	A-15
A-9	Report Source Spacecraft ID	A-19
A-10	Type 2 SPDU Data Field Contents	A-20
C-1	NASA Mars Surveyor Project 2001 Odyssey SET TRANSMITTER	
	PARAMETERS Directive	C-2
C-2	NASA Mars Surveyor Project 2001 Odyssey SET RECEIVER	
	PARAMETERS Directive	C-4
C-3	Proximity Link Control Word Fields	
Table		
3-1	Frame Data Field Construction Rules	
3-2	Segment Header Sequence Flags	
3-3	Fixed Length Supervisory Protocol Data Unit	
3-4	Variable Length Supervisory Protocol Data Unit Proximity-1 Data Services Operations Roadmap	3-14
6-1	Proximity-1 Data Services Operations Roadmap	6-1
6-2	States Independent of the DUPLEX Variable ch. ai. States When DUPLEX = Full	6-2
6-3	States When DUPLEX = Full	6-3
6-4	States When DUPLEX = Half 150 22663 2006	
6-5	States When DUPLEX = Simplex (receive or transmit) 99-43-46-b-445	
6-6	Proximity-1 Control Variable Initialization Table 16.	
6-7	Full Duplex Session Establishment/Data Services State Transition Table	
6-8	Full Duplex Communication Change State Table	
6-9	Full Duplex Session Termination State Table	
	Half Duplex Session Establishment and Data Services	
	Half Duplex Communication Change State Table	
	Half Duplex Session Termination State Table	
	Simplex State Transition Table	6-28
6-14	Data Source Selection for Output Bit Stream with TRANSMIT = on and	6.20
	MODULATION = on	6-30