

SLOVENSKI STANDARD SIST ISO 500-2:2015

01-april-2015

Nadomešča:

SIST ISO 500:1995

Kmetijski traktorji - Zadnja priključna gred tipov 1, 2 in 3 - 2. del: Ozkokolotečni traktorji, mere za glavni ščit in območje nihanja

Agricultural tractors - Rear-mounted power take-off types 1, 2 and 3 - Part 2: Narrow-track tractors, dimensions for master shield and clearance zone

iTeh STANDARD PREVIEW

(standards.iteh.ai)

Tracteurs agricoles - Prises de force montées à l'arrière des types 1, 2 et 3 - Partie 2: Tracteurs à voie étroite, dimensions du bouclier protecteur et de la zone de dégagement

https://standards.iteh.ai/catalog/standards/sist/014adcc4-a014-42b4-8f30-15daf29bebf8/sist-iso-500-2-2015

Ta slovenski standard je istoveten z: ISO 500-2:2004

ICS:

65.060.10 Kmetijski traktorji in prikolice Agricultural tractors and trailed vehicles

SIST ISO 500-2:2015 en,fr

SIST ISO 500-2:2015

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ISO 500-2:2015

https://standards.iteh.ai/catalog/standards/sist/014adcc4-a014-42b4-8f30-15daf29bebf8/sist-iso-500-2-2015

SIST ISO 500-2:2015

INTERNATIONAL STANDARD

ISO 500-2

First edition 2004-09-01

Agricultural tractors — Rear-mounted power take-off types 1, 2 and 3 —

Part 2:

Narrow-track tractors, dimensions for master shield and clearance zone

iTeh ST Tracteurs agricoles Prises de force montées à l'arrière des types 1, 2 et 3 —

Stratte 2. Tracteurs à voie étroite, dimensions du bouclier protecteur et de la zone de dégagement

SIST ISO 500-2:2015

https://standards.iteh.ai/catalog/standards/sist/014adcc4-a014-42b4-8f30-15daf29bebf8/sist-iso-500-2-2015



ISO 500-2:2004(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ISO 500-2:2015
https://standards.iteh.ai/catalog/standards/sist/014adcc4-a014-42b4-8f30-15daf29bebf8/sist-iso-500-2-2015

© ISO 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 500-2 was prepared by Technical Committee ISO/TC 23, *Tractors and machinery for agriculture and forestry*, Subcommittee SC 4, *Tractors*.

This first edition of ISO 500-2, together with the first editions of ISO 500-1 and ISO 500-3, cancels and replaces ISO 500:1991, which has been technically revised.

ISO 500 consists of the following parts, under the general title *Agricultural tractors* — *Rear-mounted power take-off types 1, 2 and 3*:

https://standards.iteh.ai/catalog/standards/sist/014adcc4-a014-42b4-8f30-

- Part 1: General specifications, safety requirements, dimensions for master shield and clearance zone
- Part 2: Narrow-track tractors, dimensions for master shield and clearance zone
- Part 3: Main PTO dimensions and spline dimensions, location of PTO

SIST ISO 500-2:2015

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST ISO 500-2:2015

https://standards.iteh.ai/catalog/standards/sist/014adcc4-a014-42b4-8f30-15daf29bebf8/sist-iso-500-2-2015

ISO 500-2:2004(E)

Agricultural tractors — Rear-mounted power take-off types 1, 2 and 3 —

Part 2:

Narrow-track tractors, dimensions for master shield and clearance zone

1 Scope

This part of ISO 500 specifies the dimensions of the master shield and clearance zones for rear-mounted power take-offs (PTO) of types 1 and 2 on narrow-track (track width 1 150 mm or less) agricultural tractors.

2 Normative references

iTeh STANDARD PREVIEW

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 500-1:2004, Agricultural tractors — Rear-mounted power take-off types 1, 2 and 3 — Part 1: General specifications, safety requirements, dimensions for master shield and clearance zone

ISO 789-1:1990, Agricultural tractors — Test procedures — Part 1: Power tests for power take-off

ISO 5673-2, Agricultural tractors and machinery — Power take-off drive shafts and power-input connection — Part 2: Specification for use of PTO drive shafts, and position and clearance of PTO drive line and PIC for different attachments¹⁾

ISO 6489-1, Agricultural vehicles — Mechanical connections between towed and towing vehicles — Part 1: Dimensions of hitch-hooks

ISO 6489-2, Agricultural vehicles — Mechanical connections between towed and towing vehicles — Part 2: Specifications for clevis coupling 40

ISO 6489-3, Agricultural vehicles — Mechanical connections between towed and towing vehicles — Part 3: Tractor drawbar

ISO 6489-4, Agricultural vehicles — Mechanical connections between towed and towing vehicles — Part 4: Dimensions of piton-type coupling

ISO 24347, Agricultural vehicles — Mechanical connections between towed and towing vehicles — Dimensions of ball-type coupling device (80 mm)²⁾

-

¹⁾ To be published. (Revision of ISO 5673:1993)

²⁾ To be published.

ISO 500-2:2004(E)

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

power take-off shaft

PTO

external shaft on the rear of the tractor to provide rotational power to implements

[ISO 500-1:2004, definition 3.1]

3.2

type A tractor

agricultural tractor with a fixed or adjustable minimum track width on at least one axle of 950 mm or less and tractor PTO power of less than 20 kW as determined in accordance with ISO 789-1

3.3

type B tractor

agricultural tractor with a fixed or adjustable minimum track width on at least one axle of more than 950 mm but not more than 1 150 mm

4 Specifications

- 4.1 The tractor rear PTO shall be of type 1 or type 2, according to ISO 500-1.
- **4.2** The direction of PTO rotation shall be clockwise when viewed from behind the tractor.
- 4.3 The nominal PTO rated rotational frequency may be realized by one or more engine speed ranges.

SIST ISO 500-2:2015


https://standards.iteh.ai/catalog/standards/sist/014adcc4-a014-42b4-8f30-acate
15daf29bebf8/sist-iso-500-2-2015

5 General requirements

Safety and PTO speed requirements shall be according to ISO 500-1.

6 Dimensions for tractor master shield aperture and clearance zone of PTO

The tractor master shield aperture and the clearance zone around the PTO shall be in accordance with Figure 1 and Table 1.



Key

hole for coupling up the restraining member of the PTO drive shaft guard preventing guard rotation clearance zone

master shield aperture

Figure 1 — Tractor master shield aperture and clearance zone around PTO

^a The clearance may be restricted by movable and/or detachable devices. The clearance zone on towing vehicles shall be in accordance with ISO 6489, ISO 5673-2 and ISO 24347.

b Angle optional under consideration of clearance zone.

c Shape optional.