

SLOVENSKI STANDARD oSIST prEN ISO 13299:2014

01-november-2014

Senzorična analiza - Metodologija - Splošno navodilo za uvajanje senzoričnega profila (ISO/DIS 13299:2014)

Sensory analysis - Methodology - General guidance for establishing a sensory profile (ISO/DIS 13299:2014)

Sensorische Analyse - Prüfverfahren - Allgemeiner Leitfaden zur Erstellung eines sensorischen Profils (ISO/DIS 13299:2014)

Analyse sensorielle - Méthodologie - Directives générales pour l'établissement d'un profil sensoriel (ISO/DIS 13299:2014)

Ta slovenski standard je istoveten z: prEN ISO 13299

ICS:

67.240 Senzorična analiza

Sensory analysis

oSIST prEN ISO 13299:2014

en

oSIST prEN ISO 13299:2014

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 13299:2016

https://standards.iteh.ai/catalog/standards/sist/260f2cd7-e6c1-4347-a7ae-796efdccd6dd/sisten-iso-13299-2016

DRAFT INTERNATIONAL STANDARD ISO/DIS 13299

ISO/TC 34/SC 12

Voting begins on: **2014-09-11**

Secretariat: IRAM

Voting terminates on: 2015-02-11

Sensory analysis — Methodology — General guidance for establishing a sensory profile

Analyse sensorielle — Méthodologie — Directives générales pour l'établissement d'un profil sensoriel

ICS: 67.240

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 13299:2016

https://standards.iteh.ai/catalog/standards/sist/260f2cd7-e6c1-4347-a7ae-796efdccd6dd/sisten-iso-13299-2016

ISO/CEN PARALLEL PROCESSING

This draft has been developed within the International Organization for Standardization (ISO), and processed under the **ISO lead** mode of collaboration as defined in the Vienna Agreement.

This draft is hereby submitted to the ISO member bodies and to the CEN member bodies for a parallel five month enquiry.

Should this draft be accepted, a final draft, established on the basis of comments received, will be submitted to a parallel two-month approval vote in ISO and formal vote in CEN.

To expedite distribution, this document is circulated as received from the committee secretariat. ISO Central Secretariat work of editing and text composition will be undertaken at publication stage.



Reference number ISO/DIS 13299:2014(E)

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 13299:2016

https://standards.iteh.ai/catalog/standards/sist/260f2cd7-e6c1-4347-a7ae-796efdccd6dd/sisten-iso-13299-2016

Copyright notice

This ISO document is a Draft International Standard and is copyright-protected by ISO. Except as permitted under the applicable laws of the user's country, neither this ISO draft nor any extract from it may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, photocopying, recording or otherwise, without prior written permission being secured.

Requests for permission to reproduce should be addressed to either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Reproduction may be subject to royalty payments or a licensing agreement.

Violators may be prosecuted.

prEN ISO 13299:2003(E)

Contents

Forewo	ord	iii			
Introdu	iction	. iv			
1	Scope	5			
2	Normative references	5			
3	Terms and definitions	6			
4	General test conditions				
4.1 4.2	Equipment and test room				
4.2 4.3	Assessors				
4.4	Samples	8			
4.5	Preliminary discussion				
5 5.1	Descriptive methods: principle and main characteristics Consensus profile				
5.1 5.2	Deviation from Reference profile (Relative-to-reference scaling)	o 9			
5.3	Free-choice profile	9			
5.4 5.5	Flash profile Quantitative descriptive profile				
5.6	Qualitative sensory profile	9			
5.7	Temporal dominance of sensations (TDS)				
6	Procedure for establishing a sensory profile	10			
6.1 http	General Prepare the test				
6.2.1	Select products for training				
6.2.2	Select assessors				
6.2.3 6.2.4	Choose the optimal attributes Determine the order of evaluation				
6.2.5	Select an appropriate response scale				
6.2.6	Train the assessors				
6.3 6.3.1	Conduct the test Scoresheets				
6.3.2	Evaluate the samples	12			
6.4	Statistical interpretation				
6.5	Study report				
ANNEX A Consensus profile					
ANNEX B Deviation from Reference method (or Relative-to-Reference Rating)					
ANNEX	(C Free-choice profile	18			
ANNEX	ANNEX D Flash profile				
ANNEX	ANNEX E Qualitative sensory profile				
ANNEX	ANNEX F Quantitative descriptive profile				
ANNEX	(F.1 Quantitative Descriptive Analysis ®	26			
	ANNEXE F.2 Spectrum™ Method				
ANNEX	G Temporal Dominance of Sensation (TDS)	30			
	ANNEX H Univariate analysis when one attribute is quantified by all the assessors of a panel				
Bibliog	Bibliography				

Foreword

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 13299:2016</u>

https://standards.iteh.ai/catalog/standards/sist/260f2cd7-e6c1-4347-a7ae-796efdccd6dd/sisten-iso-13299-2016

Introduction

The purpose of this International Standard is to serve as guidance for establishing sensory profiles, performed by trained assessors.

A sensory profile is the result of a descriptive analysis of a sample by a panel of assessors. The sample may be for example food, beverage, tobacco product, cosmetic, textile, paper, packaging, sample of air or water, etc. Profiling can be carried out in a number of ways. Over the years, a few of these have been formalized and codified as descriptive procedures by professional societies or by groups of producers and users for the aim of improving communication between themselves.

The purpose of this International Standard is to provide agreed guidelines for descriptive sensory procedures.

Sensory profiling is the description of sensory properties of a sample, usually consisting in the evaluation of sensory attributes with assignment of an intensity value for each attribute. The attributes are generally evaluated in the order of perception. Some sensory profiles take a view across all of the senses; others (partial profiles) concentrate in detail on particular senses.

Quality of results depends on the number of assessors and their ability to describe their perceptions. Training and development of a common language help to improve these abilities. Some methods have been used with untrained assessors but it is out of the scope of this standard. Quality of results can also depend on the number of replications by an assessor.

<u>SIST EN ISO 13299:2016</u>

https://standards.iteh.ai/catalog/standards/sist/260f2cd7-e6c1-4347-a7ae-796efdccd6dd/sisten-iso-13299-2016

Sensory analysis — Methodology — General guidance for establishing a sensory profile

1 Scope

This International Standard describes the overall process for establishing a sensory profile. Sensory profiles can be established for all products or samples which can be evaluated by the senses of sight, odour, taste, touch or hearing (e.g. food, beverage, tobacco product, cosmetic, textile, paper, packaging, sample of air or water). This standard can also be useful in studies of human cognition and behaviour.

Some applications of sensory profiling are as follows:

- to develop or change a product;
- to define a product, production standard or trading standard in terms of its sensory attributes;
- to define a reference "fresh" product for shelf-life testing;
- to study and improve shelf-life of a product;
- to compare a product with a reference product or with other similar products on the market or under development;
- to map a product's perceived attributes for the purpose of relating them to factors such as instrumental, chemical or physical properties, and/or to consumer acceptability;

ttps://standards.iteh.ai/catalog/standards/sist/260f2cd7-e6c1-4347-a7ae-796efdccd6dd/sist-

— to characterize by type and intensity the off-odours or off-tastes in a sample (e.g. in pollution studies).

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 704:2009, Terminology work - Principles and methods

ISO 4121, Sensory analysis - Guidelines for the use of quantitative response scales

ISO 5492, Sensory analysis — Vocabulary

ISO 5496, Sensory analysis — Methodology — Initiation and training of assessors in the detection and recognition of odours

ISO 6658:2005, Sensory analysis — Methodology — General guidance

ISO 8586:2012, Sensory analysis — General guidelines for the selection, training and monitoring of selected assessors and experts assessors

ISO 8589, Sensory analysis — General guidance for the design of test rooms

ISO 11035, Sensory analysis — Identification and selection of attributes for establishing a sensory profile by a multidimensional approach

ISO 11036, Sensory analysis — Methodology — Texture profile

ISO 11056, Sensory analysis — Methodology — Magnitude estimation method

ISO/DIS 11136, Sensory analysis – Methodology – General guidance for conducting hedonic tests with consumers in a controlled area

ISO 13300-1 Sensory analysis - General guidance for the staff of a sensory evaluation laboratory - Part 1: Staff responsibilities

ISO 13300-2 Sensory analysis - General guidance for the staff of a sensory evaluation laboratory - Part 2: Recruitment and training of panel leaders

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 5492 and the following apply.

3.1 attribute

perceptible characteristic [ISO 5492:2008] attached to a product [ISO 704]

3.2 sensory profile

description of the sensory properties of a sample by means of sensory attributes, most often with their intensity values.

3.3 partial sensory profile

profile comprising certain selected attributes, most often with their intensity values.

EXAMPLES Odour profile, flavour profile, texture profile.

<u>SIST EN ISO 13299:2016</u>

3.4 quantitative descriptive profile og/standards/sist/26012cd7-e6c1-4347-a7ae-796efdccd6dd/sist-description of a sample consisting of both attributes and their intensity values [ISO 5492]

3.5 qualitative sensory profile

description of the sensory attributes of a sample but without intensity values [ISO 5492]

3.6 consensus sensory profile

profile derived from agreement after discussion in a group of assessors, who evaluated the product on various attributes

3.7 deviation from reference method (or relative-to-reference rating)

procedure of quantitative descriptive sensory profile in which all samples are evaluated against a reference sample

3.8 free-choice sensory profile

procedure in which each assessor chooses and scores his/her own attributes to describe a group of samples

3.9 flash profile

procedure of free-choice profile, in which each assessor ranks the samples, simultaneously presented, on his/her own attributes

3.10 temporal dominance of sensations (TDS)

procedure in which each assessor is asked to successively indicate the dominant sensation over the time the product is being assessed

3.11 sensory panel

group of assessors participating in a sensory test [ISO 5492:2008]

3.12 panel leader

person whose primary duties are to manage panel activities, and recruit, train and monitor the assessors [ISO 13300-1 and 13300-2]

NOTE TO ENTRY This person may also design and conduct sensory tests, and analyse and interpret data

3.13 Selected assessors

assessors chosen for their ability to perform a sensory test (see ISO 5492:2008, 1.6).

3.14 Expert sensory assessors

selected assessors with a demonstrated sensory sensitivity and with considerable training and experience in sensory testing, who are able to make consistent and repeatable sensory assessments of various products (see ISO 5492:2008, 1.8)

4 General test conditions

4.1 Equipment and test room

The laboratory shall have the appropriate equipment for sample preparation as specified in ISO 6658.

Sensory profiling shall be performed under the conditions as specified in ISO 8589. When a discussion is needed (e.g. about results, products, reference substances, etc.) the room should be arranged in a manner that allows communication between assessors and the panel leader still ensuring appropriate conditions for evaluating products (for example: appropriate lights).

A panel leader shall be designated to perform sensory profiling. The panel leader shall:

- train assessors, <u>SIST EN</u>

https://standards.iteh.ai/catalog/standards/sist/260f2cd7-e6c1-4347-a7ae-796efdccd6dd/sist-- maintain the panel, and

- execute tests.

NOTE TO ENTRY: The panel leader should meet the required qualifications (e.g. steps for recruitment and training) as described in ISO 13300-1 and ISO 13300-2.

4.2 Assessors

This standard applies to profiling methods performed by either selected or expert assessors. Descriptions for the selection, training and monitoring of assessors can be found in ISO 8586.

The number of assessors and their training shall be adapted to the profiling method. Repeatability and reproducibility are improved with the selectivity level of the assessors and with training time. The interpretation of results and the highlighted differences between products are also dependent on the number of assessors and their training.

Candidates shall be recruited through talks, circulars or personal contact. Two to three times the number of assessors required shall be interviewed and screened. The following characteristics shall be considered especially important:

- health that is compatible with product testing;
- interest and motivation;
- engagement for the agreed duration and availability for panel sessions;
- promptness;

- capacity to concentrate;
- ability to memorize;
- ability to honestly communicate and report sensations;
- ability to discriminate between the studied characteristics;
- ability to work in a group setting

Sensory acuity can be balanced by establishing panels of 10 or more assessors.

4.3 Products

The products of the study and their conditions of preparation shall be defined.

EXAMPLE soluble coffee prepared with water or milk, with or without sugar

4.4 Samples

For the preparation and presentation of product samples, ISO 6658 shall apply. Special care shall be taken to ensure that assessors cannot draw conclusions about the nature of samples from the way they are presented. For example, coloured glasses or coloured lights shall be used to mask differences in appearance, if needed.

The preparation and distribution of samples at uniform temperature shall be standardized. Samples shall be coded with three-digit random numbers and the order of presentation shall be defined using an appropriate design.

To increase the reliability and validity of results, any sample or sample group shall be presented two or three times or more, if possible on different days. The choice of the number of replications shall be guided by the precision required, by the observed dispersion of results, and by any specific trend towards improved discrimination as the assessors become familiar with the samples. Replication provides an estimation of the experimental error. Repeating the assessment of a product from the same batch shows the dispersion of scores given by one assessor, whereas repeating the assessment of a product from different batches also reflects variations within the product. The protocol shall define which sample(s) is/are duplicated and under which conditions they are prepared and assessed.

The identity of the samples shall not be disclosed until the assessors have completed all the assessments.

4.5 Preliminary discussion

It shall be ascertained that the assessors are fully familiar with any particular characteristic to be studied and with the mechanics of the test as specified in ISO 6658. If necessary, a preliminary general discussion concerning the test problem and the nature of the samples shall be arranged. A few samples typical of the product category shall be presented and discussed. The panel leader shall make sure that the discussion does not bias future assessments.

5 Descriptive methods: principle and main characteristics

The different methods are presented in alphabetical order, including in the annexes.

5.1 Consensus profile

In the consensus profiling, the assessors share their individual views to achieve a consensus on the different attributes, their order of appearance and their intensity.

Usually, the scale is limited to a few marks. Results shall consist in a single score (the agreed one) for each attribute. It is possible for an assessor to disagree with the group: this shall be recorded in the report.

5.2 Deviation from Reference profile (Relative-to-reference scaling)

The products shall be presented in pairs. For each attribute of a common list, the two products shall be compared to one another, either directly by the assessors or, *a posteriori,* from the scores given to each product of the pair. If more than two products need to be compared, each product should be compared to the reference product under the same conditions.

Data analysis is performed on the differences between the samples and reference.

5.3 Free-choice profile

In the free-choice profile, each member of the panel shall use his/her individual list of terms instead of a common list.

The results shall be interpreted with an appropriate multidimensional analysis such as Generalized Procrustes Analysis. The output shall be displayed in the form of a map.

5.4 Flash profile

The flash profile is a variant of the free-choice profile, with a simultaneous presentation of the whole sample set and comparative evaluation of the samples via ranking.

The results are interpreted with an appropriate multidimensional analysis such as Generalized Procrustes Analysis. The output is always in the form of a map.

https://sta 5.5 cQuantitative descriptive profile 60f2cd7-e6c1-4347-a7ae-796efdccd6dd/sist-

In the quantitative descriptive profiling, the assessors evaluate samples on a common list of attributes and score their intensity.

There are several methods for establishing a quantitative descriptive sensory profile, among which some techniques have been trademarked¹. Results shall consist of intensity scores for each attribute that can be submitted to univariate or multivariate analyses.

5.6 Qualitative sensory profile

In the qualitative sensory profile, the assessors shall evaluate only the presence or absence of the attributes from a common list of terms without indicating their perceived intensity.

The list of attributes is larger and less product-dependent than for a quantitative descriptive sensory profile. The training of the panel shall be focused on the recognition and memorization of numerous references. References that are stable and do not change over time are necessary for memorization.

The number of assessors and/or replicates should be higher than for quantitative descriptive sensory profile.

Results shall be expressed as frequency of quotation of each attribute.

¹Example : Methods QDA®, Spectrum[™]

5.7 Temporal dominance of sensations (TDS)

TDS is a temporal profiling technique in which each assessor is asked to successively indicate the dominant sensation over time while the product is being assessed. The dominant sensations are chosen from a common list of attributes. As an option, the intensity of the dominant attribute chosen can also be scored.

Data shall consist of the proportion of each attribute chosen as dominant at each moment. Data are usually converted into curves where time defines the X-axis. The curves of the different attributes for a given product shall be pooled into a chart.

6 Procedure for establishing a sensory profile

6.1 General

This section presents the steps common to sensory profiling methods. For a detailed description of each method, please refer to the corresponding annex.

6.2 Prepare the test

6.2.1 Select products for training

Products for training shall be selected as specified in ISO 8586.

6.2.2 Select assessors

Assessors shall be selected as specified in ISO 8586 and ISO 5496.

6.2.3 Choose the optimal attributes SIST EN ISO 13299:2016

https://standards.iteh.ai/catalog/standards/sist/260f2cd7-e6c1-4347-a7ae-796efdccd6dd/sist-

The purpose is to identify and select a set of non-overlapping, singular, objective, unambiguous and referenced attributes that, as far as possible, permit a complete descriptive analysis of the samples under study. This important step can be done individually or collectively and depends on the sensory profiling method. If a common list is needed, the panel leader may use one of the three approaches set out in Table 1 or any combination.

No.	Principle	Method	Advantages	Disadvantages
1	Use existing terminology and reference standards.	Consult the literature and experts to make an appropriate selection. Acquire the prescribed standards and use these to teach the assessors the quality of each descriptor and, if needed, an intensity scale for that descriptor.	The accumulated experience of the experts is utilized. Profiles may be interpreted by other groups and compared to other research.	Existing terminology or reference standards may include choices that are imprecise or inappropriate for a particular set of samples. Attributes may be missed that could have been discovered during the development of new terminology.

Table 1 — Procedures for choosing optimal attributes