

# SLOVENSKI STANDARD SIST EN ISO 13833:2013

01-december-2013

Emisije nepremičnih virov - Določevanje razmerja ogljikovega dioksida biomasnega in fosilnega izvora - Vzorčenje in določevanje izotopov ogljika (ISO 13833:2013)

Stationary source emissions - Determination of the ratio of biomass (biogenic) and fossilderived carbon dioxide - Radiocarbon sampling and determination (ISO 13833:2013)

Emissionen aus stationären Quellen - Bestimmung des Verhältnisses von Kohlendioxid aus Biomasse (biogen) und aus fossilen Quellen - Probenahme und Bestimmung des radioaktiven Kohlenstoffs (ISO 13833:2013) d.S. iteh. 21)

Émissions de sources fixes à Détermination du rapport du dioxyde de carbone de la biomasse (biogénique) et des dérivés fossiles Échantillonnage et détermination du radiocarbone (ISO 13833:2013)

Ta slovenski standard je istoveten z: EN ISO 13833:2013

ICS:

13.040.40 Emisije nepremičnih virov Stationary source emissions

SIST EN ISO 13833:2013 en,fr,de

# iTeh STANDARD PREVIEW (standards.iteh.ai)

**EUROPEAN STANDARD** 

**EN ISO 13833** 

NORME EUROPÉENNE

**EUROPÄISCHE NORM** 

April 2013

ICS 13.040.40

#### **English Version**

Stationary source emissions - Determination of the ratio of biomass (biogenic) and fossil-derived carbon dioxide - Radiocarbon sampling and determination (ISO 13833:2013)

Émissions de sources fixes - Détermination du rapport du dioxyde de carbone de la biomasse (biogénique) et des dérivés fossiles - Échantillonnage et détermination du radiocarbone (ISO 13833:2013)

Emissionen aus stationären Quellen - Bestimmung des Verhältnisses von Kohlendioxid aus Biomasse (biogen) und aus fossilen Quellen - Probenahme und Bestimmung des radioaktiven Kohlenstoffs (ISO 13833:2013)

This European Standard was approved by CEN on 1 March 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

### EN ISO 13833:2013 (E)

Contents	Page
_	
Foreword	3

# iTeh STANDARD PREVIEW (standards.iteh.ai)

EN ISO 13833:2013 (E)

#### **Foreword**

This document (EN ISO 13833:2013) has been prepared by Technical Committee ISO/TC 146 "Air quality" in collaboration with Technical Committee CEN/TC 264 "Air quality" the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2013, and conflicting national standards shall be withdrawn at the latest by October 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### **Endorsement notice**

The text of ISO 13833:2013 has been approved by CEN as EN ISO 13833:2013 without any modification. (standards.iteh.ai)

# iTeh STANDARD PREVIEW (standards.iteh.ai)

# INTERNATIONAL STANDARD

ISO 13833

First edition 2013-04-01

Stationary source emissions — Determination of the ratio of biomass (biogenic) and fossil-derived carbon dioxide — Radiocarbon sampling and determination

Émissions de sources fixes — Détermination du rapport du dioxyde de carbone de la biomasse (biogénique) et des dérivés fossiles — Échantillonnage et détermination du radiocarbone



ISO 13833:2013(E)

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 13833:2013 https://standards.iteh.ai/catalog/standards/sist/71221f7f-d580-4ffb-8671-f452b9cfe99a/sist-en-iso-13833-2013



### COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

## ISO 13833:2013(E)

Con	ntents	Page
Fore	word	iv
Intro	oduction	<b>v</b>
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Symbols and abbreviated terms 4.1 Symbols 4.2 Abbreviations	2
5	Principle 5.1 General 5.2 Principles of sampling 5.3 14C measurement techniques	4 4
6	Reagent, materials and equipment	5
7	Analysis	9
8	Calculation of the results	9
9	Quality assurance and quality control procedures	11
10	Test report iTeh STANDARD PREVIEW	11
Anne		
Anne	ex A (normative) Procedure for 14C determination by accelerator mass spectrometryex B (normative) Procedure for 14C determination by liquid scintillation counter method.	16
Anne	ex C (normative) Procedures for 14C determination by beta-ionization  https://standards.iteh.al/catalog/standards/sist/7/221f7f-d580-4ffb-8671- ex D (informative) Performance characteristics 14C methods  432b9cie99asist-en-iso-13833-2013	21
Anna	ex E (informative) <b>Definitions and equations of the <sup>14</sup>C-based method</b>	20
RIDII	ography	36

ISO 13833:2013(E)

### **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

ISO 13833 was prepared by Technical Committee ISO/TC 146, *Air quality*, Subcommittee SC 1, *Stationary source emissions*.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

### Introduction

Reliable data for biogenic carbon dioxide  $(CO_2)$  emissions are needed for carbon emission trading and in order to provide more accurate inventories.

When combusting mixtures of fuels from fossil and biogenic origin, it is often difficult to determine the exact ratio of biogenic and fossil  $CO_2$  in the total  $CO_2$  that is emitted through the stack gas, because the biogenic and fossil composition of the combusted fuels is not always known or cannot be determined with sufficient accuracy. This is the case when solid recovered fuels (SRF) are used.

The contribution of solid, liquid, and gaseous biofuels to energy production is likely to increase. A reliable and robust method for the determination of the ratio of fossil and biogenic  $CO_2$  in the total emitted  $CO_2$  of stack gas will enhance the implementation of these products, as reliable data for carbon emission trading can be generated with this approach.

Different methods exist to determine the ratio of fossil and biogenic  $CO_2$  in stack gas. The radiocarbon ( $^{14}C$  isotope) method has been applied since the 1950s in a variety of sample types, like food, fuels, polymers, and atmospheric and combustion  $CO_2$  to determine the ratio of biogenic and fossil carbon (Reference [18]). Biogenic and fossil carbon can be distinguished based on the measured amount of the  $^{14}C$  isotope in the sample. Another, relatively new applied method is the "balance method", which combines standard data on the chemical composition of biogenic and fossil organic matter with routinely measured operating data of the plant (Reference [10]). Similar methods using stoichiometric methods, for example, can also be used.

This International Standard gives sampling and analysis methods for the determination of the ratio of biomass and fossil fuel-derived  $CO_2$  in the total emitted  $CO_2$  from exhaust gases of stationary sources, based on the radiocarbon ( $^{14}C$  isotope) method. Sample strategies for integrated sampling for periods from 1 h up to 1 month are given. Radiocarbon determination procedures include accelerated mass spectrometry (AMS), beta-ionization (BI), and liquid scintillation (LS) measurement procedures for the determination of the radiocarbon content.

The International Organization for Standardization (ISO) draws attention to the fact that it is claimed that compliance with this document may involve the use of patents concerning the use of the radiocarbon isotope as biogenic marker: a) Method for determining the relationship of renewable to non-renewable sources of energy; b) Method for determining the fossil fuel content in a fuel stream, as well as a an incineration furnace.

ISO takes no position concerning the evidence, validity and scope of these patent rights.

The holders of these patent rights have assured ISO that they are willing to negotiate licences under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, statements of the holders of these patent rights are registered with ISO. Information may be obtained from:

- a) European Cement Research Academy (ECRA)

  Tannenstrasse 2, D-40476, DÜSSELDORF. Tel.: +49 211 23 98 38 0; E-mail: info@ecra-online.org
- b) Energy Research Centre of the Netherlands

Westerduinweg 3, PO Box 1, NL-1755 ZG PETTEN. Tel.: +31 224 56 4475; E-mail: denuijl@ecn.nl

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. ISO shall not be held responsible for identifying any or all such patent rights.

ISO (www.iso.org/patents) maintains on-line databases of patents relevant to its documents. Users are encouraged to consult the databases for the most up to date information concerning patents.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

# Stationary source emissions — Determination of the ratio of biomass (biogenic) and fossil-derived carbon dioxide — Radiocarbon sampling and determination

### 1 Scope

This International Standard specifies sampling methods and analysis methods for the determination of the ratio of biomass- and fossil-derived carbon dioxide ( $CO_2$ ) in the  $CO_2$  from exhaust gases of stationary sources, based on the radiocarbon ( $^{14}C$  isotope) method. The lower limit of application is a biogenic to total  $CO_2$  fraction of 0,02. The working range is a biogenic to total  $CO_2$  fraction of 0,02 to 1,0.

#### 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 7934, Stationary source emissions — Determination of the mass concentration of sulfur dioxide — Hydrogen peroxide/barium.perchlorate/Thorin method **PREVIEW** 

ISO 10396, Stationary source emissions — Sampling for the automated determination of gas emission concentrations for permanently-installed monitoring systems

ISO 15713, Stationary source emissions Sampling and determination of gaseous fluoride content

https://standards.iteh.ai/catalog/standards/sist/71221f7f-d580-4ffb-8671-

f452b9cfe99a/sist-en-iso-13833-2013

### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 3.1

#### biogenic

produced in natural processes by living organisms but not fossilized or derived from fossil resources

#### 3.2

#### biomass

material of biological origin excluding material embedded in geological formation or transformed to fossil

#### 3.3

### isotope abundance

fraction of atoms of a particular isotope of an element

#### 3.4

### organic carbon

amount of carbon bound in an organic material

#### 3.5

### percentage modern carbon

#### pmC

normalized and standardized value for the amount of the  $^{14}$ C isotope in a sample, calculated relative to the standardized and normalized  $^{14}$ C isotope amount of oxalic acid standard reference material, SRM 4990c<sup>1)</sup>

Note 1 to entry: In 2009, the value of 100 % bio-based carbon was set at 105 pmC.

<sup>1)</sup> SRM 4990c is the trade name of a product supplied by the US National Institute of Standards and Technology.