
**Industrija za predelavo nafte in zemeljskega plina - Celovitost vrtine - 1. del:
Upravljanje življenjskega cikla (ISO 16530-1:2017)**

Petroleum and natural gas industries - Well integrity - Part 1: Life cycle governance (ISO 16530-1:2017)

Erdöl- und Erdgasindustrie - Rohrleitungstransportsysteme - Auslegung, Konstruktion und Instandhaltung von stahlverkleideten Rohrleitungen (ISO 16530-1:2017)

Pétrole et industries du gaz naturel - Intégrité du puits - Partie 1: Gouvernance du cycle de vie (ISO 16530-1:2017)

[SIST EN ISO 16530-1:2017](https://standards.iteh.ai/catalog/standards/sist/326e0196-744d-4c0e-b117-839e62f65229/sist-en-iso-16530-1-2017)

[https://standards.iteh.ai/catalog/standards/sist/326e0196-744d-4c0e-b117-](https://standards.iteh.ai/catalog/standards/sist/326e0196-744d-4c0e-b117-839e62f65229/sist-en-iso-16530-1-2017)

[839e62f65229/sist-en-iso-16530-1-2017](https://standards.iteh.ai/catalog/standards/sist/326e0196-744d-4c0e-b117-839e62f65229/sist-en-iso-16530-1-2017)

Ta slovenski standard je istoveten z: EN ISO 16530-1:2017

ICS:

13.020.60	Življenjski ciklusi izdelkov	Product life-cycles
75.180.10	Oprema za raziskovanje, vrtanje in odkopavanje	Exploratory, drilling and extraction equipment

SIST EN ISO 16530-1:2017

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 16530-1:2017](https://standards.iteh.ai/catalog/standards/sist/326e0196-744d-4c0e-b117-839e62f65229/sist-en-iso-16530-1-2017)

<https://standards.iteh.ai/catalog/standards/sist/326e0196-744d-4c0e-b117-839e62f65229/sist-en-iso-16530-1-2017>

EUROPEAN STANDARD

EN ISO 16530-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2017

ICS 75.180.10

English Version

Petroleum and natural gas industries - Well integrity - Part 1: Life cycle governance (ISO 16530-1:2017)

Pétrole et industries du gaz naturel - Intégrité du puits
- Partie 1: Gouvernance du cycle de vie (ISO 16530-
1:2017)

Erdöl- und Erdgasindustrie - Bohrungsintegrität - Teil
1: Leitlinien zur Lebenszykluslenkung (ISO 16530-
1:2017)

This European Standard was approved by CEN on 3 February 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword.....	3

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 16530-1:2017](https://standards.iteh.ai/catalog/standards/sist/326e0196-744d-4c0e-b117-839e62f65229/sist-en-iso-16530-1-2017)
<https://standards.iteh.ai/catalog/standards/sist/326e0196-744d-4c0e-b117-839e62f65229/sist-en-iso-16530-1-2017>

European foreword

This document (EN ISO 16530-1:2017) has been prepared by Technical Committee ISO/TC 67 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" in collaboration with Technical Committee CEN/TC 12 "Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries" the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2017 and conflicting national standards shall be withdrawn at the latest by September 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom

Endorsement notice

[SIST EN ISO 16530-1:2017](http://standards.iteh.ai/catalog/standards/sist/326e0196-744d-4e04-b117-839e62f65229/sist-en-iso-16530-1-2017)

The text of ISO 16530-1:2017 has been approved by CEN as EN ISO 16530-1:2017 without any modification.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 16530-1:2017](#)

<https://standards.iteh.ai/catalog/standards/sist/326e0196-744d-4c0e-b117-839e62f65229/sist-en-iso-16530-1-2017>

INTERNATIONAL
STANDARD

ISO
16530-1

First edition
2017-03

**Petroleum and natural gas
industries — Well integrity —**

**Part 1:
Life cycle governance**

Pétrole et industries du gaz naturel — Intégrité du puits —

Partie 1: Gouvernance du cycle de vie
iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 16530-1:2017](https://standards.iteh.ai/catalog/standards/sist/326e0196-744d-4c0e-b117-839e62f65229/sist-en-iso-16530-1-2017)

<https://standards.iteh.ai/catalog/standards/sist/326e0196-744d-4c0e-b117-839e62f65229/sist-en-iso-16530-1-2017>



Reference number
ISO 16530-1:2017(E)

© ISO 2017

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 16530-1:2017](https://standards.iteh.ai/catalog/standards/sist/326e0196-744d-4c0e-b117-839e62f65229/sist-en-iso-16530-1-2017)

<https://standards.iteh.ai/catalog/standards/sist/326e0196-744d-4c0e-b117-839e62f65229/sist-en-iso-16530-1-2017>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	vii
Introduction	viii
1 Scope	1
2 Normative references	2
3 Terms and definitions	2
4 Abbreviated terms	10
5 Common elements of the well integrity life cycle	11
5.1 General.....	11
5.2 Well integrity.....	11
5.3 Well integrity policy.....	12
5.4 Well integrity management system.....	12
5.5 Risk assessment.....	12
5.5.1 General.....	12
5.5.2 Risk register.....	13
5.5.3 Well type risk profile.....	14
5.6 Organizational structure and tasks.....	14
5.7 Barriers.....	14
5.7.1 General.....	14
5.7.2 Barrier philosophy.....	15
5.7.3 Well barriers.....	15
5.7.4 Operational barriers.....	17
5.7.5 Human barriers.....	17
5.7.6 Administrative controls.....	17
5.7.7 Impact barriers.....	18
5.8 Performance standards for equipment.....	18
5.8.1 General.....	18
5.8.2 Well operating limits.....	18
5.9 Well barrier verification.....	19
5.9.1 General.....	19
5.9.2 Function testing.....	19
5.9.3 Barrier verification testing.....	19
5.9.4 Direction of flow.....	20
5.9.5 Effects of temperature.....	21
5.9.6 Modelling verification.....	21
5.10 Reporting and documentation.....	21
5.10.1 General.....	21
5.10.2 Well integrity status reporting.....	21
5.10.3 Well life cycle phase deliverables.....	22
5.10.4 Well handover process.....	23
5.11 Management of change.....	23
5.11.1 General.....	23
5.11.2 MOC process.....	23
5.11.3 Dispensation from the WIMS.....	24
5.12 Continuous improvement.....	24
5.12.1 General.....	24
5.12.2 Key performance indicator monitoring.....	24
5.12.3 Lessons learned.....	25
5.13 Auditing.....	25
5.13.1 General.....	25
5.13.2 Audit process.....	25
6 Basis of design phase	25
6.1 Basis of design phase objectives.....	25

ISO 16530-1:2017(E)

6.2	Organizational structure and tasks	26
6.3	Well barriers	27
6.4	Hazard identification and assessment	27
6.5	Well integrity considerations for the basis of design	28
6.5.1	General information to be provided	28
6.5.2	Well objectives and life cycle	28
6.5.3	Inflow requirements	28
6.5.4	Outflow requirements	29
6.5.5	Well location and targets	29
6.5.6	Prognoses regarding geological formations, pore pressure, formation strength and temperature	29
6.5.7	Data acquisition requirements	29
6.5.8	Other considerations for well integrity	30
6.5.9	Production and injection characteristics affecting well integrity through the life cycle	30
6.6	Quality assurance and approval process	30
6.7	Deliverables	30
7	Well design phase	31
7.1	Well design phase objectives	31
7.2	Organizational structure and tasks	31
7.3	Risk controls in well design	32
7.3.1	Risk register	32
7.3.2	Lessons learned	33
7.3.3	Well life cycle risk considerations	33
7.3.4	Additional considerations during well design	34
7.4	Well barriers	36
7.4.1	General	36
7.4.2	Well barrier plan	36
7.4.3	WBE design performance standards	37
7.4.4	Verification of the final well barrier	38
7.4.5	Emergency shutdown related safety systems	38
7.5	Well operating limits	39
7.6	Contingency planning for well construction	39
7.7	Surveillance and monitoring requirements	39
7.8	Well design deliverables, reporting and documentation	40
8	Well construction phase	40
8.1	Well construction phase objectives	40
8.2	Organizational structure and tasks	41
8.3	Well programme	42
8.4	Well barrier schematic	42
8.5	Barrier verification	42
8.5.1	General	42
8.5.2	Wellhead movement and fatigue	42
8.5.3	Cement	43
8.5.4	Casing shoe testing	43
8.5.5	Wellhead seal profile	44
8.5.6	Tubular connections	44
8.5.7	Casing wear	44
8.6	Risk identification and assessment	44
8.7	Management of change	44
8.7.1	Potential changes to the well plan	44
8.7.2	Suspended well considerations	45
8.8	Deliverables (reporting and documentation)	45
8.8.1	Well handover information	45
8.8.2	Risk register	46
8.9	Continuous improvement	46
9	Well operational phase	46

9.1	Well operational phase objectives.....	46
9.2	Organizational structure and tasks.....	47
9.3	Well barriers.....	47
	9.3.1 General.....	47
	9.3.2 Performance standards.....	47
	9.3.3 Leak rates.....	48
9.4	Well monitoring and surveillance.....	51
	9.4.1 General.....	51
	9.4.2 Monitoring and surveillance frequency.....	51
	9.4.3 Well operating limits.....	52
	9.4.4 Suspended and shut-in wells.....	53
	9.4.5 Visual inspection.....	53
	9.4.6 Well logging.....	53
	9.4.7 Corrosion monitoring.....	53
	9.4.8 Corrosion monitoring and prevention – external.....	54
	9.4.9 Erosion monitoring.....	54
	9.4.10 Structural integrity monitoring.....	54
	9.4.11 Well elevation monitoring.....	55
	9.4.12 Reservoir subsidence.....	56
9.5	Annulus pressure management.....	56
	9.5.1 Management considerations.....	56
	9.5.2 Sources of annulus pressure.....	56
	9.5.3 Annulus pressure monitoring and testing.....	57
	9.5.4 Frequency of monitoring tubing and annulus casing pressures.....	58
	9.5.5 Investigation of annulus pressure.....	58
	9.5.6 Maximum allowable annulus surface pressure.....	59
	9.5.7 Maintaining annulus pressure within the thresholds.....	61
	9.5.8 Review and change of MAASP and thresholds.....	61
9.6	Well maintenance.....	62
	9.6.1 General.....	62
	9.6.2 Replacement parts.....	63
	9.6.3 Frequency of maintenance.....	63
	9.6.4 Component testing methods.....	64
9.7	Risk assessment of well integrity failure and its management.....	64
	9.7.1 General.....	64
	9.7.2 Integrity failure ranking and prioritization.....	64
	9.7.3 Well failure model.....	64
9.8	Reporting and documentation.....	65
9.9	Periodic well review.....	66
	9.9.1 Well use review.....	66
	9.9.2 End of well life review.....	66
9.10	Change of well use.....	67
9.11	Well stock performance review.....	67
9.12	Continuous improvement.....	69
10	Well intervention phase.....	69
	10.1 Well intervention phase objectives.....	69
	10.2 Organizational structure and tasks.....	70
	10.3 Well handover.....	71
	10.4 Well intervention programme.....	71
	10.5 Well barriers.....	71
	10.5.1 General.....	71
	10.5.2 Well barrier plans.....	72
	10.5.3 Well barrier qualification.....	72
	10.5.4 Well barrier verification.....	72
	10.5.5 Well operating limits.....	72
	10.6 Risk management.....	72
	10.7 Management of change.....	73
	10.8 Deliverables (documentation and reports).....	73

ISO 16530-1:2017(E)

11	Well abandonment phase	73
11.1	Well abandonment phase objectives.....	73
11.2	Organizational structure and tasks.....	74
11.3	Well abandonment programme.....	75
11.4	Well barriers for abandonment.....	75
	11.4.1 General.....	75
	11.4.2 Well barrier material selection and qualification.....	76
	11.4.3 Well barrier placement, configuration and redundancy.....	76
	11.4.4 Well barrier verification.....	76
	11.4.5 Reference documents for well abandonment barriers.....	76
11.5	Risk management.....	77
11.6	Management of change.....	77
11.7	Deliverables (documentation and reports).....	77
Annex A	(informative) Risk assessment techniques	79
Annex B	(informative) Risk register	82
Annex C	(informative) Example of well integrity roles and responsibilities chart	85
Annex D	(informative) Example of a well integrity competence matrix	86
Annex E	(informative) Examples of well barrier elements, functions and failure characteristics	88
Annex F	(informative) Examples of well barriers during the well life cycle and a well barrier schematic	91
Annex G	(informative) Example of performance standard for well barrier elements	96
Annex H	(informative) Function testing by analysing hydraulic signature	98
Annex I	(informative) Determination of leak rate	100
Annex J	(informative) Well handover	104
Annex K	(informative) Examples of key performance indicators	106
Annex L	(informative) Example of hazard identification checklist	107
Annex M	(informative) Example plot of pore pressure versus formation strength	108
Annex N	(informative) Well barrier element performance requirements	109
Annex O	(informative) Example of leak testing of gas-lift valves	110
Annex P	(informative) Example of well operating limits	112
Annex Q	(informative) Example of possible well leak paths	114
Annex R	(informative) MAASP calculations	115
Annex S	(informative) Example of a change in MAASP calculations	121
Bibliography	123

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 67, *Materials, equipment and offshore structures for petroleum, petrochemical and natural gas industries*, Subcommittee SC 4, *Drilling and production equipment*.

A list of all parts in the ISO 16530 series can be found on the ISO website.

ISO 16530-1:2017(E)

Introduction

This document has been developed by oil and gas producing operating companies and is intended for use in the petroleum and natural gas industries worldwide. This document is intended to provide guidance to the well operator on managing well integrity throughout the well life cycle. Furthermore, this document addresses the minimum compliance requirements for the well operator in order to claim conformity with this document.

It is necessary that users of this document are aware that requirements over and above those outlined herein may be needed for individual applications.

This document addresses the process of managing well integrity during each of the well life cycle phases, namely: basis of design; design; construction; operation; intervention (including work-over) and abandonment.

The following terminology, in line with ISO/IEC Directives, is used in this document:

- a) The term “shall” denotes a minimum requirement in order to conform to this document.
- b) The term “should” denotes a recommendation or that which is advised but not required in order to conform to this document.
- c) The term “may” is used to indicate a course of action permissible within the limits of this document.
- d) The term “can” is used to express possibility or capability.

In addition, the term “consider” is used to indicate a suggestion or to advise.

The phases of a well life cycle have separate and distinct requirements for achieving well integrity management objectives, but all phases have common elements and techniques. [Clause 5](#) discusses these common elements and techniques. [Clauses 6 to 11](#) discuss each individual phase and its requirements. Additionally, each clause highlights the aspects to be considered within the common elements and techniques as applicable to that phase.

[Figure 1](#) summarizes the elements which are common among phases, and the relation between the phases.




Figure 1 — Elements common to the phases of well integrity management

Petroleum and natural gas industries — Well integrity —

Part 1: Life cycle governance

1 Scope

This document is applicable to all wells that are operated by the petroleum and natural gas industry. This document is applicable to any well, or group of wells, regardless of their age, location (including onshore, subsea and offshore wells) or type (e.g. naturally flowing, artificial lift, injection wells).

This document is intended to assist the petroleum and natural gas industry to effectively manage well integrity during the well life cycle by providing:

- minimum requirements to ensure management of well integrity; and
- recommendations and techniques that well operators can apply in a scalable manner based on a well's specific risk characteristics.

Assuring well integrity comprises two main building blocks: the first is to ensure well integrity during well design and construction, and the second is to manage well integrity throughout the remaining well life thereafter.

This document addresses each stage of the well life cycle, as defined by the six phases in a) to f), and describes the deliverables between each phase within a Well Integrity Management system.

- a) The “**Basis of Design Phase**” identifies the probable safety and environmental exposure to surface and subsurface hazards and risks that can be encountered during the well life cycle. Once identified, these hazards and risks are assessed such that control methods of design and operation can be developed in subsequent phases of the well life cycle.
- b) The “**Design Phase**” identifies the controls that are to be incorporated into the well design, such that appropriate barriers can be established to manage the identified safety and environmental hazards. The design addresses the expected, or forecasted, changes during the well life cycle and ensures that the required barriers in the well's design are based on risk exposure to people and the environment.
- c) The “**Construction Phase**” defines the required or recommended elements to be constructed (including rework/repair) and verification tasks to be performed in order to achieve the intended design. It addresses any variations from the design which require a revalidation against the identified hazards and risks.
- d) The “**Operational Phase**” defines the requirements or recommendations and methods for managing well integrity during operation.
- e) The “**Intervention Phase**” (including work-over) defines the minimum requirements or recommendations for assessing well barriers prior to, and after, any well intervention that involves breaking the established well barrier containment system.
- f) The “**Abandonment Phase**” defines the requirements or recommendations for permanently abandoning a well.

The six phases of the well life cycle, as defined in this Scope, and their interrelationships, are illustrated in [Figure 1](#) in the Introduction.