



SLOVENSKI STANDARD
oSIST prEN ISO 19109:2013
01-december-2013

Geografske informacije - Pravila za aplikacijsko shemo (ISO/DIS 19109:2013)

Geographic information - Rules for application schema (ISO/DIS 19109:2013)

Geoinformation - Regeln zur Erstellung von Anwendungsschemata (ISO/DIS 19109:2013)

Information géographique - Règles relatives aux schémas d'application (ISO/DIS 19109:2013)

Ta slovenski standard je istoveten z: prEN ISO 19109

ICS:

07.040	Astronomija. Geodezija. Geografija	Astronomy. Geodesy. Geography
35.240.70	Uporabniške rešitve IT v znanosti	IT applications in science

oSIST prEN ISO 19109:2013

en,fr,de

DRAFT INTERNATIONAL STANDARD

ISO/DIS 19109

ISO/TC 211

Secretariat: SN

Voting begins on:
2013-10-10Voting terminates on:
2014-03-10

Geographic information — Rules for application schema

Information géographique — Règles de schéma d'application

[Revision of first edition (ISO 19109:2005)]

ICS: 35.240.70

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 19109:2016

<https://standards.iteh.ai/catalog/standards/sist/e1b558d0-eb64-4da5-baa9-01563487d798/sist-en-iso-19109-2016>

ISO/CEN PARALLEL PROCESSING

This draft has been developed within the International Organization for Standardization (ISO), and processed under the **ISO lead** mode of collaboration as defined in the Vienna Agreement.

This draft is hereby submitted to the ISO member bodies and to the CEN member bodies for a parallel five month enquiry.

Should this draft be accepted, a final draft, established on the basis of comments received, will be submitted to a parallel two-month approval vote in ISO and formal vote in CEN.

To expedite distribution, this document is circulated as received from the committee secretariat. ISO Central Secretariat work of editing and text composition will be undertaken at publication stage.

THIS DOCUMENT IS A DRAFT CIRCULATED FOR COMMENT AND APPROVAL. IT IS THEREFORE SUBJECT TO CHANGE AND MAY NOT BE REFERRED TO AS AN INTERNATIONAL STANDARD UNTIL PUBLISHED AS SUCH.

IN ADDITION TO THEIR EVALUATION AS BEING ACCEPTABLE FOR INDUSTRIAL, TECHNOLOGICAL, COMMERCIAL AND USER PURPOSES, DRAFT INTERNATIONAL STANDARDS MAY ON OCCASION HAVE TO BE CONSIDERED IN THE LIGHT OF THEIR POTENTIAL TO BECOME STANDARDS TO WHICH REFERENCE MAY BE MADE IN NATIONAL REGULATIONS.

RECIPIENTS OF THIS DRAFT ARE INVITED TO SUBMIT, WITH THEIR COMMENTS, NOTIFICATION OF ANY RELEVANT PATENT RIGHTS OF WHICH THEY ARE AWARE AND TO PROVIDE SUPPORTING DOCUMENTATION.



Reference number
ISO/DIS 19109:2013(E)

© ISO 2013

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN ISO 19109:2016

<https://standards.iteh.ai/catalog/standards/sist/e1b558d0-eb64-4da5-baa9-01563487d798/sist-en-iso-19109-2016>

Copyright notice

This ISO document is a Draft International Standard and is copyright-protected by ISO. Except as permitted under the applicable laws of the user's country, neither this ISO draft nor any extract from it may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, photocopying, recording or otherwise, without prior written permission being secured.

Requests for permission to reproduce should be addressed to either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Reproduction may be subject to royalty payments or a licensing agreement.

Violators may be prosecuted.

Contents

Page

Foreword	vii
Introduction.....	viii
1 Scope	1
2 Conformance	1
2.1 General	1
2.2 Meta-model	2
2.3 UML application schema	2
2.4 Profiling standard schema	2
2.5 Metadata	2
2.6 Quality	2
2.7 Temporal	3
2.8 Spatial	3
2.9 Coverages	3
2.10 Observations	3
2.11 Spatial referencing by identifiers	4
2.12 Code-list	4
2.13 Multi-lingual support	4
3 Normative references	4
4 Terms and definitions	5
5 Presentation and abbreviations	7
5.1 Presentation	7
5.1.1 General	7
5.1.2 Conformance class	7
5.1.3 Requirements class	8
5.1.4 Rules	8
5.1.5 Identifiers	8
5.1.6 Conceptual schemas	9
5.1.7 Descriptions of concepts	9
5.2 Abbreviations	9
5.3 Package abbreviations	9
6 Context	10
6.1 Purpose of an application schema	10
6.2 Rules for application schema	10
6.3 Application schema supporting data interchange	11
6.3.1 Introduction	11
6.3.2 Data interchange by transfer	11
6.3.3 Data interchange by transactions	12
7 Principles for defining features	13
7.1 General	13
7.2 Features, Coverages and Properties	14
7.2.1 Features	14
7.2.2 Coverages	15
7.2.3 Properties and observations	16
7.3 Features and the application schema	16
7.4 The General Feature Model	17
7.4.1 Introduction	17
7.4.2 The purpose of the GFM	18
7.4.3 The main structure of the GFM	18

ISO/DIS 19109

7.4.4	IdentifiedType.....	19
7.4.5	FeatureType.....	20
7.4.6	PropertyType.....	21
7.4.7	AttributeType.....	21
7.4.8	Operation.....	22
7.4.9	FeatureAssociationRole.....	22
7.4.10	ValueAssignment.....	23
7.4.11	FeatureAssociationType.....	25
7.4.12	InheritanceRelation.....	25
7.5	Attributes of feature types.....	26
7.5.1	Introduction.....	26
7.5.2	SpatialAttributeType.....	27
7.5.3	TemporalAttributeType.....	27
7.5.4	QualityAttributeType.....	27
7.5.5	LocationAttributeType.....	27
7.5.6	MetadataAttributeType.....	28
7.5.7	ThematicAttributeType.....	28
7.5.8	CoverageFunctionAttributeType.....	28
7.6	Relationships between feature types.....	28
7.6.1	Introduction.....	28
7.6.2	InheritanceRelation.....	28
7.6.3	FeatureAssociationType.....	29
7.7	Constraints.....	30
8	Rules for application schema in UML.....	30
8.1	The application modelling process.....	30
8.2	The application schema.....	31
8.2.1	General.....	31
8.2.2	Conceptual schema language for application schemas.....	32
8.2.3	Packaging and identification of an application schema.....	33
8.2.4	Documentation of an application schema.....	33
8.2.5	Integration of application schemas and standard schemas.....	34
8.2.6	Modelling structures in UML.....	36
8.3	Domain profiles of standard schemas in UML.....	41
8.3.1	Introduction.....	41
8.3.2	Adding information to a standard schema.....	41
8.3.3	Tailored use of standard schemas.....	42
8.4	Rules for use of metadata schema.....	43
8.4.1	Introduction.....	43
8.4.2	Metadata for features, feature attributes, and feature associations.....	43
8.5	Rules for use of quality schema.....	44
8.5.1	Introduction.....	44
8.5.2	Data quality rules.....	45
8.6	Temporal rules.....	48
8.6.1	Rules for modelling applications with temporal properties.....	48
8.6.2	Use of the temporal conceptual schema.....	49
8.6.3	Temporal attributes.....	50
8.6.4	Temporal associations between features.....	52
8.7	Spatial rules.....	55
8.7.1	Rules for modelling applications with spatial properties.....	55
8.7.2	Use of standard spatial schema.....	56
8.7.3	Spatial attributes.....	57
8.7.4	Use of geometric aggregates and spatial complexes to represent the values of spatial attributes of features.....	58
8.7.5	Spatial associations between features.....	63
8.7.6	Features sharing geometry.....	64
8.7.7	Point features, line features and area features.....	65
8.7.8	Defining interpolation methods.....	65
8.7.9	Independent spatial complexes.....	66
8.8	Rules for use of coverage functions.....	68

8.9	Rules for the use of observations	71
8.10	Spatial referencing using geographic identifiers.....	75
8.11	Code-lists, vocabularies, lexicons.....	77
8.12	Linguistic adaptation	78
Annex A	(normative) Abstract test suite	80
A.1	Introduction.....	80
A.2	Meta-model.....	80
A.2.1	Conceptual schema language.....	80
A.2.2	Schema integration	80
A.2.3	Features.....	80
A.2.4	Value assignment	81
A.2.5	Feature associations.....	81
A.2.6	Feature inheritance	81
A.2.7	Constraints.....	82
A.3	Creating application schemas in UML	82
A.3.1	UML profile.....	82
A.3.2	Packaging.....	82
A.3.3	Documentation	82
A.3.4	Integrating an application schema	83
A.3.5	Modelling structure	83
A.3.6	Modelling features.....	83
A.3.7	Property names	84
A.3.8	Value assignment	84
A.3.9	Attribute of attribute.....	84
A.3.10	Feature operation	84
A.3.11	Feature inheritance	85
A.3.12	Constraints.....	85
A.4	Profiling standard schemas	85
A.4.1	Extension.....	85
A.4.2	Restriction	86
A.5	Use of metadata schema	86
A.6	Use of quality schema.....	86
A.6.1	Use of the quality schema in an application schema	86
A.6.2	Additional quality metadata in an application schema	87
A.6.3	Instance quality metadata in an application schema	87
A.7	Temporal elements.....	87
A.7.1	Use of the temporal conceptual schema in an application schema	87
A.7.2	Temporal attributes	87
A.7.3	Temporal associations.....	88
A.7.4	Feature succession	88
A.8	Spatial elements	88
A.8.1	Use of the spatial conceptual schema in an application schema	88
A.8.2	Spatial attributes	89
A.8.3	Spatial complexes	89
A.8.4	Spatial associations	89
A.8.5	Shared geometry	89
A.8.6	Single geometry.....	90
A.8.7	Interpolation method.....	90
A.8.8	Independent spatial complexes	90
A.9	Coverages	91
A.10	Observations.....	91
A.11	Spatial referencing using geographic identifiers.....	91
A.12	Code-lists and vocabularies.....	92
A.12.1	Management of code-lists	92
A.12.2	Formalization of code-lists	92
A.13	Multi-lingual support	92
A.13.1	Application schema.....	92
A.13.2	Feature and property types	92
Annex B	(informative) The modelling approach and the General Feature Model	94

ISO/DIS 19109

B.1	The four-layer architecture	94
B.1.1	Introduction	94
B.1.2	The Meta Meta level and the Meta level	95
B.1.3	The Meta level and the Application level	95
B.1.4	The Application level and the Data level	95
B.1.5	The General Feature Model and the conceptual schema language of the application schema	95
B.2	The term “feature”	96
Annex C	(informative) Application schema examples	97
C.1	Utility network	97
C.1.1	Introduction	97
C.1.2	The application schema	98
C.1.3	An example of the document on Utility Network	99
C.2	Administrative units	101
C.2.1	Introduction	101
C.2.2	The application schema in UML	102
Bibliography	103

Tables

Table 1	— Meta-model conformance class	2
Table 2	— UML application schema conformance class	2
Table 3	— Profiling standard schema conformance class	2
Table 4	— Metadata conformance class	2
Table 5	— Quality conformance class	2
Table 6	— Temporal conformance class	3
Table 7	— Spatial conformance class	3
Table 8	— Coverages conformance class	3
Table 9	— Observations conformance class	3
Table 10	— Spatial referencing by identifiers conformance class	4
Table 11	— Code-list conformance class	4
Table 12	— Multi-lingual support conformance class	4
Table 13	— Conformance class template	8
Table 14	— Requirements class template	8
Table 15	— Requirements class covering general requirements and the meta-model for application schemas	14
Table 16	— Requirements class for modelling an application schema in UML	31
Table 17	— Summary of UML Profile used as the CSL for application schemas	33
Table 18	— Example of real-world concepts in terms of the General Feature Model	40
Table 19	— Requirements class for defining a profile of a standard schema	41
Table 20	— Requirements class for an application schema including metadata	43
Table 21	— Requirements class for an application schema including metadata	45
Table 22	— Concrete subtypes of DQ Element	46
Table 23	— Requirements class for applications with temporal properties	49
Table 24	— List of valid temporal objects for temporal attributes in an application schema	50
Table 25	— Requirements class for applications with spatial properties	56
Table 26	— List of valid spatial objects for spatial attributes in an application schema	57
Table 27	— Requirements class for applications with coverage-valued properties	69
Table 28	— List of valid coverage types in an application schema	69
Table 29	— Requirements class for applications involving observations	73
Table 30	— Requirements class for applications using geographic identifiers	76
Table 31	— Requirements class for applications schemas using code-lists	78
Table 32	— Requirements class for application schemas in multi-lingual environments	78
Table B.1	— Feature used in different levels	96

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 19109 was prepared by Technical Committee ISO/TC 211, *Geographic information/Geomatics*.

This second edition cancels and replaces the first edition (ISO 19109:2005), which has been technically revised.

(standards.iteh.ai)

SIST EN ISO 19109:2016

<https://standards.iteh.ai/catalog/standards/sist/e1b558d0-eb64-4da5-baa9-01563487d798/sist-en-iso-19109-2016>

Introduction

Any description of reality is always an abstraction, always partial, and always just one of many possible “views”, depending on the application field.

The widespread application of computers and geographic information systems (GIS) has led to an increased use of geographic data within multiple disciplines. With current technology as an enabler, society’s reliance on such data is growing. Geographic datasets are increasingly being shared and exchanged. They are also used for purposes other than those for which they were produced.

To ensure that data will be understood by both computer systems and users, the data structures for data access and exchange must be fully documented. The interfaces between systems, therefore, need to be defined with respect to data and operations, using the methods standardized in this International Standard. For the construction of internal software and data storage within proprietary systems, any method may be used that enables the standardized interfaces to be supported.

An application schema provides the formal description of the data structure and content required by one or more applications. An application schema contains the descriptions of both geographic data and other related data. A fundamental concept of geographic data is the feature.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 19109:2016](https://standards.iteh.ai/catalog/standards/sist/e1b558d0-eb64-4da5-baa9-01563487d798/sist-en-iso-19109-2016)

<https://standards.iteh.ai/catalog/standards/sist/e1b558d0-eb64-4da5-baa9-01563487d798/sist-en-iso-19109-2016>

Geographic information — Rules for application schema

1 Scope

This International Standard defines rules for creating and documenting application schemas, including principles for the definition of features.

The scope of this International Standard includes the following:

- conceptual modelling of features and their properties from a universe of discourse;
- definition of application schemas;
- use of the conceptual schema language for application schemas;
- transition from the concepts in the conceptual model to the data types in the application schema;
- integration of standardized schemas from other ISO geographic information standards with the application schema.

The following are outside the scope:

- choice of one particular conceptual schema language for application schemas;
- definition of any particular application schema;
- representation of feature types and their properties in a feature catalogue;
- representation of metadata;
- rules for mapping one application schema to another;
- implementation of the application schema in a computer environment;
- computer system and application software design;
- programming.

2 Conformance

2.1 General

This International Standard defines 12 conformance classes shown in Tables 1 to 12, matching the 12 requirements classes described in Clauses 7 and 8. Any application schema claiming conformance to any requirements class in this International Standard shall pass all of the tests listed in the corresponding conformance class, which are described in detail in the abstract test suites in Annex A. Each test relates to one or more specific requirements, which are explicitly indicated in the description of the test.

ISO/DIS 19109

2.2 Meta-model

Table 1 — Meta-model conformance class

Conformance class	/conf/general
Requirements	/req/general (Clause 7, Table 15)
Tests	All tests in A.2

2.3 UML application schema

Table 2 — UML application schema conformance class

Conformance class	/conf/uml
Dependency	/conf/general (2.2)
Requirements	/req/uml (8.2, Table 16)
Tests	All tests in A.3

2.4 Profiling standard schema

Table 3 — Profiling standard schema conformance class

Conformance class	/conf/profile
Dependency	/conf/uml (2.3)
Requirements	/req/profile (8.3, Table 19)
Tests	All tests in A.4

2.5 Metadata

Table 4 — Metadata conformance class

Conformance class	/conf/metadata
Dependency	/conf/uml (2.3)
Requirements	/req/metadata (8.4, Table 20)
Tests	All tests in A.5

2.6 Quality

Table 5 — Quality conformance class

Conformance class	/conf/quality
Dependency	/conf/uml (2.3)
Requirements	/req/quality (8.5, Table 21)
Tests	All tests in A.6

2.7 Temporal

Table 6 — Temporal conformance class

Conformance class	/conf/temporal
Dependency	/conf/uml (2.3)
Requirements	/req/temporal (8.6, Table 23)
Tests	All tests in A.7

2.8 Spatial

Table 7 — Spatial conformance class

Conformance class	/conf/spatial
Dependency	/conf/uml (2.3)
Requirements	/req/spatial (8.7, Table 25)
Tests	All tests in A.8

2.9 Coverages

Table 8 — Coverages conformance class

Conformance class	/conf/coverage
Dependency	/conf/uml (2.3)
Requirements	/req/coverage (8.8, Table 27)
Tests	All tests in A.9

2.10 Observations

Table 9 — Observations conformance class

Conformance class	/conf/observation
Dependency	/conf/uml (2.3)
Requirements	/req/observation (8.9, Table 29)
Tests	All tests in A.10

ISO/DIS 19109

2.11 Spatial referencing by identifiers

Table 10 — Spatial referencing by identifiers conformance class

Conformance class	/conf/identifier
Dependency	/conf/uml (2.3)
Requirements	/req/identifier (8.10, Table 30)
Tests	All tests in A.11

2.12 Code-list

Table 11 — Code-list conformance class

Conformance class	/conf/codeList
Dependency	/conf/uml (2.3)
Requirements	/req/codeList (8.11, Table 31)
Tests	All tests in A.12

2.13 Multi-lingual support

Table 12 — Multi-lingual support conformance class

Conformance class	/conf/multi-lingual
Dependency	/conf/uml (2.3)
Requirements	/req/multi-lingual (8.12, Table 32)
Tests	All tests in A.13

3 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IETF RFC 5646 (2009), Tags for identifying languages

ISO 19103:—¹⁾, *Geographic information — Conceptual schema language*

ISO 19107:2003, *Geographic information — Spatial schema*

ISO 19108:2002, *Geographic information — Temporal schema*

ISO 19112:2003, *Geographic information — Spatial referencing by geographic identifiers*

1) To be published.

ISO 19115-1:—²⁾, *Geographic information — Metadata — Part 1: Fundamentals*

ISO 19115-2:2009, *Geographic information — Metadata — Part 2: Extensions for imagery and gridded data*

ISO 19123:2005, *Geographic information — Schema for coverage geometry and functions*

ISO 19156:2011, *Geographic information — Observations and measurements*

ISO 19157:—³⁾, *Geographic information — Data Quality*

ISO 19505-2:2012, *Information technology — Object Management Group Unified Modeling Language (OMG UML) — Part 2: Superstructure (Version 2.4.1)*

4 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

4.1

application

manipulation and processing of data in support of user requirements

[SOURCE: ISO 19101-1:—⁴⁾, 4.1.1]

4.2

application schema

conceptual schema (4.5) for data required by one or more *applications* (4.1)

[SOURCE: ISO 19101-1:—⁴⁾, 4.1.2]

4.3

complex feature

feature (4.9) composed of other features

4.4

conceptual model

model (4.15) that defines concepts of a *universe of discourse* (4.19)

[SOURCE: ISO 19101-1:—⁴⁾, 4.1.5]

4.5

conceptual schema

formal description of a *conceptual model* (4.4)

[SOURCE: ISO 19101-1:—⁴⁾, 4.1.6]

4.6

coverage

feature (4.9) that acts as a function to return *values* (4.20) from its range for any direct position within its spatial, temporal or spatiotemporal *domain* (4.8)

[SOURCE: ISO 19123:2005, 4.1.7]

2) To be published

3) To be published.

4) To be published.