# SLOVENSKI STANDARD
# SIST EN 14154-4:2015

**01-februar-2015**

---

**Vodomeri - 4. del: Dodatne funkcije**

Water meters - Part 4: Additional functionalities

Wasserzähler - Teil 4: Zusätzliche Funktionalitäten

Compteurs d'eau - Partie 4: Fonctions additionnelles



**Ta slovenski standard je istoveten z:** **EN 14154-4:2014**

---



**ICS:**

91.140.60 Sistemi za oskrbo z vodo Water supply systems

**SIST EN 14154-4:2015** **en,fr,de**

EUROPEAN STANDARD

NORME EUROPÉENNE

EUROPÄISCHE NORM

# EN 14154-4

November 2014

ICS 91.140.60

English Version

# Water meters - Part 4: Additional functionalities

Compteurs d'eau - Partie 4: Fonctionnalités additionnelles

Wasserzähler - Teil 4: Zusätzliche Funktionalitäten

This European Standard was approved by CEN on 6 September 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

# Contents

Page

## Foreword

This document (EN 14154-4:2014) has been prepared by Technical Committee CEN/TC 92 “Water meters”, the secretariat of which is held by SNV.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by May 2015, and conflicting national standards shall be withdrawn at the latest by May 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

# Introduction

This European Standard has been defined as part of the work being undertaken by the European Standards Organizations (CEN/CENELEC/ETSI) under the Commission Mandate M/441. This standard utilizes the six functionalities agreed by the Smart Meters Coordination Group (SM-CG) (see Annex B) as the basis for its additional functionalities. It is not required for the Additional Functionality Device (AFD) to incorporate all functions defined in this standard.

Communications for water meters are outside the scope of this standard and are covered by the appropriate parts of EN 13757-1, EN 13757-2, EN 13757-3, EN 13757-4, EN 13757-5 and EN 13757-6 which provide a number of protocols and transport layers for meter communications for Gas, Water and Heat meters. The additional functionality for water meters can be provided by a number of methods; these are illustrated below, see Figure 1, and described in detail within this standard. The AFD can be integrated in the meter, attached to the meter or remote from the meter.

# 1 Scope

This European Standard specifies definitions, requirements and testing of additional functionalities for water meters, without metrological impact, in combination with Additional Functionality Devices (AFD) and in response to EU/EFTA Mandate M/441 EN. These AFDs are to be considered as “ancillary devices" as defined in EN ISO 4064-1 and EN ISO 4064-4.

This European Standard does not cover the changing of metrological software within the meter or the upload/download of metrological software.

NOTE A manufacturer can claim compliance only for additional functionalities described in this European Standard. It is not mandatory that an AFD complies with all additional functionalities described herein.

# 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 14154-1, *Water meters – Part 1: General requirements*

EN 14154-2, *Water meters – Part 2: Installation and conditions of use*

EN 14154-3, *Water meters – Part 3: Test methods and equipment*



EN ISO 4064-1, *Water meters for cold potable water and hot water - Part 1: Metrological and technical requirements (ISO 4064-1)*



EN ISO 4064-2, *Water meters for cold potable water and hot water - Part 2: Test methods (ISO 4064-2)*



EN ISO 4064-4, *Water meters for cold potable water and hot water - Part 4: Non-metrological requirements not covered in ISO 4064-1 (ISO 4064-4)*

EN ISO 4064-5, *Water meters for cold potable water and hot water - Part 5: Installation requirements (ISO 4064-5)*

EN 60529:1991, *Degrees of protection provided by enclosures (IP Code) (IEC 60529:1989)*

# 3 Terms and definitions

The terms, definitions and symbols of EN ISO 4064-1, EN ISO 4064-2, EN ISO 4064-4 and EN ISO 4064-5, EN 14154-1, EN 14154-2 and EN 14154-3 apply.

NOTE Additionally for the purposes of this part of the European Standard, the following terms and definitions only related to additional functionalities apply.

**3.1**
**functionality**
process which constantly or at defined intervals, automatically or on demand, performs specific activities such as sampling data, reading a data set, verifying or changing a status, or activating a switch

**3.2**
**additional functionality**
functionality that a smart meter provides, over and above the metrological functionality covered by the Measuring Instruments Directive

**3.3**
**additional functionality device**
device providing any additional functionality

**3.4**
**additional functionality device type 1 (AFD1)**
additional functionality device integrated into the meter

**3.5**
**additional functionality device type 2 (AFD2)**
additional functionality device directly attached to the meter

**3.6**
**additional functionality device type 3 (AFD3)**
additional functionality device remotely connected to the meter

**3.7**
**automatic meter reading**
technology for obtaining metering data from an on-site meter by communication from a remote access point

**3.8**
**universal time coordinated (UTC)**
world time, without daylight savings

**3.9**
**reading**
primary indication of the total volume passed through the meter



**3.10**
**metrological software**
software identified during the type testing examination, which is part of the meter and is critical to its metrological characteristics



**3.11**
**register**
Indication of the specific section in the memory of the control and metering unit that records data as determined by the programme in the unit

**3.12**
**event**
condition requiring action or to log an action

**3.13**
**event log**
temporary or mid-term memorized listing of events, containing their occurrence, actions taken and their reset

**3.14**
**interface**
point or means of interaction between two systems

## 4 General requirements

### 4.1 Types of additional functionality devices and requirements

The additional functionality shall be provided by one of the following devices:

— AFD1; where all functions are within the same metrological enclosure as the meter;

— AFD2; where the AFD is attached directly to the meter. The manufacturer shall declare the appropriate device compatibility;

— AFD3; where the AFD is located remotely and connected to the meter. The manufacturer shall declare the appropriate device compatibility.






**Figure 1 — Additional functionality devices**



### 4.2 Connection requirements

The AFD2 and AFD3 shall be connected to the meter and tested as a combined unit in all the tests given in 4.11.2 to ensure the connection of the AFD to the meter has no metrological influence.

The connection of the AFD to the meter or any labelling on the meter or the AFD shall not obscure or damage any metrological seal of the meter.

The primary indication on the meter shall not be obscured by the connection of the AFD and the indicating device shall be accessible to the consumer without the use of tools.

### 4.3 Environmental conditions

The AFD shall work with the meter at all operating conditions of the meter as required by the appropriate standards.

Any AFD should be suitable to meet one of the environmental classes from EN ISO 4064-1, A.2 and A.3 and the related tests. An AFD3 may have a different environmental class to that of the meter.

## 4.4 Security

### 4.4.1 General

The AFD shall be constructed in such a way that any unauthorized intervention shall either cause permanently visible damage to the AFD or its protective seals, or creates a report in the event log. Any physical seals shall be visibly fixed, and easily accessible.

### 4.4.2 Software, data and hardware security

#### 4.4.2.1 Requirement

When tested in accordance with 4.4.2.2 the requirements below shall be met.

All available connections, ports and interfaces of the AFD which can be used for unauthorized adjustment of the AFDs characteristics and additional functionality shall be effectively secured by protective seals.

No access shall be allowed to software and firmware by unauthorised persons. Software and data shall be protected against accidental or intentional changes by the breaking of a physical seal or by using an electronic seal.

For electronic seals the following requirements shall be met:

a) access shall only be obtained by using a password or a code;

b) unauthorized intervention shall be registered in the event log and the type of intervention identified, and where available date and time to be included.



In the case of intended consumer access to the AFD, it shall be ensured that the access by the consumer cannot inadvertently drain the battery capacity, where applicable.



#### 4.4.2.2 Test

Compliance with the above requirements shall be checked by visual inspection and evaluation of the manufacturer's technical documentation.

### 4.4.3 Firmware upgrade of AFD

This part of the standard covers non-metrological upgrades only, providing there is clear separation between the metrological and non-metrological functions.

Following any upgrade the information/functionality of the AFD shall be as declared by the manufacturer. Any data still present shall be the same as prior to the upgrade.

NOTE An example of a suitable routine is given in the WELMEC Guide 7.2.

### 4.4.4 Software identification

The software (including version) shall have an unambiguous identifier that is retrievable.

## 4.5 Power supply

The power supply of the AFD shall comply with EN ISO 4064-1, EN ISO 4064-4 and EN 14154-1 and shall be tested accordingly.