



SLOVENSKI STANDARD

kSIST FprEN 14893:2013

01-november-2013

Oprema in pribor za utekočinjeni naftni plin (UNP) - Premični varjeni jekleni tlačni sodi za utekočinjeni naftni plin (UNP) s prostornino med 150 in 1000 litri

LPG equipment and accessories - Transportable Liquefied Petroleum Gas (LPG) welded steel pressure drums with a capacity between 150 litres and 1 000 litres

Flüssiggas-Geräte und Ausrüstungsteile - Ortsbewegliche, geschweißte Druckfässer aus Stahl für Flüssiggas (LPG) mit einem Fassungsraum zwischen 150 Liter und 1 000 Liter

Équipements pour GPL et leurs accessoires - Fûts à pression métalliques transportables pour GPL d'une capacité comprise entre 150 litres et 1 000 litres

Ta slovenski standard je istoveten z: FprEN 14893

ICS:

23.020.30	Tlačne posode, plinske jeklenke	Pressure vessels, gas cylinders
-----------	---------------------------------	---------------------------------

kSIST FprEN 14893:2013

en,fr,de

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

FINAL DRAFT
FprEN 14893

July 2013

ICS 23.020.30

Will supersede EN 14893:2006

English Version

LPG equipment and accessories - Transportable Liquefied Petroleum Gas (LPG) welded steel pressure drums with a capacity between 150 litres and 1 000 litres

Équipements pour GPL et leurs accessoires - Fûts à pression métalliques transportables pour GPL d'une capacité comprise entre 150 litres et 1 000 litres

Flüssiggas-Geräte und Ausrüstungsteile - Ortsbewegliche, geschweißte Druckfässer aus Stahl für Flüssiggas (LPG) mit einem Fassungsraum zwischen 150 Liter und 1 000 Liter

This draft European Standard is submitted to CEN members for unique acceptance procedure. It has been drawn up by the Technical Committee CEN/TC 286.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	5
Introduction	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	9
4 Materials	11
4.1 Suitability.....	11
4.2 Pressure retaining parts	11
4.3 Non-pressure retaining parts	11
4.4 Welding consumables.....	11
4.5 Non-metallic materials (gaskets).....	12
4.6 Certification of materials.....	12
5 Design	13
5.1 General.....	13
5.2 Design conditions.....	13
5.2.1 Calculation pressure	13
5.2.2 Design temperature	13
5.2.3 Vacuum conditions.....	13
5.3 Calculation of thicknesses	14
5.3.1 Calculation.....	14
5.3.2 Minimum thickness for handling.....	14
5.4 Support loadings	14
5.5 Lifting lug loadings.....	14
5.6 Openings	15
5.6.1 General.....	15
5.6.2 Reinforcement.....	15
5.6.3 Position of welds	15
5.6.4 Fittings connections.....	15
5.6.5 Fittings	15
5.7 Protection of fittings.....	16
5.7.1 General.....	16
5.7.2 End shrouds	16
5.7.3 Protective frame.....	16
5.7.4 Local protection	16
5.8 Rolling hoops	16
5.9 Ventilation openings	16
6 Workmanship and manufacture	17
6.1 General.....	17
6.2 Environment.....	17
6.3 Control and traceability of materials	17
6.4 Manufacturing tolerances	17
6.5 Acceptable weld details	18
6.5.1 General.....	18
6.5.2 Longitudinal welds	18
6.5.3 Joggle joints.....	18
6.6 Formed pressure parts.....	18
6.6.1 General.....	18
6.6.2 Heat treatment after forming	19

6.6.3	Testing of formed parts	19
6.6.4	Repeated tests	20
6.6.5	Visual examination and control of dimensions	20
6.6.6	Marking	20
6.6.7	Test certificate	20
6.7	Welding	20
6.7.1	General	20
6.7.2	Welding procedure specification (WPS)	21
6.7.3	Qualification of WPS	21
6.7.4	Qualification of welders and welding personnel	21
6.7.5	Preparation of edges to be welded	21
6.7.6	Execution of welded joints	21
6.7.7	Attachments and supports	21
6.7.8	Preheating	22
6.8	Post weld heat treatment	22
6.9	Repairs	22
6.9.1	Repairs of surface imperfections in the parent metal	22
6.9.2	Repair of weld imperfections	22
6.10	Examination of welds	23
6.10.1	Visual examination of welds	23
6.10.2	Non-destructive testing (NDT)	23
6.11	Non-destructive testing techniques	24
6.11.1	General	24
6.11.2	Radiographic techniques	24
6.11.3	Ultrasonic techniques	24
6.11.4	Magnetic particle techniques	25
6.11.5	Dye penetrant techniques	25
6.12	Marking for all non-destructive testing techniques	25
6.13	Qualification of personnel	25
6.14	Acceptance criteria	25
6.15	Production test plates (coupon plates)	25
6.16	Impact tests	27
7	Initial inspection and testing	27
7.1	Pressure test	28
7.2	Lifting lug test	28
7.3	Final examination of drum	28
7.4	Leak tightness test	28
7.5	Tare mass	29
7.6	Verification on conformity	29
8	Surface treatment and finishing	29
8.1	General	29
8.2	Finishing operations	29
9	Marking	29
10	Conformity assessment	30
10.1	General	30
10.2	Fatigue test	30
10.3	Burst test	30
10.4	Drop test	30
10.5	Lifting lugs	31
11	Design type testing	31
12	Records and documentation	31
12.1	Records to be obtained by the manufacturer	31
12.2	Documents to be provided by the manufacturer	31
Annex A	(informative) Guidance on selection of material grades	33
Annex B	(normative) Tolerances on drums	34

FprEN 14893:2013 (E)

B.1	Mean external diameter	34
B.2	Out of roundness	34
B.3	Deviation from the straight line.....	34
B.4	Irregularities in circular profile.....	34
B.5	Thickness tolerance	35
B.6	Profile.....	35
B.7	Surface alignment.....	36
B.8	Attachments, nozzles and fittings.....	36
Annex C	(normative) Hydraulic pressure test.....	37
C.1	Temporary fittings	37
C.2	Pressure gauges	37
C.3	Pressurising agent.....	37
C.4	Avoidance of shocks	37
C.5	Test procedure	37
Annex D	(normative) Imperfections of welded joints	38
Annex E	(normative) Design formulae for drums	41
E.1	Allowable stresses.....	41
E.2	Design formulae.....	41
E.2.1	General.....	41
E.2.2	Cylindrical shell calculation	41
E.2.3	Torispherical end calculation	41
E.2.4	Ellipsoidal end calculation.....	43
E.2.5	Formulae for calculating C	44
E.3	Nozzle reinforcement	44
E.3.1	General.....	44
E.3.2	Size of openings	44
E.3.3	Distance between openings or branches.....	45
E.3.4	Openings and branches	46
E.3.5	Cylindrical shells and dished ends with openings	46
E.3.6	Shell reinforcement	46
E.3.7	Extent of reinforcement	46
E.3.8	Elliptical openings	46
E.3.9	Welded branches	46
E.3.10	Compensating plates	46
E.3.11	Reinforcement — General.....	46
E.3.12	Reinforcement by pads	47
E.3.13	Reinforcement by branches	47
E.3.14	Branch connections normal to the drum wall	47
Annex F	(informative) Measurement of shell peaking.....	52
F.1	Profile gauge	52
F.2	Peaking survey.....	52
Annex G	(informative) Examples of welded joints.....	55
Annex H	(informative) Environmental checklist.....	59
Bibliography	60

Foreword

This document (FprEN 14893:2013) has been prepared by Technical Committee CEN/TC 286 "LPG equipment and accessories", the secretariat of which is held by NSAI.

This document is currently submitted to the Unique Acceptance Procedure.

This document will supersede EN 14893:2006.

The major changes in this revision include:

- an update of the terminology; and
- the addition of an environmental checklist, Annex H.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

This European Standard has been submitted for reference into:

- the RID [7]; and
- the technical annexes of the ADR [8].

NOTE These regulations take precedence over any clause of this European Standard. It is emphasised that RID/ADR/ADN are being revised regularly at intervals of two years which may lead to temporary non-compliances with the clauses of this European Standard.

Introduction

This European Standard calls for the use of substances and procedures that may be injurious to health and/or the environment if adequate precautions are not taken. It refers only to technical suitability; it does not absolve the user from their legal obligations at any stage.

Protection of the environment is a key political issue in Europe and elsewhere around the world. Protection of the environment in this document is understood in a very broad sense. The phrase is used, for example, in relation to the total life-cycle environmental aspects of a product, including expenditure of energy, and during all phases of its existence, from mining of raw materials to fabrication, packaging, distribution, use, scrapping, recycling of materials, etc. Annex H comprises an environmental checklist which highlights the clauses of this European Standard that address environmental aspects.

It is recommended that manufacturers develop an environmental management policy. For guidance, see ISO 14000 series, [3], [4] and [5].

Provisions need to be restricted to a general guidance. Limit values are specified in national laws.

It has been assumed in the drafting of this European Standard that the execution of its provisions is entrusted to appropriately qualified and experienced people.

All pressures are gauge unless otherwise stated.

NOTE This European Standard requires measurement of material properties, dimensions and pressures. All such measurements are subject to a degree of uncertainty due to tolerances in measuring equipment, etc. It may be beneficial to refer to the leaflet "measurement uncertainty leaflet" SP INFO 2000 27 [11].