
**Industrial automation systems —
Manufacturing Message Specification —**

**Part 1:
Service definition**

*Systèmes d'automatisation industrielle — Spécification de messagerie
industrielle —*

Partie 1: Définition des services

*ITEH STANDARDS PREVIEW
(standards.iteh.ai)
Full standard:
https://standards.iteh.ai/catalog/standards-iso/9506-1-2003-8cda-40b2-be0d-cd21e092d5d3/iso-9506-1-2003*



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
Full standard:
<https://standards.iteh.ai/catalog/standards/sist/9b89b9d-8cda-40b2-be0d-cd21e092d5d3/iso-9506-1-2003>

© ISO 2003

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents		Page
Foreword	xi
Introduction	xii
1	Scope	1
2	Normative references	1
3	Definitions	2
3.1	Reference Model definitions	2
3.2	Service Convention definitions	3
3.3	Abstract Syntax Notation definitions	3
3.4	Other definitions	3
4	Abbreviations	6
5	Conventions	7
5.1	Base of Numeric Values	7
5.2	Object modelling	7
5.3	Specialisation of MMS	8
5.4	Service Parameter Description	9
5.5	Invocation Identifier on Service Primitives	11
5.6	List Of Modifier on Service Primitives	11
5.7	Addressing in MMS	11
5.8	Service Conventions	11
5.9	Calling and Called MMS-user	11
5.10	Sending and Receiving MMS-user and MMPM	12
5.11	Requesting and Responding MMS-user	12
5.12	Client and Server of a Service	12
5.13	Relationship of Object Models to Service Tables	13
6	MMS in the OSI Environment	13
6.1	Information Processing Tasks and Real Systems	13
6.2	Application Processes	13
6.3	Interaction of Application Processes	13
6.4	Interaction of Application Processes in OSI	14
6.5	Structure of Application Entities	14
6.6	Addressing of Application Entities	14
6.7	Application Context	15
6.8	Presentation Context, Abstract Syntaxes, and Transfer Syntaxes	15
6.9	MMS requirements of the communication system	15
7	The Virtual Manufacturing Device	21
7.1	Introduction	21
7.2	The Structure of a VMD	22
7.3	Transactions	30
7.4	Specification of Named objects	32
7.5	Object Name structure	35
7.6	Object Class structure	36
8	Environment And General Management services	36
8.1	Introduction and Models	36
8.2	Initiate service	45
8.3	Conclude service	51
8.4	Abort service	52
8.5	Cancel service	53
8.6	Reject service	55
9	Conditioned service response	59
9.1	Introduction and Models	59
9.2	AccessCondition parameter	65

9.3	DefineAccessControlList service	67
9.4	GetAccessControlListAttributes service	68
9.5	ReportAccessControlledObjects service	71
9.6	DeleteAccessControlList service	72
9.7	ChangeAccessControl service	73
10	VMD Support Services	77
10.1	Introduction	77
10.2	Status Response parameter	77
10.3	Status service	78
10.4	UnsolicitedStatus service	79
10.5	GetNameList service	79
10.6	Identify service	81
10.7	Rename service	82
10.8	GetCapabilityList service	84
10.9	VMDStop service	85
10.10	VMDReset service	86
11	Domain Management Services	87
11.1	Introduction and Models	87
11.2	InitiateDownloadSequence service	93
11.3	DownloadSegment service	95
11.4	TerminateDownloadSequence service	97
11.5	InitiateUploadSequence service	98
11.6	UploadSegment service	100
11.7	TerminateUploadSequence service	101
11.8	RequestDomainDownload service	102
11.9	RequestDomainUpload service	104
11.10	LoadDomainContent service	105
11.11	StoreDomainContent service	107
11.12	DeleteDomain service	110
11.13	GetDomainAttributes service	111
12	Program Invocation Management Services	113
12.1	Introduction and Models	113
12.2	CreateProgramInvocation service	120
12.3	DeleteProgramInvocation service	123
12.4	Start service	124
12.5	Stop service	128
12.6	Resume service	129
12.7	Reset service	132
12.8	Kill service	133
12.9	GetProgramInvocationAttributes service	134
12.10	Select service	137
12.11	AlterProgramInvocationAttributes service	139
12.12	ReconfigureProgramInvocation service	141
13	Unit Control	143
13.1	Introduction and Models	143
13.2	Control Element	144
13.3	InitiateUnitControlLoad service	145
13.4	UnitControlLoadSegment service	147
13.5	UnitControlUpload service	149
13.6	StartUnitControl service	151
13.7	StopUnitControl service	152
13.8	CreateUnitControl service	154
13.9	AddToUnitControl service	155
13.10	RemoveFromUnitControl service	156
13.11	GetUnitControlAttributes service	157
13.12	LoadUnitControlFromFile service	159
13.13	StoreUnitControlToFile service	160
13.14	DeleteUnitControl service	161
14	Variable Access Services	163

14.1	The MMS Variable Access Model	164
14.2	Specification of Types	171
14.3	Specification of Alternate Access	175
14.4	Specification of Data Values	179
14.5	Specification of Access to Variables	181
14.6	Read service	184
14.7	Write service	185
14.8	InformationReport service	187
14.9	GetVariableAccessAttributes service	188
14.10	DefineNamedVariable service	190
14.11	DeleteVariableAccess service	192
14.12	DefineNamedVariableList service	194
14.13	GetNamedVariableListAttributes service	196
14.14	DeleteNamedVariableList service	197
14.15	DefineNamedType service	199
14.16	GetNamedTypeAttributes service	201
14.17	DeleteNamedType service	202
14.18	Conformance	204
14.19	Guidance To Implementors	205
15	Data Exchange Management Services	206
15.1	The Data Exchange management model	206
15.2	ExchangeData service	207
15.3	GetDataExchangeAttributes service	209
16	Semaphore Management Services	210
16.1	The Semaphore Management Model	210
16.2	TakeControl service	217
16.3	RelinquishControl service	221
16.4	DefineSemaphore service	222
16.5	DeleteSemaphore service	224
16.6	ReportSemaphoreStatus service	226
16.7	ReportPoolSemaphoreStatus service	227
16.8	ReportSemaphoreEntryStatus service	229
16.9	AttachToSemaphore Modifier	232
16.10	Conformance	234
17	Operator Communication services	235
17.1	The Operator Communications Model	235
17.2	Input service	237
17.3	Output service	239
18	Event Management services	241
18.1	Event Detection and Notification	242
18.2	TriggerEvent service	247
18.3	EventNotification service	248
18.4	AcknowledgeEventNotification service	250
18.5	GetAlarmSummary service	252
18.6	GetAlarmEnrollmentSummary service	256
18.7	Attach To Event Condition Modifier	260
18.8	Conformance Requirements Unique to Event Management	262
19	Event Condition services	263
19.1	Event Conditions	263
19.2	DefineEventCondition service	268
19.3	DeleteEventCondition service	271
19.4	GetEventConditionAttributes service	273
19.5	ReportEventConditionStatus service	275
19.6	AlterEventConditionMonitoring service	277
20	Event Action services	279
20.1	Event Actions	279
20.2	DefineEventAction service	280
20.3	DeleteEventAction service	282

20.4	GetEventActionAttributes service	284
20.5	ReportEventActionStatus service	285
21	Event Enrollment services	287
21.1	Event Enrollments	287
21.2	DefineEventEnrollment service	295
21.3	DeleteEventEnrollment service	299
21.4	GetEventEnrollmentAttributes service	302
21.5	ReportEventEnrollmentStatus service	306
21.6	AlterEventEnrollment service	308
22	Event Condition List services	311
22.1	Event Condition Lists	311
22.2	DefineEventConditionList service	312
22.3	DeleteEventConditionList service	314
22.4	AddEventConditionListReference service	316
22.5	RemoveEventConditionListReference service	318
22.6	GetEventConditionListAttributes service	321
22.7	ReportEventConditionListStatus service	322
22.8	AlterEventConditionListMonitoring service	324
23	Journal Management services	326
23.1	The Journal Management Model	326
23.2	ReadJournal service	328
23.3	WriteJournal service	336
23.4	InitializeJournal service	339
23.5	ReportJournalStatus service	340
23.6	CreateJournal service	342
23.7	DeleteJournal service	343
23.8	Conformance Requirements Unique to Journals	344
24	Errors	344
24.1	Error Type	344
24.2	Description of structure of generic error type	345
24.3	Additional Code	351
24.4	Additional Detail	351
24.5	Modifier Position	351
25	MMS Standardized Names	351
25.1	Introduction	351
25.2	Unique Name Assignment Mechanism	352
25.3	MMS Standardized Names	352
25.4	End of Module	355
26	Conformance	355
26.1	Introduction	355
26.2	Conformance Building Blocks (CBBs)	355
26.3	Static Conformance Requirements	357
26.4	Calling MMS-user Conformance Requirements	357
26.5	Called MMS-user Conformance Requirements	357
26.6	Server Conformance Requirements	357
26.7	Client Conformance Requirements	358
26.8	Parameter CBB Conformance Requirements	359
26.9	Dynamic Conformance	360
Annex A	(normative) Relationship of the VMD to an OSI Communication System	361
A.1	Introduction	361
A.2	Addressing of Application Entities	362
A.3	Conformance Requirements	362
Annex B	(normative) Requirements for Companion Standards	363
B.1	Introduction	363
B.2	Scope	363
B.3	Requirements	363

B.4	Outline of an MMS Companion Standard	363
Annex C	(normative) File Access service	369
C.1	ObtainFile service	369
Annex D	(informative) File Management services	371
D.1	Introduction	371
D.2	The MMS File Model	371
D.3	FileOpen service	373
D.4	FileRead service	374
D.5	FileClose service	375
D.6	FileRename service	376
D.7	FileDelete service	378
D.8	FileDirectory service	379
D.9	File Attributes parameter	381
D.10	Additional Specification for the Conclude Service	381
Annex E	(informative) Scattered Access	383
E.1	Introduction	383
E.2	Variable Specification parameter	385
E.3	DefineScatteredAccess service	386
E.4	GetScatteredAccessAttributes service	388
E.5	DeleteVariableAccess service	390
E.6	DefineNamedVariableList service	390
E.7	GetNamedVariableListAttributes service	391
E.8	DeleteNamedVariableList service	391
Annex F	(informative) MMS on TCP/IP	392
F.1	Introduction	392
F.2	General Internet Environments	392
F.3	References	392
	Index	393
Figures		
Figure 1	Relationships of Client and Server, Requesting and Responding MMS-user, and Sending and Receiving MPPM	12
Figure 2	M-ASSOCIATE service	16
Figure 3	M-RELEASE service	18
Figure 4	M-DATA service	19
Figure 5	M-U-ABORT service	20
Figure 6	M-P-ABORT service	21
Figure 7	Environment Management State Diagram	37
Figure 8	Domain State Diagram	91
Figure 9	Upload State Machines	93
Figure 10	LoadDomainContent	105
Figure 11	StoreDomainContent	108
Figure 12	Program Invocation State Diagram	119
Figure 13	Semaphore Entry model	215
Figure 14	Token Semaphore model	216
Figure 15	Pool Semaphore model	217
Figure 16	Operator Station State Diagram	237
Figure 17	Relationship Between Event Management Objects	242
Figure 18	Network-triggered Event Condition State Diagram	266
Figure 19	Monitored Event Condition State Diagram	267
Figure 20	Event Action State Diagram	286
Figure 21	State Diagram for &alarmAcknowledgmentRule = none	292
Figure 22	State Diagram for &alarmAcknowledgmentRule = simple	293
Figure 23	State Diagram for &alarmAcknowledgmentRule = ack-active	294
Figure 24	State Diagram for &alarmAcknowledgmentRule = ack-all	295
Figure A.1	The MMS Server Application Process	361
Figure D.1	File Read State Machine	372

Tables

Table 1 - M-ASSOCIATE service	16
Table 2 - M-Release service parameters	18
Table 3 - M-Data service parameters	19
Table 4 - M-U-Abort service parameters	20
Table 5 - M-P-Abort service parameters	21
Table 6 - Local control	29
Table 7 - Name Class and Scope	33
Table 8 - Object Name	35
Table 9 - Object Class	36
Table 10 - Initiate service	45
Table 11 - Conclude service	51
Table 12 - Abort service	53
Table 13 - Cancel service	54
Table 14 - Reject service	55
Table 15 - Access Condition parameter	66
Table 16 - DefineAccessControlList service	67
Table 17 - GetAccessControlListAttributes service	69
Table 18 - ReportAccessControlledObjects service	71
Table 19 - DeleteAccessControlList service	72
Table 20 - ChangeAccessControl service	74
Table 21 - Status Response parameter	77
Table 22 - Status service	78
Table 23 - UnsolicitedStatus service	79
Table 24 - GetNameList service	80
Table 25 - Identify service	81
Table 26 - Rename service	83
Table 27 - GetCapabilityList service	84
Table 28 - VMDStop service	85
Table 29 - VMD attributes after VMDStop	86
Table 30 - VMDReset service	86
Table 31 - InitiateDownloadSequence service	94
Table 32 - DownloadSegment service	96
Table 33 - TerminateDownloadSequence service	97
Table 34 - InitiateUploadSequence service	99
Table 35 - UploadSegment service	100
Table 36 - TerminateUploadSequence service	101
Table 37 - RequestDomainDownload service	102
Table 38 - RequestDomainUpload service	104
Table 39 - LoadDomainContent service	106
Table 40 - StoreDomainContent service	108
Table 41 - DeleteDomain service	110
Table 42 - GetDomainAttributes service	111
Table 43 - CreateProgramInvocation service	120
Table 44 - DeleteProgramInvocation service	123
Table 45 - Start service	125
Table 46 - Stop service	128
Table 47 - Resume service	129
Table 48 - Reset service	132
Table 49 - Kill service	133
Table 50 - GetProgramInvocationAttributes service	135
Table 51 - Select service	138
Table 52 - AlterProgramInvocationAttributes service	140
Table 53 - ReconfigureProgramInvocation service	141
Table 54 - Control Element parameter	144
Table 55 - Interaction of Unit Control Primitives	146
Table 56 - InitiateUnitControlLoad service	146
Table 57 - UnitControlLoadSegment service	147
Table 58 - UnitControlUpload service	149
Table 59 - StartUnitControl service	151
Table 60 - StopUnitControl service	153

Table 61 - CreateUnitControl service	154
Table 62 - AddToUnitControl service	155
Table 63 - RemoveFromUnitControl service	156
Table 64 - GetUnitControlAttributes service	158
Table 65 - LoadUnitControlFromFile service	159
Table 66 - StoreUnitControlToFile service	160
Table 67 - DeleteUnitControl service	162
Table 68 - Type Description parameter	172
Table 69 - Type Specification parameter	175
Table 70 - Alternate Access parameter	176
Table 71 - Access Result parameter	179
Table 72 - Data parameter	180
Table 73 - Variable Access Specification parameter	181
Table 74 - Variable Specification parameter	182
Table 75 - Address parameter	183
Table 76 - Read service	184
Table 77 - Write service	186
Table 78 - InformationReport service	187
Table 79 - GetVariableAccessAttributes service	189
Table 80 - DefineNamedVariable service	190
Table 81 - DeleteVariableAccess service	192
Table 82 - DefineNamedVariableList service	194
Table 83 - GetNamedVariableListAttributes service	196
Table 84 - DeleteNamedVariableList service	198
Table 85 - DefineNamedType service	200
Table 86 - GetNamedTypeAttributes service	201
Table 87 - DeleteNamedType service	203
Table 88 - DataExchange service	207
Table 89 - GetDataExchangeAttributes service	209
Table 90 - TakeControl service	217
Table 91 - RelinquishControl service	221
Table 92 - DefineSemaphore service	223
Table 93 - DeleteSemaphore service	225
Table 94 - ReportSemaphoreStatus service	226
Table 95 - ReportPoolSemaphoreStatus service	228
Table 96 - ReportSemaphoreEntryStatus service	230
Table 97 - AttachToSemaphore Modifier	232
Table 98 - Input service	238
Table 99 - Output service	240
Table 100 - TriggerEvent service	247
Table 101 - EventNotification service	248
Table 102 - AcknowledgeEventNotification service	251
Table 103 - GetAlarmSummary service	253
Table 104 - GetAlarmEnrollmentSummary service	257
Table 105 - Attach To Event Condition Modifier	261
Table 106 - DefineEventCondition service	268
Table 107 - DeleteEventCondition service	271
Table 108 - GetEventConditionAttributes service	273
Table 109 - ReportEventConditionStatus service	276
Table 110 - AlterEventConditionMonitoring service	277
Table 111 - DefineEventAction service	281
Table 112 - DeleteEventAction service	282
Table 113 - GetEventActionAttributes service	284
Table 114 - ReportEventActionStatus service	285
Table 115 - DefineEventEnrollment service	296
Table 116 - DeleteEventEnrollment service	299
Table 117 - GetEventEnrollmentAttributes service	302
Table 118 - ReportEventEnrollmentStatus service	307
Table 119 - AlterEventEnrollment service	309
Table 120 - DefineEventConditionList service	313
Table 121 - DeleteEventConditionList service	315
Table 122 - AddEventConditionListReference service	316
Table 123 - RemoveEventConditionListReference service	319
Table 124 - GetEventConditionListAttributes service	321

Table 125 - ReportEventConditionListStatus service	322
Table 126 - AlterEventConditionListMonitoring service	324
Table 127 - ReadJournal service	329
Table 128 - WriteJournal service	336
Table 129 - InitializeJournal service	339
Table 130 - ReportJournalStatus service	341
Table 131 - CreateJournal service	342
Table 132 - DeleteJournal service	343
Table 133 - Structure of Error Type	345
Table C.1 - ObtainFile service	369
Table D.1 - FileOpen service	373
Table D.2 - FileRead service	374
Table D.3 - FileClose service	376
Table D.4 - FileRename service	377
Table D.5 - FileDelete service	378
Table D.6 - FileDirectory service	379
Table D.7 - File Attributes parameter	381
Table E.1 - Scattered Access Description parameter	386
Table E.2 - DefineScatteredAccess service	387
Table E.3 - GetScatteredAccessAttributes service	389

ITeH STANDARD PREVIEW
(standards.iteh.ai)

Full standard:
<https://standards.iteh.ai/catalog/standards/sist/9b899b9d-8cda-40b2-be0d-cd21e092d5d3/iso-9506-1-2003>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matter of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 9506-1 was prepared by Technical Committee ISO/TC 184, *Industrial automation systems and integration*, Subcommittee SC 5, *Architecture, communications and integration frameworks*.

This second edition of ISO 9506-1 cancels and replaces the first edition (ISO 9506-1:2000), of which it constitutes a technical revision. It incorporates several technical corrections to ISO 9506-1:2000. The first edition of ISO 9506-1:2000 included corrections published in ISO/IEC 9506-1/Cor.1:1995 and in ISO/IEC 9506-1/Cor.2:1995, the additional services published in ISO/IEC 9506-1/Amd.1:1993, and in ISO/IEC 9506-1/Amd.2:1995, and the material published in ISO/TR 13345.

ISO 9506 consists of the following parts, under the general title *Industrial automation systems — Manufacturing Message Specification*:

- Part 1: *Service definition*
- Part 2: *Protocol specification*

Introduction

This part of ISO 9506 provides a wide variety of services useful for various manufacturing and process control devices. It is designed to be used both by itself and in conjunction with Companion Standards that describe the application of subsets of these services to particular device types.

The services provided by the Manufacturing Message Specification (MMS) range from simple to highly complex. It is not expected that all of these services will be supported by all devices. The subset to be supported is limited in some cases by Companion Standards, and in all cases may be limited by the implementor. Characteristics important in selection of a subset of services to be supported include:

- a) applicability of the service to the device;
- b) the complexity of services and requirements;
- c) the complexity of provision of a particular class of service via the network versus the complexity of the device.

Security considerations

When implementing MMS in secure or safety critical applications, features of the OSI security architecture may need to be implemented. This International Standard provides simple facilities for authentication (passwords) and access control. Systems requiring a higher degree of security will have to consider features beyond the scope of this International Standard. This International Standard does not use facilities for non-repudiation.

Complexity of services and requirements

Some MMS services are quite complex and should be considered advanced functions. Devices used in very simple applications often will not require such advanced functions, and hence will not support such MMS services.

Keywords

Application Interworking	OSI Reference Model
Application Layer Protocol	Process Control System
Information Processing Systems	Programmable Controller
Manufacturing Communications Network	Programmable Device
Manufacturing Message Specification	Robotics Control System
Numerical Control System	Virtual Manufacturing Device
Open Systems Interconnection	

General

This part of ISO 9506 is one of a set of International Standards developed to facilitate the interconnection of information processing systems. It is positioned within the application layer of the Open Systems Interconnection Environment as an Application Service Element (ASE) with respect to other related standards by the Basic Reference Model for Open Systems Interconnection (ISO 7498).

The aim of Open Systems Interconnection is to allow, with a minimum of technical agreement outside the interconnection standards, the interconnection of information processing systems:

- a) from different manufacturers;
- b) under different managements;
- c) of different levels of complexity;
- d) of different ages.

Purpose

The purpose of this part of ISO 9506 is to define the services provided by the Manufacturing Message Specification. The Services specified in this part of ISO 9506 are realized by the Manufacturing Message

Specification Protocol specified in ISO 9506-2, making use of services available from the underlying communication system. Although using the model in ISO 7498, this International Standard is written to be independent of the exact form of the communication system insofar as possible. This International Standard does this by describing its support requirements as a set of abstract services present in a variety of communication environments. Realization of these abstract services in an OSI environment is described in Annex A.

This part of ISO 9506 is concerned, in particular, with the communication and interworking of programmable manufacturing devices. By using this standard together with other standards positioned within the OSI Reference Model, otherwise incompatible systems may work together in any combination.

ISO 9506-2 specifies the protocol that supports the Manufacturing Message Specification.

Edition

This part of ISO 9506 differs from the first edition of ISO 9506-1 by correcting several errors in the ASN.1 type definitions and modelling structures. It also corrects several typographical errors in that document.

This part of ISO 9506 differs from ISO/IEC 9506-1:1990 in the following ways.

- a) The informal object modelling used in ISO/IEC 9506-1 has been replaced by the use of the modelling techniques present in ASN.1, ISO/IEC 8824-2. Hence, this part of ISO 9506 defines an ASN.1 module, MMS-Object-Module-1, that contains the object models on which the service procedures are based.
- b) The material in ISO/IEC TR 13345 that specifies subsets of protocol for MMS has been used in this part of ISO 9506 to specify options within the object models. The material in ISO/IEC TR 13345 has been modified slightly to allow for use of the PER encoding rules, ISO/IEC 8825-2.
- c) All the material of Amendments 1 and 2 have been incorporated into the document, as well as the Technical Corrigenda.
- d) The services and protocol present in the Companion Standards already published, ISO/IEC 9506-3, ISO/IEC 9506-4, and ISO/IEC 9506-6, have been incorporated into the base standard, and new parameter CBBs have been added to the Initiate procedure to indicate their presence. The concept of Companion Standard has been simplified to a document that makes explicit the relationship between the abstract models in MMS and the requirements of the application field that is the subject of the Companion Standard.

As a result of this incorporation, the need for separate abstract syntaxes for each of the Companion Standards has been removed. All Companion Standards can now operate in the single abstract syntax of the base standard, although using other abstract syntaxes remains a possibility for backward compatibility.

- e) The communication requirements of MMS have been generalized so that MMS is described with respect to an abstract set of services needed for its support. The relation between this abstract set of services and the services provided by the suite of OSI communication protocols is specified in an annex. This opens the possibility of having MMS operating correctly over alternate communication systems (such as reduced stack implementations) as long as the equivalent of these abstract services is provided.
- f) The restrictions on the characters that can be used as an Identifier have been relaxed to allow an Identifier to begin with a numeric character, and by extension, to consist solely of numeric characters.
- g) Many (but not all) occurrences of VisibleString have been replaced by a new production MMSString that provides the option of using an arbitrary string of characters taken from ISO 10646. Similarly, these more general strings may also be used as Identifiers. A new parameter CBB has been added to provide for negotiation of the use of these more general strings.
- h) A new service, ReconfigureProgramInvocation, has been introduced into the clause on Program Invocation management. This service provides a technique of dynamically changing the constituent Domains of a running Program Invocation.
- i) A new field has been added to the object model of the Named Variable and Named Type. This field may be used to describe the semantics associated with the Named Variable or Named Type. The field is either predefined or has its value established as the name of the Named Type used to construct it in the DefineNamedVariable or DefineNamedType service. This field can be reported with the