

# ETSI EG 203 350 v1.1.1 (2016-11)



## **Human Factors (HF); Guidelines for the design of mobile ICT devices and their related applications for people with cognitive disabilities**

iTeh STANDARDS REVIEW  
(Standards.itех.ai)  
Full standard:  
<https://standards.iteh.ai/catalog/standards/1459c3ff-4ed7-bc9e-71c881b33a71/etsi-eg-203-350-v1.1.1-2016-11>



---

Reference

DEG/HF-00152

---

Keywords

accessibility, ageing, cognitive, design for all,  
disability, HF, ICT, impairment, inclusive design,  
mobile, usability

**ETSI**

650 Route des Lucioles  
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00  
Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C  
Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Important notice**

The present document can be downloaded from:  
<http://www.etsi.org/standards-search>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status.  
Information on the current status of this and other ETSI documents is available at  
<https://portal.etsi.org/TB/ETSIDeliverableStatus.aspx>

If you find errors in the present document, please send your comment to one of the following services:  
<https://portal.etsi.org/People/CommitteeSupportStaff.aspx>

---

**Copyright Notification**

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI.

The content of the PDF version shall not be modified without the written authorization of ETSI.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2016.  
All rights reserved.

**DECT™, PLUGTESTS™, UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.  
**3GPP™** and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and  
of the 3GPP Organizational Partners.  
**GSM®** and the GSM logo are Trade Marks registered and owned by the GSM Association.

# Contents

Contents .....	3
Intellectual Property Rights .....	8
Foreword .....	8
Modal verbs terminology .....	8
Introduction .....	8
1 Scope .....	9
2 References .....	9
2.1 Normative references .....	9
2.2 Informative references .....	9
3 Definitions and abbreviations .....	13
3.1 Definitions .....	13
3.2 Abbreviations .....	15
4 Overview .....	15
5 Design challenges related to mobile ICT .....	16
6 Guidelines applicable to any mobile ICT .....	16
6.1 General .....	16
6.2 Applying usability principles .....	16
6.3 Applying accessibility guidelines .....	17
6.4 Interoperability with assistive technologies .....	17
6.5 User authentication .....	17
6.5.1 General .....	17
6.5.2 Methods that do not rely on character string memorization .....	17
6.5.3 Methods that do not rely on selecting characters from a character string .....	18
6.5.4 Methods that do not rely on the user performing calculations .....	18
6.5.5 Methods that do not rely on the user's ability to speak .....	18
6.5.6 Methods that do not rely on the user's ability to produce gestures .....	18
6.5.7 Methods that do not rely on the user's ability to recognize and then enter characters .....	18
6.6 Biometrics for control .....	19
6.7 Retracing the dialogue path .....	19
6.8 Arrangement of user interface elements .....	19
6.9 Touch activation on up event .....	19
6.10 Options for touch activation on down event .....	20
7 Guidelines for the use of language .....	20
7.1 General .....	20
7.2 General language issues .....	20
7.2.1 Clarifying the purpose of written or spoken content .....	20
7.2.2 Sentence focus .....	20
7.2.3 Unambiguous terms and concepts .....	20
7.3 Syntax .....	21
7.3.1 Simple language .....	21
7.3.2 Short sentences .....	21
7.3.3 Essential information .....	21
7.3.4 Consistent grammar .....	21
7.3.5 Simple sentence structure .....	22
7.3.6 Preferred sentence structure .....	22
7.3.7 Variation in sentence length and structure .....	22
7.3.8 Relative clauses .....	22
7.3.9 Nested sentences .....	22
7.3.10 Position of modal and auxiliary verbs .....	23
7.3.11 Active voice .....	23
7.3.12 Present tense .....	23

7.4	Semantics .....	23
7.4.1	Concrete and specific wording .....	23
7.4.2	Figurative language .....	24
7.4.3	Terminology of the user .....	24
7.4.4	Consistent terminology .....	24
7.4.5	Avoidance of novel or proprietary terms.....	24
7.4.6	Explaining novel or proprietary terms.....	25
7.4.7	Avoidance of jargon or specialist language.....	25
7.5	Orthography and abbreviations .....	25
7.5.1	Consistent spelling .....	25
7.5.2	Full word labels.....	25
7.5.3	Contractions and abbreviations .....	25
7.5.4	Meaning of abbreviations and symbols .....	26
7.6	Style / use of words.....	26
7.6.1	Labels for action controls .....	26
7.6.2	Consistent verb forms.....	26
7.6.3	Labels for controls leading to objects.....	26
7.6.4	Labels for choices representing states .....	27
7.6.5	Verbal style .....	27
7.6.6	Articles and relative pronouns.....	27
7.6.7	Avoidance of pronouns .....	27
7.6.8	Use of pronouns .....	27
7.6.9	Use of conjunctions .....	28
7.6.10	Use of "must" .....	28
7.6.11	Cultural conventions and language styles .....	28
7.6.12	Simple paragraph structure.....	28
7.6.13	Use of paragraphs to clarify logic .....	28
7.6.14	One topic per paragraph .....	28
7.6.15	Topic of paragraph .....	28
7.6.16	Simple instructions .....	29
7.6.17	Consistent structures for instructions .....	29
7.7	Addressing the audience .....	29
7.7.1	Suitable level of formality for the audience .....	29
7.7.2	Direct addressing of readers .....	29
7.7.3	Addressing readers as individuals .....	29
7.8	Presentation of language .....	30
7.8.1	Font size .....	30
7.8.2	Font type .....	30
7.8.3	Character stroke thickness.....	30
7.8.4	Italics .....	30
7.8.5	Text colour contrast.....	30
7.8.6	Line spacing .....	31
7.8.7	Headings and subheadings .....	31
7.8.8	Bullet points and numbered lists .....	31
7.8.9	Numerals .....	31
7.8.10	Long numerals.....	31
7.8.11	Roman numbers .....	31
7.8.12	Fractions .....	32
7.8.13	Consistent units of measurement.....	32
7.8.14	Display of calendar dates in long form.....	32
8	Guidelines specific to mobile ICT with two-way voice communication .....	32
8.1	General.....	32
8.2	Guidelines .....	33
8.2.1	Alternatives to voice-based services .....	33
8.2.2	Alternatives to video-based services .....	33
8.2.3	Text messaging for asynchronous chat.....	33
8.2.4	Photo-based call directory .....	33
9	Guidelines specific to mobile ICT with media playing and recording capabilities.....	34
9.1	General.....	34
9.2	Guidelines .....	34

9.2.1	Always visible playback controls .....	34
10	Guidelines specific to hardware of mobile ICT .....	34
10.1	General.....	34
10.2	Guidelines .....	34
10.2.1	Standard connections.....	34
10.2.2	Symmetrical connections .....	35
10.2.3	Discernibility of touch controls .....	35
10.2.4	Low-reflectance screens.....	35
11	Guidelines specific to the mobile Web.....	35
12	Guidelines specific to mobile software .....	36
12.1	General.....	36
12.2	Conformity with user expectations .....	36
12.2.1	On focus .....	36
12.2.2	On input.....	36
12.2.3	Consistent attributes .....	37
12.2.4	Consistent gestures .....	37
12.2.5	Consistent behaviour .....	37
12.2.6	Consistent layout.....	37
12.2.7	Consistent individualization .....	37
12.2.8	Platform conventions.....	38
12.2.9	Breaking platform conventions .....	38
12.2.10	Respecting users' intentions .....	38
12.2.11	Maintaining privacy and security .....	38
12.2.12	Non-threatening user interfaces.....	38
12.3	Support for individualization .....	39
12.3.1	User-selectable options .....	39
12.3.2	Context sensitive individualization .....	39
12.3.3	Feedback modality selection .....	40
12.3.4	Input modality selection .....	40
12.3.5	Access to personal information .....	40
12.3.6	Behaviour-related warnings.....	41
12.4	Perceivability .....	41
12.4.1	Setting attention on important information.....	41
12.4.2	Presenting important information to stand out .....	41
12.4.3	Highlighting of the currently spoken word .....	42
12.4.4	Enabling repetition of information.....	42
12.4.5	Interference with the presentation of important information.....	42
12.4.6	Immediate response.....	42
12.4.7	Busy indication.....	43
12.4.8	Availability of frequent and critical controls.....	43
12.4.9	Occasional controls .....	43
12.4.10	Non-allowed controls .....	43
12.4.11	Accessing non-presented parts of information .....	44
12.4.12	End of a set of information.....	44
12.4.13	Multimodal feedback and prompts .....	44
12.4.14	Touchscreen vibration .....	45
12.4.15	Structuring information .....	45
12.4.16	Presentation of dissimilar items .....	45
12.4.17	Presentation of similar items .....	46
12.4.18	Distinguishable groups .....	46
12.4.19	Grouping by proximity .....	46
12.4.20	Separating groups .....	46
12.4.21	Differentiating groups .....	46
12.4.22	Maximum group size.....	47
12.4.23	Filtering of information .....	47
12.4.24	Adjustment of attributes of user interface elements .....	47
12.4.25	Adjustment of attributes of the cursor and pointer .....	48
12.5	Understandability .....	48
12.5.1	Information on current states.....	48
12.5.2	Context-sensitive help .....	48

12.5.3	Images for context comprehension .....	49
12.5.4	Symbols to enhance understanding of items .....	49
12.5.5	Minimizing the amount of information .....	50
12.5.6	Unnecessary information .....	50
12.5.7	Access to levels of information .....	51
12.5.8	Navigating and searching through information .....	51
12.5.9	Video prompts .....	51
12.5.10	Audio prompts .....	51
12.5.11	Practice mode .....	52
12.5.12	Activation and deactivation of the practice mode .....	52
12.5.13	Visibility of the practice mode .....	52
12.5.14	Ability to have mathematical notation read out .....	52
12.5.15	Associating a photo with a contact .....	53
12.5.16	Time display .....	53
12.5.17	Time orientation .....	53
12.5.18	Time communication and management .....	53
12.5.19	Presentation of battery information .....	54
12.5.20	Low battery guidance .....	54
12.6	Controllability .....	54
12.6.1	Time limits .....	54
12.6.2	Timing adjustable .....	55
12.6.3	Adjustment of the timing adjustable extend option .....	55
12.6.4	Pause, stop, hide .....	56
12.6.5	Focus order .....	56
12.6.6	Link purpose .....	57
12.6.7	Headings and labels .....	57
12.6.8	Focus visible .....	57
12.6.9	Multi-modal input .....	58
12.6.10	Word prediction .....	58
12.6.11	Voice recognition .....	58
12.6.12	Minimizing user actions .....	58
12.6.13	Storing user input and system output locally .....	58
12.6.14	Making past information items accessible to the user .....	59
12.6.15	Marking content for later retrieval .....	59
12.6.16	Direct access to stored information .....	59
12.6.17	Exporting and importing information .....	59
12.6.18	Organization of the collected input and output history .....	60
12.6.19	Access to information about possible actions .....	60
12.6.20	Auto-fill-in technologies .....	60
12.6.21	Support for sub-dividing tasks .....	60
12.6.22	Notification of the possibility for task sub-division .....	61
12.6.23	Consistent navigation of episodic content or procedures .....	61
12.6.24	Range of controls for navigation of episodic content or procedures .....	61
12.6.25	Identifying location within episodic content or procedures .....	62
12.6.26	Identifying the end of episodic content or procedures .....	62
12.6.27	Bookmarking episodic content or procedures .....	62
12.6.28	Presenting bookmarks of episodic content or procedures .....	62
12.6.29	Jumping to bookmarks in episodic content or procedures .....	62
12.6.30	Automatic traversal of episodic procedures .....	63
12.6.31	Titling used within episodic content or procedures .....	63
12.6.32	Automatic entry of user data .....	63
12.6.33	Copy and paste of user data .....	63
12.6.34	Predicting task duration .....	64
12.6.35	Indicating task progress .....	64
12.6.36	Additional support related to time demands .....	64
12.7	Error tolerance .....	65
12.7.1	Error identification .....	65
12.7.2	Error suggestion .....	65
12.7.3	Auto correction of errors .....	65
12.7.4	Error prevention (legal, financial, data) .....	66
12.8	Compatibility with other systems .....	66
12.9	Suitability for learning .....	66

12.9.1	Labels or instructions .....	66
12.10	Freedom from distraction.....	67
12.10.1	Restart .....	67
12.10.2	Hiding non task-related content .....	67
12.10.3	Reinstating non task-related content .....	67
13	Guidelines specific to documentation for mobile ICT .....	68
13.1	General.....	68
13.2	Guidelines.....	68
13.2.1	Accessible documentation.....	68
13.2.2	Use of language in documentation .....	68
13.2.3	Results of user actions.....	68
13.2.4	Font size for user documentation .....	68
13.2.5	Use of pictures for depicting simple actions .....	68
13.2.6	Use of spoken user information.....	69
	Annex A: List of Usage needs.....	70
	Annex B: Accessibility principles .....	72
B.1	Introduction.....	72
B.2	Principles .....	72
	Annex C: Cross-reference between usage needs and guidelines .....	73
	History .....	86

iTeh STANDARD PREVIEW  
(standards.iteh.ai)  
Full standard:  
<https://standards.iteh.ai/catalog/standard/sist/1459c49e-c3ff-4ed7-bc9e-71c881b33a71/etsi-eg-203-350-v1.1.1-2016-11>

---

# Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<https://ipr.etsi.org/>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

---

## Foreword

This ETSI Guide (EG) has been produced by ETSI Technical Committee Human Factors (HF).

---

## Modal verbs terminology

In the present document "**should**", "**should not**", "**may**", "**need not**", "**will**", "**will not**", "**can**" and "**cannot**" are to be interpreted as described in clause 3.2 of the [ETSI Drafting Rules](#) (Verbal forms for the expression of provisions).

"**must**" and "**must not**" are **NOT** allowed in ETSI deliverables except when used in direct citation.

---

## Introduction

Many people with physical or cognitive impairments do not find it easy and efficient to use mobile ICT devices and services manufactured for the mass market or for specific target groups such as young users.

The concept of cognitive impairment is very broad. In general, a person with a cognitive impairment has more difficulties with one or more types of mental tasks than the average person [i.36]. Cognitive impairments can be described as "a substantial limitation in one's capacity to think, including conceptualizing, planning, and sequencing thoughts and actions, remembering, interpreting subtle social cues, and understanding numbers and symbols" [i.1].

Cognitive impairments can include learning impairments (difficulty to learn in conventional ways), language impairments (difficulty to understand or producing language), or some form of ageing-related cognitive impairment (e.g. dementia - including Alzheimer's disease - memory loss, or lack of orientation). Individuals with cognitive impairments can face unique challenges that are often pervasive and changing throughout their lives.

A number of accessibility guidelines for mobile ICT exist (from ETSI and other standards bodies as well as from academic and industrial sources). They provide guidance to device and service developers to raise their awareness of problems frequently encountered by people with disabilities, and suggest ways of increasing the accessibility of their products. However, while there are many guidelines that focus on physical and/or sensory impairments, there is a lack of guidelines that explicitly target the requirements of people with cognitive impairments.

The present document is intended to fill this gap. Based on an analysis reported in ETSI TR 103 349 [i.8], the present document provides guidelines for the design of mobile ICT devices and services. In particular, the design guidelines in the present document are based upon the functional needs of persons with limited cognitive, language and learning abilities described in ETSI TR 103 349 [i.8]. The guidelines extend existing guidelines on usability and accessibility. This means that the cognitive impairment-specific guidelines in the present document apply in addition to guidelines on good user interface design and on design for all.

The guidelines in the present document are based on research studies and scientific papers used as sources for identifying relevant user needs and are complemented by others based on knowledge of best practice. For example, there are several general accessibility requirements in ETSI EN 301 549 [i.6] that support the needs of persons with cognitive impairments, as described in Annex B of ETSI EN 301 549 [i.6]. It is also worth noting that many persons with cognitive impairments also have other (physical and sensory) impairments. The requirements of ETSI EN 301 549 [i.6] support these additional needs.

---

# 1 Scope

The present document contains design guidelines for mobile devices and applications that will enable persons with limited cognitive, language and learning abilities (including people with age-related cognitive impairments) to have an improved user experience when using mobile ICT devices and applications.

The guidelines apply to the design of:

- mobile ICT devices;
- mobile applications (whether they are standalone or whether they provide access to related services).

The guidelines in the present document complement existing usability and accessibility guidelines.

---

## 2 References

### 2.1 Normative references

Normative references are not applicable in the present document.

### 2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the referenced document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long-term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Braddock, D., Rizzolo, M., Thompson, M. & Bell, R. (2004). Emerging Technologies and Cognitive Disability. *Journal of Special Education Technology*, 19 (4). pp. 49-56.
- [i.2] ETSI EG 202 116: "Human Factors (HF); Guidelines for ICT products and services; "Design for All"".
- [i.3] ETSI EG 202 417: "Human Factors (HF); User education guidelines for mobile terminals and services".
- [i.4] ETSI EG 201 013: "Human Factors (HF); Definitions, abbreviations and symbols".
- [i.5] ETSI EG 202 325: "Human Factors (HF); User Profile Management".
- [i.6] ETSI EN 301 549: "Accessibility requirements suitable for public procurement of ICT products and services in Europe".
- [i.7] ETSI ES 202 746: "Human Factors (HF); Personalization and User Profile Management; User Profile Preferences and Information".
- [i.8] ETSI TR 103 349: "Human Factors (HF); Functional needs of people with cognitive disabilities when using mobile ICT devices for an improved user experience in mobile ICT devices".
- [i.9] ETSI TS 102 747: "Human Factors (HF); Personalization and User Profile Management; Architectural Framework".

- [i.10] Writing User-Friendly Documents - A Handbook for FAA Drafters. Prepared by the Plain English Network (PEN). Adapted for FAA, Feb. 2000.
- NOTE: Available at [http://www.faa.gov/about/office\\_org/headquarters\\_offices/aoc/media/writing\\_user\\_friendly\\_doc.pdf](http://www.faa.gov/about/office_org/headquarters_offices/aoc/media/writing_user_friendly_doc.pdf).
- [i.11] Locker, K. O. (2007). Business and Administrative Communication. 8th. Edition. McGraw-Hill Higher Education.
- [i.12] How to make information accessible: "A guide to producing easy read documents".
- NOTE: Available at [http://www.lambethccg.nhs.uk/Practice-Portal/news/gp-bulletin/Documents/28.05.2015/6%20.CHANGE\\_How\\_to\\_Make\\_Info\\_Accessible\\_guide\\_2009.pdf](http://www.lambethccg.nhs.uk/Practice-Portal/news/gp-bulletin/Documents/28.05.2015/6%20.CHANGE_How_to_Make_Info_Accessible_guide_2009.pdf).
- [i.13] Simply put: "A guide for creating easy-to-understand materials". U.S. Department for Health and Human Services. Centers for Disease Control and Prevention.
- NOTE: Available at: [http://www.cdc.gov/healthliteracy/pdf/Simply\\_Put.pdf](http://www.cdc.gov/healthliteracy/pdf/Simply_Put.pdf).
- [i.14] DEEP Guide Writing dementia-friendly information. The Dementia Engagement and Empowerment Project. © 2013.
- NOTE: Available at: <http://dementiavoices.org.uk/wp-content/uploads/2013/11/DEEP-Guide-Writing-dementia-friendly-information.pdf>.
- [i.15] How to use Easy Words and Pictures. The Disability Rights Commission, Stratford upon Avon. FOCUS12/ER.
- NOTE: Available at: [http://www.2gether.nhs.uk/files/DRC\\_ER\\_Booklet1006\[1\].pdf](http://www.2gether.nhs.uk/files/DRC_ER_Booklet1006[1].pdf).
- [i.16] Make it Clear: A guide to making Easy Read information. People First New Zealand.
- NOTE: Available at: <http://www.odi.govt.nz/documents/guides-and-toolkits/guide-to-writing-easy-read-information-people-first-2014.pdf>.
- [i.17] Mencap's Make it clear: A guide to making easy read information. Mencap - The voice of learning disability.
- NOTE: Available at: [www.mencap.org.uk](http://www.mencap.org.uk)
- [i.18] Making written information easier to understand for people with learning disabilities - Guidance for people who commission or produce Easy Read information - Revised Edition 2010. Department of Health - Office for Disability Issues - HM Government.
- NOTE: Available at: [https://www.gov.uk/government/uploads/system/uploads/attachment\\_data/file/215923/dh\\_121927.pdf](https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/215923/dh_121927.pdf).
- [i.19] W3C Recommendation (11 December 2008)/ISO/IEC 40500:2012: "Web Content Accessibility Guidelines (WCAG) 2.0".
- NOTE: Available at <http://www.w3.org/TR/WCAG20/>.
- [i.20] W3C: Understanding WCAG 2.0: "A guide to understanding and implementing Web Content Accessibility Guidelines 2.0".
- NOTE: Available at <https://www.w3.org/TR/UNDERSTANDING-WCAG20/>.
- [i.21] Alred, G. J., Brusaw, C. T. & Oliu, W. G. (2009). Handbook of Technical Writing. Boston and New York: Bedford/St. Martin.
- [i.22] ISO 9241-110:2006: "Ergonomics of human-system interaction - Part 110: Dialogue principles".
- [i.23] ISO/CDIS 9241-112:2016: "Ergonomics of human-system interaction -- Part 112: Principles for the presentation of information".
- [i.24] ISO 14289-1:2012: "Document management applications -- Electronic document file format enhancement for accessibility -- Part 1: Use of ISO 32000-1 (PDF/UA-1)".

- [i.25] ISO 9241-171:2008: "Ergonomics of human-system interaction -- Part 171: Guidance on software accessibility".
- [i.26] Andrews, G. & Todd, J. M. (2008). Two sources of age-related decline in comprehension of complex relative sentences. In N. B. Johansen (Ed.), *New research on short-term memory research* (pp. 93-123). New York: NovaScience Publishers.
- [i.27] Gerth, S. (2015). Memory Limitations in Sentence Comprehension - A Structural-based Complexity Metric of Processing Difficulty. *Potsdam Cognitive Science Series Vol. 6*, Potsdam: Universitätsverlag Potsdam.
- [i.28] Yamagata, C., Kowtko, M., Coppola, J. F., & Joyce, S. (2013). Mobile app development and usability research to help dementia and Alzheimer patients. In: *Systems, Applications and Technology Conference (LISAT), 2013 IEEE Long Island* (pp. 1-6). IEEE.
- [i.29] Armstrong, N., Nugent, C., Moore, G., & Finlay, D. (2010). Using smartphones to address the needs of persons with Alzheimer's disease. *annals of telecommunications-annales des télécommunications*, 65(9-10), 485-495.
- [i.30] Carrillo, M. C., Dishman, E., & Plowman, T. (2009). Everyday technologies for Alzheimer's disease care: Research findings, directions, and challenges. *Alzheimer's & Dementia*, 5(6), 479-488.
- [i.31] ISO/IEC TR 29138-1: "Information technology -- Accessibility considerations for people with disabilities -- Part 1: User needs summary".
- [i.32] Lancioni, G. E., Singh, N.N., O'Reilly, M. F., Sigafoos, J., Cassano, G., Pinto, K., Minervini, M. G. & Oliva, D. (2012). Technology-aided pictorial cues to support the performance of daily activities by persons with moderate Alzheimer's disease. *Research in developmental disabilities*, 33(1), pp.265-273.
- [i.33] Lancioni, G. E., Singh, N. N., O'Reilly, M. F., Sigafoos, J., Tatulli, E., Rigante, V., Zonno, N., Perilli, V., Pinto, K. & Minervini, M. G. (2010). Technology-aided verbal instructions to help persons with mild or moderate Alzheimer's disease perform daily activities. *Research in developmental disabilities*, 31(6), pp.1240-1250.
- [i.34] Perilli, V., Lancioni, G. E., Singh, N. N., O'Reilly, M. F., Sigafoos, J., Cassano, G., Cordiano, N., Pinto, K., Minervini, M. G. & Oliva, D. (2012). Persons with Alzheimer's disease make phone calls independently using a computer-aided telephone system. *Research in developmental disabilities*, 33(4), pp.1014-1020.
- [i.35] Lindqvist, E., Nygård, L., & Borell, L. (2013). Significant junctures on the way towards becoming a user of assistive technology in Alzheimer's disease. *Scandinavian journal of occupational therapy*, 20(5), 386-396.
- [i.36] Blanck, P. (2014). The Struggle for Web eQuality by Persons with Cognitive Disabilities. *Behavioral Sciences and the Law*, 32(1). Pp. 4.32.
- [i.37] World Health Organization. (2007). International classification of functioning, disability and health: children & youth version: ICF-CY. World Health Organization.
- [i.38] Daley, L., Lawson, S., & van der Zee, E. (2009). Asperger syndrome and mobile phone behavior. In *Universal Access in Human-Computer Interaction. Addressing Diversity* (pp. 344-352). Berlin, Heidelberg: Springer.
- [i.39] Kirijian, A., Myers, M., & Charland, S. (2007). Web fun central: online learning tools for individuals with Down syndrome. *Universal Usability: Designing Computer Interfaces for Diverse User Populations*, 195-230.
- [i.40] Hayes, G. R., Hirano, S., Marcu, G., Monibi, M., Nguyen, D. H., & Yeganyan, M. (2010). Interactive visual supports for children with autism. *Personal and ubiquitous computing*, 14(7), 663-680.

- [i.41] Yee, H. S. S. (2012). Mobile technology for children with Autism Spectrum Disorder: Major trends and issues. In E-Learning, E-Management and E-Services (IS3e), 2012 IEEE Symposium on (pp. 1-5). IEEE.
- [i.42] ISO 14915-2:2003: "Software ergonomics for multimedia user interfaces -- Part 2: Multimedia navigation and control".
- [i.43] ISO/IEC Guide 71:2014: "Guide for addressing accessibility in standards".
- [i.44] Rello, L. (2014). DysWebxia: A Text Accessibility Model for People with Dyslexia. Ph.D. Thesis. Barcelona: Universitat Pompeu Fabra.
- [i.45] Rose, T. A., Worrall, L. E., Hickson, L. M. & Hoffmann, T. C. (2012). Guiding principles for printed education materials: Design preferences of people with aphasia. International Journal of Speech-Language Pathology. 14(1). pp 11-23.
- [i.46] FEAPS Madrid. Accesibilidad Cognitiva. Guía de Recomendaciones (in Spanish). September 2014.

NOTE: Available at <http://www.plenainclusionmadrid.org/wp-content/uploads/2015/08/GuiaderecomendacionesAccesibilidadcognitiva.pdf>.

- [i.47] Luz, R. & Baeza-Yates, R. (2015). How to Present more Readable Text for People with Dyslexia. An eye-tracking study on text colors, size and spacings. Universal Access in the Information Society (UAIS).
- [i.48] Easy Surfing, Schweizerische Eidgenossenschaft, Bureau federal de l'égalité pour les personnes handicapées BFEH.
- [i.49] Vogindroukas, I. & Zikopoulos, O. (2011). Idiom understanding in people with Asperger syndrome/high functioning autism. Rev. soc. bras. fonoaudiol. Vol.16, n.4, pp.390-395.

NOTE: Available at [http://www.scielo.br/scielo.php?script=sci\\_arttext&pid=S1516-80342011000400005&lng=en&nrm=iso](http://www.scielo.br/scielo.php?script=sci_arttext&pid=S1516-80342011000400005&lng=en&nrm=iso).

- [i.50] Oi, M., Tanaka, S. & Ohoka, H. (2013) The Relationship between Comprehension of Figurative Language by Japanese Children with High Functioning Autism Spectrum Disorders and College Freshmen's Assessment of Its Conventionality of Usage, Autism Research and Treatment, vol. 2013, Article ID 480635, 7 pages, 2013. doi:10.1155/2013/480635.

NOTE: Available at <http://www.hindawi.com/journals/aurt/2013/480635/>.

- [i.51] de Villiers, P. A. et al. (2011). Non-Literal Language and Theory of Mind in Autism Spectrum Disorders. Poster presented at the ASHA Convention, San Diego.

NOTE: Available at <http://www.asha.org/Events/convention/handouts/2011/de-Villiers-de-Villiers-Diaz-Cheung-Alig-Raditz-Paul/>.

- [i.52] Norbury, C. F. (2005). The relationship between theory of mind and metaphor: Evidence from children with language impairment and autistic spectrum disorder.; Oxford Study of Children's Communication Impairments, University of Oxford, UK; British Journal of Developmental Psychology, 23, 383-39.

NOTE: Available at [http://www.pc.rhul.ac.uk/sites/lilac/new\\_site/wp-content/uploads/2010/04/metaphor.pdf](http://www.pc.rhul.ac.uk/sites/lilac/new_site/wp-content/uploads/2010/04/metaphor.pdf).

- [i.53] Language and Understanding Minds: Connections in Autism; Helen Tager-Flusberg, Ph.D; Chapter for: S. Baron-Cohen, H. Tager-Flusberg, & D. J. Cohen (Eds.), Understanding other minds: Perspectives from autism and developmental cognitive neuroscience. Second Edition. Oxford: Oxford University Press.

NOTE: Available at <http://www.ucd.ie/artspgs/langimp/TAG2.pdf>.

- [i.54] W3C: Cognitive and Learning Disabilities Accessibility Task Force (Cognitive A11Y TF) of the APA WG and WCAG WG.

NOTE: Available at <https://www.w3.org/WAI/PF/cognitive-a11y-tf/>.

- [i.55] Nielsen, J. (1993). Usability Engineering. Morgan Kaufmann Publishers.
- [i.56] Dark Patterns: fighting user deception worldwide.
- NOTE: Available at <http://darkpatterns.org/>.
- [i.57] Shunning Cute Design: Identifying Anti-Patterns.
- NOTE: Available at <http://www.erova.com/blog/index.php/2009/01/28/shunning-cute-design-identifying-anti-patterns/>.
- [i.58] Federal Plain Language Guidelines, March 2011, Revision 1, May 2011. Plainlanguage.gov: Improving Communication from the Federal Government to the Public.
- NOTE: Available at <http://www.plainlanguage.gov>.
- [i.59] ISO/IEC 13066-1 (2011): "Information technology -- Interoperability with assistive technology (AT) -- Part 1: Requirements and recommendations for interoperability".
- [i.60] Techniques and Strategies for Dyscalculia / Difficulties with Mathematics.
- NOTE: Available at [https://lists.w3.org/Archives/Public/public-cognitive-a11y-tf/2015Jun/att-0016/Techniques\\_and\\_Strategies\\_for\\_Dyscalculia.docx](https://lists.w3.org/Archives/Public/public-cognitive-a11y-tf/2015Jun/att-0016/Techniques_and_Strategies_for_Dyscalculia.docx).
- [i.61] W3C: "Mobile Accessibility Task Force (Mobile A11y TF) of the UAWG and WCAG WG".
- NOTE: Available at <https://www.w3.org/WAI/GL/mobile-a11y-tf/>.

## 3 Definitions and abbreviations

### 3.1 Definitions

For the purposes of the present document, the terms and definitions given in ETSI EG 201 013 [i.4] and the following apply:

**activity limitation:** difficulty an individual may have in executing an activity

NOTE: Source: [i.37].

**approved platform or device based user authentication:** device-based user authentication mechanism that is directly supported by a mobile device operating system or by device firmware

**cognitive disability:** activity limitations or participation restrictions that occur when factors in the environment constrain barriers for persons with cognitive impairments

**cognitive impairment:** substantial limitation in a person's capacity to think, including conceptualizing, planning, and sequencing thoughts and actions, remembering, interpreting subtle social cues, and understanding numbers and symbols

NOTE: Source: [i.1].

**context:** any information that can be used to characterize the state of entities that are considered relevant to the interaction between a user and an application, network function, service or device

NOTE: Source: ETSI TS 102 747 [i.9].

**context of use:** users, tasks, equipment (hardware, software and materials), and the physical and social environments in which a product is used

NOTE: Source: ISO 9241-110 [i.22].

**dark pattern:** user interfaces that are designed to trick people

NOTE: Source: [i.56].