INTERNATIONAL STANDARD

Third edition 2002-11-15

Prevailing torque type hexagon nuts (with non-metallic insert), style 2 — Property classes 9 and 12

Écrous hexagonaux autofreinés (à anneau non métallique), style 2 — Classes de qualité 9 et 12

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 7041:2002 https://standards.iteh.ai/catalog/standards/sist/1e273195-af0d-451c-8da9-1da6b3e43d15/iso-7041-2002



Reference number ISO 7041:2002(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ISO 7041:2002 https://standards.iteh.ai/catalog/standards/sist/1e273195-af0d-451c-8da9-1da6b3e43d15/iso-7041-2002

© ISO 2002

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 7041 was prepared by Technical Committee ISO/TC 2, *Fasteners*, Subcommittee SC 1, *Mechanical properties of fasteners*.

This third edition cancels and replaces the second edition (ISO 7041:1997), which has been technically revised. (standards.iteh.ai)

ISO 7041:2002 https://standards.iteh.ai/catalog/standards/sist/1e273195-af0d-451c-8da9-1da6b3e43d15/iso-7041-2002

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 7041:2002</u> https://standards.iteh.ai/catalog/standards/sist/1e273195-af0d-451c-8da9-1da6b3e43d15/iso-7041-2002

Prevailing torque type hexagon nuts (with non-metallic insert), style 2 — Property classes 9 and 12

1 Scope

This International Standard specifies the characteristics of prevailing torque type hexagon nuts (with non-metallic insert), style 2, with threads from M5 up to and including M36, in product grade A for threads up to and including M16 and product grade B for threads above M16, and with property classes 9 and 12.

NOTE The dimensions of the nuts correspond to those given in ISO 4033 plus prevailing torque feature.

If other specifications are required, they should be selected from existing International Standards, e.g. ISO 261, ISO 965-2, ISO 2320 and ISO 4759-1.

2 Normative references

iTeh STANDARD PREVIEW

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 225:1983, Fasteners — Bolts, screws, studs and nuts — Symbols and designations of dimensions

ISO 261:1998, ISO general-purpose metric screw threads — General plan

ISO 965-2:1998, ISO general purpose metric screw threads — Tolerances — Part 2: Limits of sizes for general purpose external and internal screw threads — Medium quality

ISO 2320:1997, Prevailing torque type steel hexagon nuts — Mechanical and performance properties

ISO 3269:2000, Fasteners — Acceptance inspection

ISO 4042:1999, Fasteners — Electroplated coatings

ISO 4759-1:2000, Tolerances for fasteners — Part 1: Bolts, screws, studs and nuts — Product grades A, B and C

ISO 6157-2:1995, Fasteners — Surface discontinuities — Part 2: Nuts


ISO 8992:1986, Fasteners — General requirements for bolts, screws, studs and nuts

ISO 10683:2000, Fasteners — Non-electrolytically applied zinc flake coatings

3 Dimensions

See Figure 1 and Table 1.

Symbols and designations of dimensions are specified in ISO 225.



- ^a Prevailing torque element, shape optional STANDARD PREVIEW
- ^b $\beta = 15^{\circ}$ to 30°
- ^c $\theta = 90^{\circ}$ to 120°

(standards.iteh.ai)

ISO 7041:2002 https://standards.iteh.ai/catafogsurelards/sist/1e273195-af0d-451c-8da9-1da6b3e43d15/iso-7041-2002

Table 1 — Dimensions

Dimensions in millimetres

Thread (d)		M5	M6	M8	M10	M12	(M14) ^a	M16	M20	M24	M30	M36
P ^b		0,8	1	1,25	1,5	1,75	2	2	2,5	3	3,5	4
-1	max.	5,75	6,75	8,75	10,8	13	15,1	17,3	21,6	25,9	32,4	38,9
d_{a}	min.	5,00	6,00	8,00	10,0	12	14,0	16,0	20,0	24,0	30,0	36,0
d_{w}	min.	6,88	8,88	11,63	14,63	16,63	19,64	22,49	27,7	33,25	42,75	51,11
е	min.	8,79	11,05	14,38	17,77	20,03	23,36	26,75	32,95	39,55	50,85	60,79
h	max.	7,20	8,50	10,2	12,8	16,1	18,3	20,7	25,1	29,5	35,6	42,6
п	min.	6,62	7,92	9,5	12,1	15,4	17,0	19,4	23,0	27,4	33,1	40,1
m c	min.	4,8	5,4	7,14	8,94	11,57	13,4	15,7	19	22,6	27,3	33,1
$m_{\rm w}^{\rm d}$	min.	3,84	4,32	5,71	7,15	9,26	10,7	12,6	15,2	18,1	21,8	26,5
_	max.	8,00	10,00	13,00	16,00	18,00	21,00	24,00	30,00	36	46	55,0
S	min.	7,78	9,78	12,73	15,73	17,73	20,67	23,67	29,16	35	45	53,8
^a The size	in brackets s	should be a	avoided if	possible.		1	1			1	1	1

a The size in brackets should be avoided if possible

^b *P* is the pitch of the thread.

^c Minimum thread height.

^d Minimum wrenching height.

4 Requirements and reference International Standards

See Table 2.

Material	Nut body	Steel			
Materia	Insert	e.g., polyamid			
General requirements	International Standard	ISO 8992			
Thread	Tolerance	6H			
Thread	International Standard	ISO 261, ISO 965-2			
	Property class	9	12		
Mechanical and performance properties	Style decisive for mechanical properties	style 2	style 2		
	International Standard	ISO 2320			
	Product grade	For $d \leq M16$: A			
Tolerances		For <i>d</i> > M16: B			
	International Standard	ISO 4759-1			
Finish	standards.iteh	As processed Requirements for electroplated coatings are covered in ISO 4042. Requirements for non-electrolytically applied zinc flake coatings are covered in ISO 10683			
Surface discontinuities://standa		Limits) for <u>surface</u> -discon 1SO 6157-2.	tinuities are covered in		
Acceptability		For acceptance procedure	, see ISO 3269.		

Table 2 — Requirements and reference International Standards

5 Designation

EXAMPLE A prevailing torque type hexagon nut, style 2, with non-metallic insert, thread M12 and property class 12 is designated as follows:

Prevailing torque type hexagon nut ISO 7041 - M12 - 12

Bibliography

[1] ISO 4033:2000, Hexagon nuts, style 2 — Product grades A and B

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 7041:2002</u> https://standards.iteh.ai/catalog/standards/sist/1e273195-af0d-451c-8da9-1da6b3e43d15/iso-7041-2002

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO 7041:2002</u> https://standards.iteh.ai/catalog/standards/sist/1e273195-af0d-451c-8da9-1da6b3e43d15/iso-7041-2002