INTERNATIONAL STANDARD

1SO/IEC 9834-7

Second edition 2005-05-01

Information technology — Open Systems Interconnection — Procedures for the operation of OSI Registration Authorities: Joint ISO and ITU-T Registration of International Organizations

Technologies de l'information — Interconnexion de systèmes ouverts (OSI) — Procédures pour le fonctionnement des autorités d'enregistrement OSI: Enregistrement mixte ISO et UIT-T des organisations internationales

ISO/IEC 9834-7:2005 https://standards.iteh.ai/catalog/standards/sist/6255a305-77f8-41df-af10-c99223903c58/iso-iec-9834-7-2005



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO/IEC 9834-7:2005</u> https://standards.iteh.ai/catalog/standards/sist/6255a305-77f8-41df-af10-c99223903c58/iso-iec-9834-7-2005

© ISO/IEC 2005

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

CONTENTS

1	Scop	Scope		
2	Normative references			
	2.1	Identical Recommendations International Standards		
3	Definitions			
	3.1	ASN.1 terms		
	3.2	Directory terms		
	3.3	Directory attribute terms		
	3.4	Registration terms		
	3.5	Message Handling System terms		
	3.6	Additional definitions		
4	Abbr	Abbreviations		
5		General		
6		ation of Registration Authorities		
7	_	Appointment of Registration Authorities		
8		Annual of Regionation Fundamental		
-		Γhe assignment of international ADMD and PRMD names		
Annez	A.1	Purpose		
	A.1 A.2	Requirements from ITU-T Rec. X 402 ISO/IFC 10021-2	•••••	
	A.3	Requirements from ITU-T Rec. X 402 ISO/IEC 10021-2. Use of names I.e.n. S.T.A.N.D.A.R.D. P.R.E.V.IE.W.	•••••	
	A.4			
	A.5	Registration procedures (standards.iteh.ai) Register		
	A.6	Content of forms		
Anne	B – The assignment of international organization names for use in Directory services			
	B.1	https://standards.iteh.ai/catalog/standards/sist/6255a305-77f8-41df-af10-		
	B.2	Requirements from ITU-T Rec. X.520 ISO/IEC 9594-6		
	B.3	Use of international organization names		
	B.4	Registration procedures		
	B.5	Register		
	B.6	Content of forms		
Anne	x C –	The assignment of international object identifier component values to organizations		
	C.1	Purpose		
	C.2	Requirements from ITU-T Rec. X.680 ISO/IEC 8824-1.		
	C.3	Use of international object identifier components		
	C.4	Registration procedures		
	C.5	Register		
	C6	Content of forms		

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 9834-7 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 6, *Telecommunications and information exchange between systems* in collaboration with ITU-T. The identical text is published as ITU-T Rec. X.666.

This second edition cancels and replaces the first edition (ISO/IEC 9834-7:1998), which has been technically revised.

ISO/IEC 9834-7:2005

ISO/IEC 9834 consists of the following parts, under the general title Information technology — Open Systems Interconnection — Procedures for the operation of OSI Registration Authorities:

- Part 1: General procedures and top arcs of the ASN.1 Object Identifier tree
- Part 2: Registration procedures for OSI document types
- Part 3: Registration of Object Identifier arcs beneath the top-level arc jointly administered by ISO and ITU-T
- Part 4: Register of VTE Profiles
- Part 5: Register of VT Control Object Definitions
- Part 6: Registration of application processes and application entities
- Part 7: Joint ISO and ITU-T Registration of International Organizations
- Part 8: Generation and registration of Universally Unique Identifiers (UUIDs) and their use as ASN.1
 Object Identifier components

Information technology – Open Systems Interconnection – Procedures for the operation of OSI Registration Authorities: Joint ISO and ITU-T registration of international organizations

1 Scope

This Recommendation | International Standard specifies procedures for Registration Authorities that are responsible for the assignment to international organizations of names that are globally unambiguous in the context of:

- a) O/R addresses, as defined in ITU-T Rec. X.402 | ISO/IEC 10021-2;
- b) Directory names, as defined in ITU-T Rec. X.501 | ISO/IEC 9594-2;
- c) ASN.1 object identifiers, as defined in ITU-T Rec. X.680 | ISO/IEC 8824-1.

2 Normative references

The following Recommendations and International Standards contain provisions which, through reference in this text, constitute provisions of this Recommendation | International Standard. At the time of publication, the editions indicated were valid. All Recommendations and Standards are subject to revision, and parties to agreements based on this Recommendation | International Standard are encouraged to investigate the possibility of applying the most recent edition of the Recommendations and Standards listed below. Members of IEC and ISO maintain registers of currently valid International Standards. The Telecommunication Standardization Bureau of the ITU maintains a list of currently valid ITU-T Recommendations.

ISO/IEC 9834-7:2005

2.1 Identical Recommendations (International Standards 305-77f8-41df-af10-

- ITU-T Recommendation X.402 (1999) TSO/IEC 10021-2:2002, Information technology Message Handling Systems (MHS) Overall architecture.
- ITU-T Recommendation X.500 (2001) | ISO/IEC 9594-1:2001, Information technology Open Systems Interconnection The Directory: Overview of concepts, models and services.
- ITU-T Recommendation X.501 (2001) | ISO/IEC 9594-2:2001, Information technology Open Systems Interconnection The Directory: Models.
- ITU-T Recommendation X.520 (2001) | ISO/IEC 9594-6:2001, Information technology Open Systems Interconnection – The Directory: Selected attribute types.
- ITU-T Recommendation X.660 (2004) | ISO/IEC 9834-1:2004, Information technology Open Systems Interconnection Procedures for the operation of OSI Registration Authorities: General procedures.
- ITU-T Recommendation X.680 (2002) | ISO/IEC 8824-1:2002, Information technology Abstract Syntax Notation One (ASN.1): Specification of basic notation.

3 Definitions

For the purposes of this Recommendation | International Standard, the following definitions apply.

3.1 ASN.1 terms

This Recommendation | International Standard uses the following terms defined in ITU-T Rec. X.680 | ISO/IEC 8824-1:

- a) "NameAndNumberForm";
- b) "NumberForm";
- c) NumericString;
- d) object identifier;

ISO/IEC 9834-7:2005 (E)

- e) PrintableString;
- f) TeletexString.

3.2 Directory terms

This Recommendation | International Standard uses the following terms defined in ITU-T Rec. X.501 | ISO/IEC 9594-2:

- a) Directory Information Tree;
- b) Directory System Agent;
- c) directory name;
- d) relative distinguished name.

3.3 Directory attribute terms

This Recommendation | International Standard uses the following terms defined in ITU-T Rec. X.520 | ISO/IEC 9594-6:

- a) Country Name;
- b) Organization Name.

3.4 Registration terms

This Recommendation | International Standard uses the following terms defined in ITU-T Rec. X.660 | ISO/IEC 9834-1:

- a) primary integer value;
- b) registration;
- c) Registration Authority, STANDARD PREVIEW
- d) registration procedures; (standards.iteh.ai)
- e) secondary identifier;
- f) sponsoring authority. <u>ISO/IEC 9834-7:2005</u>

This Recommendation | International Standard uses the following term defined in ITU-T Rec. X.662 | ISO/IEC 9834-3:

register.

3.5 Message Handling System terms

This Recommendation | International Standard uses the following terms defined in ITU-T Rec. X.402 | ISO/IEC 10021-2:

- a) administration-domain-name;
- b) country-name;
- c) management domain;
- d) O/R address;
- e) private-domain-name;
- f) standard attribute.

3.6 Additional definitions

- **3.6.1 international ADMD name**: An ADMD which can be used in the formation of O/R addresses which contain a country name standard attribute value identifying the Registration Authority operating under the provisions of this Recommendation | International Standard.
- **3.6.2 international name**: A name that is globally unambiguous in some context.
- **3.6.3 international PRMD name**: A PRMD name which can be used in the formation of O/R addresses which contain a country name standard attribute value identifying the Registration Authority operating under the provisions of this Recommendation | International Standard, and an ADMD name attribute value of a single space.
- 3.6.4 international object identifier component value: An object identifier component value that is defined within the context of the international-organizations are under the joint-iso-itu-t are of the ASN.1 object identifier tree.

international organization name: An Organization Name value which can be used in an RDN that, without 3.6.5 qualification by a Country Name RDN, is the directory name of the entry for the organization concerned.

4 **Abbreviations**

For the purposes of this Recommendation | International Standard, the following abbreviations apply:

ADMD Administration Management Domain ASN.1 Abstract Syntax Notation One DIT **Directory Information Tree DSA** Directory System Agent ITO International Treaty Organization

MD Management Domain **MHS** Message Handling System MTS Message Transfer System O/R Originator/Recipient

PRMD Private Management Domain

PRMD name private-domain-name

RDN Relative Distinguished Name

5 General

- ITU-T Rec. X.660 | ISO/IEC 9834-1 defines procedures that are generally applicable to the registration of objects. It allows for other Recommendations | International Standards to define procedures for registration of specific objects.
- This Recommendation | International Standard defines procedures for registration that assigns international 5.2 names to organizations, where the term "international name" denotes a name that is globally unambiguous within a specific context. This Recommendation | International Standard covers three kinds of international names:
 - international (ADMD and PRMD and property international (ADMD and PRMD and ISO/IEC 10021-2: c99223903c58/iso-iec-9834-7-2005
 - international organization names for use in directory names as defined in ITU-T Rec. X.501 ISO/IEC 9594-2;
 - international object identifier component values for organizations for use in ASN.1 object identifiers as defined in ITU-T Rec. X.680 | ISO/IEC 8824-1.
- A separate Registration Authority is responsible for the assignment of each kind of international name and there is only one Registration Authority for each kind of international name. The same entity may act as more than one of the authorities.
- 5.4 An organization that requires the assignment of equivalent name values for different kinds of name must make appropriate registration requests to each of the separate Registration Authorities.

6 **Operation of Registration Authorities**

- 6.1 The general operation of Registration Authorities is defined in ITU-T Rec. X.660 | ISO/IEC 9834-1, 7.2. Specific procedures for each kind of international name are defined in the annexes to this Recommendation International Standard as follows:
 - procedures for the assignment of international MD names are defined in Annex A;
 - procedures for the assignment of international organization names are defined in Annex B; b)
 - procedures for the assignment of international object identifier component values for organizations are defined in Annex C.
- ITU-T Rec. X.660 | ISO/IEC 9834-1, 7.2, and the annexes to this Recommendation | International Standard define the principles governing the registration procedures to be applied. The Registration Authorities themselves define the mechanisms through which the principles are realized (e.g., through electronic operations), subject to the approval of ITU-T | ISO/IEC.

7 Appointment of Registration Authorities

It is within the mandate of ITU-T and ISO/IEC to organize registration as specified in this Recommendation | International Standard. In order to do this, ITU-T and ISO/IEC appoint, according to their internal requirements and rules, an organization to act as the Registration Authority for each kind of name covered by this Recommendation | International Standard.

8 Fees

- **8.1** An organization providing a Registration Authority function does so on a cost-recovery basis. The fee structure is designed to recover the expenses of operating a Registration Authority, and to discourage frivolous and multiple requests.
- **8.2** The fee values are determined by the Registration Authority, subject to the approval of ITU-T | ISO/IEC. Fees can apply to:
 - a) registration;
 - b) inquiry request;
 - c) publication request;
 - d) request for update;
 - e) name retention.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>ISO/IEC 9834-7:2005</u> https://standards.iteh.ai/catalog/standards/sist/6255a305-77f8-41df-af10-c99223903c58/iso-iec-9834-7-2005

Annex A

The assignment of international ADMD and PRMD names

(This annex forms an integral part of this Recommendation | International Standard)

A.1 Purpose

The purpose of this annex is to define procedures for the assignment of international ADMD and PRMD names to organizations for use in O/R addresses as defined in ITU-T Rec. X.402 | ISO/IEC 10021-2.

A.2 Requirements from ITU-T Rec. X.402 | ISO/IEC 10021-2

- **A.2.1** ADMD and PRMD names are used in several elements of MHS protocols specified in the ITU-T X.400 | ISO/IEC 10021 Series. Two syntaxes are specified for ADMD and PRMD name values: a value of type NumericString and a value of type PrintableString.
- **A.2.2** The procedures defined in this annex provide for the assignment, as international ADMD and PRMD names, of alphanumeric name values comprising characters from the **PrintableString** character set. In accordance with the requirements of ITU-T Rec. X.402 | ISO/IEC 10021-2, these names are limited in length to 16 characters.
- **A.2.3** Where an assigned name value consists solely of digits and spaces, then the equivalent **NumericString** name is also regarded as assigned.

NOTE - A PrintableString comprising solely digits and spaces is equivalent to a NumericString.

- **A.2.4** In the handling of name values for registration purposes:
 - a) comparison is case insensitive;
 - b) multiple consecutive spaces are treated as a single space;
 - c) leading and trailing spaces are not treated as part of the name value;
 - d) name values of a single space or single zero are not registered.

A.3 Use of names

ISO/IEC 9834-7:2005

There is a single register of international MD names. Each entry in the register has an indication whether the associated name value is used as an ADMD name or a PRMD name.

NOTE $1-For\ ADMD$ and PRMD names to be used within message handling systems conforming to ITU-T Rec. X.402 | ISO/IEC 10021-2, it is necessary to specify procedures for identifying names and associated Registration Authorities within concrete protocols. Such procedures exist for ADMD and PRMD names registered within the context of a specific country name. Procedures for international ADMD and PRMD names, as defined in this Recommendation | International Standard, are under study.

NOTE 2 – Recommendations specifying MTS behaviour for voluntary participation in an international MD name structure may place additional requirements on the use of international ADMD and PRMD names assigned according to the procedures defined in this annex.

A.3.1 Use of international ADMD names

- **A.3.1.1** An ADMD name assigned by the procedures defined in this annex can be used in the formation of O/R addresses which contain a country name standard attribute value identifying the Registration Authority operating under the provisions of this Recommendation | International Standard.
- **A.3.1.2** The assignment of an ADMD name to an organization also delegates to that organization the authority to assign standard attributes for O/R addresses within the context of that name, subject to the constraints defined in ITU-T Rec. X.402 | ISO/IEC 10021-2.

A.3.2 Use of international PRMD names

- **A.3.2.1** A PRMD name assigned by the procedures defined in this annex can be used in the formation of O/R addresses which contain a country name standard attribute value identifying the Registration Authority operating under the provisions of this Recommendation | International Standard, and an ADMD name attribute value of a single space.
- **A.3.2.2** The assignment of a PRMD name to an organization also delegates to that organization the authority to assign O/R address components within the context of that name subject to the constraints defined in ITU-T Rec. X.402 | ISO/IEC 10021-2.

A.4 Registration procedures

This subclause specifies the procedures to be followed in the assignment of international ADMD and PRMD names to organizations. The procedures are designed to assure openness and due process in the registration process.

A.4.1 Application for registration

- **A.4.1.1** An ITO submits an application directly to the Registration Authority. Other applications are submitted through a Sponsoring Authority. The content of the application is defined in A.6.1.
- **A.4.1.2** Upon successful completion of the procedures specified in this annex, the alphanumeric value supplied by the applicant as constrained by the rules in A.2, is registered as assigned.
- **A.4.1.3** When applicants require multiple names, they must submit a separate application for each name.

A.4.2 Review of applications

A.4.2.1 Procedure

- **A.4.2.1.1** Since an alphanumeric name may have meaning outside the registration process, in order for an application to be processed, it shall contain a signed statement asserting the applicant's right to the name. If the statement is missing, the application is rejected by sending a notice of rejection as specified in A.6.6, citing this subclause as the reason for the rejection.
 - NOTE In the context of registration, the signed statement is collected for recording purposes only. The statement may be useful, for example, in the Sponsoring Authority challenge process; however, such use is outside the scope of this Recommendation | International Standard.
- **A.4.2.1.2** If the application does not contain the information specified in A.6.1, the application is rejected by sending a notice of rejection as specified in A.6.6, citing this subclause as the reason for rejection.
- **A.4.2.1.3** If a new application arrives for an alphanumeric name that has already been requested, but the previous request has not yet been confirmed, the following process is followed:
 - a) If the new application arrives before the confirmation process for the previous application has started, then both applications are rejected by sending a notice of rejection as specified in A.6.6, citing this subclause as the reason for rejection.
 - b) If the new application arrives after the confirmation process for the previous application has started, then the new application is optically indicated in the confirmation process for the previous application is completed. The new applicant is immediately notified that a previous application for the name requested is in the confirmation process defined by this subclause. If the confirmation is successful, then the new application is rejected by sending a notice of rejection as specified in A.6.6, citing this subclause as the reason for rejection. If the confirmation is not successful, then the new application continues with the confirmation process.
- **A.4.2.1.4** If the application is accepted, it is put into the confirmation process specified in A.4.3.

A.4.2.2 Response time

- **A.4.2.2.1** To the extent practicable, review of an application under the procedures specified in A.4.2.1 is completed within ten working days of the receipt of the application.
- **A.4.2.2.2** The Registration Authority may batch together several applications for registration when communicating the confirmation requests to Sponsoring Authorities. Nevertheless, the beginning of the confirmation process for any application is not delayed by more than two months from the date at which the application was submitted.

A.4.2.3 Unprocessable applications

An application is unprocessable if the requested name value does not comply with the requirements specified in A.2. The application is rejected by sending a notice of rejection as specified in A.6.6, citing this subclause as the reason for the rejection.

A.4.3 Confirmation process

A.4.3.1 The requested name value is compared with all other name values in the Register. If the name value is a duplicate, the request is rejected by sending a notice of rejection as specified in A.6.6, citing this subclause as the reason for the rejection. If the supplied value is not a duplicate, it is entered into the Review List. The Review List is published and a request for confirmation as specified in A.6.2 is sent to each Sponsoring Authority.

- **A.4.3.2** The review period is at least six months. The start and end dates of the review period are published. To the extent practicable, notice of the publication of the supplied name value and of the start of the review period are sent to the applicant within 20 working days.
- **A.4.3.3** Sponsoring organizations respond to the request for confirmation in the form specified in A.6.3. Abstention, or the absence of a reply from a sponsoring organization within the specified review period, is considered as a confirmation by that sponsoring authority that the name value can be used within the context for which it is responsible.
- **A.4.3.4** If there is unanimous confirmation of the assignment of the requested name value at the end of the review period (i.e., if no sponsoring organization objects), then the name value is removed from the Review List and entered in the Register and an announcement of registration as specified in A.6.5 is sent to the applicant. The announcement of registration is sent within ten working days of the close of the review period.
- **A.4.3.5** If there is not unanimous confirmation of the assignment of the requested name value, then the name value is removed from the Review List and a notice of rejection as specified in A.6.6, is sent to the applicant, citing this subclause as the reason for the rejection. The notice of rejection is sent within ten working days of the close of the review period.
- **A.4.3.6** Neither the Registration Authority nor ITU-T | ISO/IEC play any role in the resolution of disputes over the use of names. Such disputes are assumed to be resolved by action outside the provisions of this Recommendation | International Standard followed by new applications to the Registration Authority.

A.5 Register

A.5.1 Maintenance

- **A.5.1.1** The Registration Authority maintains a Register of assigned name values, together with the information specified in A.6.10. The Registration Authority is responsible for defining the internal procedures necessary for the maintenance of the Register.
- A.5.1.2 Of the information elements specified in A.6.10, the assigned name value, the initial submitting organization, the initial requesting organization name and address, the initial requester name and title, and the initial date of registration are not updated. All other information elements can be updated by the Registration Authority when requested to do so in the form specified in A.6.11 by an official of the organization to which the name has been assigned or, if an official of the organization does not exist, by the Sponsoring Authority for the assignment of the name value.

 https://standards.iteh.ai/catalog/standards/sist/6255a305-77f8-41df-af10-
- **A.5.1.3** A Sponsoring Authority can request that an entry in the Register be marked as *invalid* for the context for use of the name value with which it is concerned. Such a request could result, for example, from a challenge process operated by the sponsoring authority or from the determination that intellectual property rights are being violated. Since the request is based on information not available at the time of the confirmation process, in general it is granted. However, the *invalid* mark will not be posted in the entry until at least one year after the request is accepted in order to allow sufficient time for users of the name value to accommodate the change.
- **A.5.1.4** When an *invalid* mark is put on a Register entry, then the name value for the entry cannot be used in the context for use of the name that has been specified by the corresponding Sponsoring Authority. As soon as the request to post an *invalid* mark is granted, the Registration Authority promulgates the information to all Sponsoring Authorities.
- **A.5.1.5** A Sponsoring Authority or an ITO can request the deletion of a Register entry for which it is responsible. When a Register entry is deleted, the name value in the entry is no longer usable. The Registration Authority promulgates the information to all Sponsoring Authorities and ITOs. The name from the deleted entry is not made eligible for reuse until at least one year after the request is accepted in order to allow sufficient time for there to be no confusion with the previous use of the name.
- **A.5.1.6** At specified intervals, the Registration Authority requests validation of entries in the Register from the organizations concerned. If validation is not received, and there is confirmation either from the organization itself or from the Sponsoring Authority that the name is no longer in use, the entry is deleted.
 - NOTE There may be cases in which reuse is not advisable (e.g., because of the use of security mechanisms). The decision is made on a case-by-case basis by the Registration Authority in consultation with the Sponsoring Authority or ITO.

A.5.2 Inquiry

- **A.5.2.1** An inquiry service is available from the Registration Authority. The service allows potential applicants for the assignment of international ADMD or PRMD names to determine if a name value has already been assigned.
- **A.5.2.2** To make an inquiry, an organization submits an Inquiry request as specified in A.6.7.