
Fluidna tehnika - Hidravlika - Filtri - Ocena tlačnega padca v odvisnosti od toka - Tehnični popravek 1

Hydraulic fluid power - Filters - Evaluation of differential pressure versus flow characteristics - Technical Corrigendum 1

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ISO 3968:2002/TC 1:2003](https://standards.iteh.ai/catalog/standards/sist/7e6bf2b-470e-463e-9cb2-98010f3769ff/sist-iso-3968-2002-tc-1-2003)
<https://standards.iteh.ai/catalog/standards/sist/7e6bf2b-470e-463e-9cb2-98010f3769ff/sist-iso-3968-2002-tc-1-2003>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ISO 3968:2002/TC 1:2003](#)

<https://standards.iteh.ai/catalog/standards/sist/7e6bf2b-470e-463e-9cb2-98010f3769ff/sist-iso-3968-2002-tc-1-2003>



INTERNATIONAL STANDARD ISO 3968:2001
TECHNICAL CORRIGENDUM 1

Published 2002-09-01

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Hydraulic fluid power — Filters — Evaluation of differential pressure versus flow characteristics

TECHNICAL CORRIGENDUM 1

Transmissions hydrauliques — Filtres — Évaluation de la perte de charge en fonction du débit

RECTIFICATIF TECHNIQUE 1

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

Technical Corrigendum 1 to International Standard ISO 3968:2001 was prepared by Technical Committee ISO/TC 131, *Fluid power systems*, Subcommittee SC 6, *Contamination control*.

<https://standards.iteh.ai/catalog/standards/sist/7e6bf2b-470e-463e-9cb2-98010f3769ff/sist-iso-3968-2002-tc-1-2003>

Page 6, Table 1

Replace the text of table footnote a by the following:

100 kPa = 1 bar