
**Condition monitoring and diagnostics of
machines — Requirements for
qualification and assessment of
personnel —**

Part 4:

Field lubricant analysis

iTeh STANDARD PREVIEW

*Surveillance et diagnostic d'état des machines — Exigences relatives à
la qualification et à l'évaluation du personnel —*

Partie 4: Analyse de la lubrification sur le terrain

<https://standards.iteh.ai/catalog/standards/sist/11508887-8557-44b-a8f7-6593687f362d/iso-18436-4-2008>



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 18436-4:2008

<https://standards.iteh.ai/catalog/standards/sist/11508887-8557-44f3-a8f7-6593687f362d/iso-18436-4-2008>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

| | |
|--|----------|
| Foreword | iv |
| Introduction..... | v |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions | 1 |
| 4 Classification of personnel (field lubricant analysis) | 2 |
| 4.1 General | 2 |
| 4.2 Category I | 2 |
| 4.3 Category II | 2 |
| 4.4 Category III | 3 |
| 5 Eligibility | 4 |
| 5.1 General | 4 |
| 5.2 Education | 4 |
| 5.3 Training..... | 4 |
| 5.4 Experience | 5 |
| 6 Examinations | 6 |
| 6.1 Examination content | 6 |
| 6.2 Conduct of examinations..... | 6 |
| Annex A (normative) Training course requirements and minimum training hours for field lubricant analysis personnel..... | 7 |
| Bibliography..... | 16 |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 18436-4 was prepared by Technical Committee ISO/TC 108, *Mechanical vibration, shock and condition monitoring*, Subcommittee SC 5, *Condition monitoring and diagnostics of machines*.

ISO 18436 consists of the following parts, under the general title *Condition monitoring and diagnostics of machines — Requirements for qualification and assessment of personnel*:

- *Part 1: Requirements for certifying bodies and the certification process*
- *Part 2: Vibration condition monitoring and diagnostics*
- *Part 3: Requirements for training bodies and the training process*
- *Part 4: Field lubricant analysis*
- *Part 5: Lubricant laboratory technician/analyst*
- *Part 6: Acoustic emission*
- *Part 7: Thermography*

Introduction

Using lubricant analysis to monitor condition and diagnose faults in machinery is a key activity in predictive maintenance programmes for most industries. Other non-intrusive technologies including thermography, vibration analysis, acoustic emission and motor current analysis are used as complementary condition analysis tools. Those in the manufacturing industry who have diligently and consistently applied these techniques have experienced a return on investment far exceeding their expectations. However, the effectiveness of these programmes depends on the capabilities of individuals who perform the measurements and analyse the data.

A programme, administered by an assessment body, has been developed to train and assess the competence of personnel whose duties require the appropriate theoretical and practical knowledge of machinery monitoring and diagnostics.

This part of ISO 18436 defines the requirements against which personnel in the non-intrusive machinery condition monitoring and diagnostics technologies associated with field lubricant analysis for machinery condition monitoring are to be qualified and the methods of assessing such personnel.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO 18436-4:2008](#)

<https://standards.iteh.ai/catalog/standards/sist/11508887-8557-44f3-a8f7-6593687f362d/iso-18436-4-2008>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

ISO 18436-4:2008

<https://standards.iteh.ai/catalog/standards/sist/11508887-8557-44f3-a8f7-6593687f362d/iso-18436-4-2008>

Condition monitoring and diagnostics of machines — Requirements for qualification and assessment of personnel —

Part 4: Field lubricant analysis

1 Scope

This part of ISO 18436 specifies the requirements for qualification and assessment of personnel who perform machinery condition monitoring and diagnostics using field lubricant analysis.

A certificate or declaration of conformity to this part of ISO 18436 will provide recognition of the qualifications and competence of individuals to perform field lubricant analysis for machinery condition monitoring. This procedure may not apply to specialized equipment or other specific situations.

This part of ISO 18436 specifies a three-category classification programme that is based on the technical areas delineated herein.

(standards.iteh.ai)

2 Normative references

ISO 18436-4:2008

<https://standards.iteh.ai/catalog/standards/sist/11508887-8557-44B-a8f7-8593087D9259-18436-4:2008>

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 13372, *Condition monitoring and diagnostics of machines — Vocabulary*

ISO 18436-1:2004, *Condition monitoring and diagnostics of machines — Requirements for training and certification of personnel — Part 1: Requirements for certifying bodies and the certification process*

ISO 18436-3, *Condition monitoring and diagnostics of machines — Requirements for qualification and assessment of personnel — Part 3: Requirements for training bodies and the training process*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 13372 and the following apply.

3.1

lubricant

any substance interposed between two surfaces in relative motion for the purpose of modifying the friction and reducing the wear between them

NOTE Hydraulic and heat transfer fluids are considered lubricants.

3.2

lubricant analysis

process of monitoring and performing investigative testing of lubricants, with subsequent interpretation, reporting and response to obtained results

**3.3
significant interruption**

absence or change of activity which prevents the assessed individual from practising the duties corresponding to the category within the defined scope for

- a) a continuous period in excess of 365 days, or
- b) two or more periods for a total time exceeding two-fifths of the total period of validity of the certificate or declaration

4 Classification of personnel (field lubricant analysis)

4.1 General

Individuals assessed as conforming to the requirements of this part of ISO 18436 shall be classified in one of three categories depending upon their qualifications. They shall have demonstrated the necessary skills in field lubricant analysis for their category as indicated in Annex A.

Personnel classified as Category II need to have all the knowledge and skills expected of personnel classified as Category I, while personnel classified as Category III need to have all the knowledge and skills expected of personnel classified as Category II.

4.2 Category I

Individuals classified as Category I are qualified to perform field lubricant analysis according to established and recognized procedures. Personnel classified as Category I shall be able to:

- a) dispense lubricants, re-lubricate and/or inspect lubricants on a pre-programmed route, as appropriate in accordance with established procedures;
- b) properly maintain lubrication devices and equipment;
- c) install sampling hardware deemed appropriate, safe and non-intrusive by Category II or higher personnel (any intrusive sampling hardware installation shall be undertaken by a suitably qualified person authorized by the customer);
- d) verify that analysis instruments are calibrated and report to the appropriate personnel where action is needed;
- e) operate (and maintain) portable lubricant analysis instrumentation on pre-programmed routes;
- f) download and upload raw test data from portable lubricant analysis instrumentation;
- g) acquire lubricant samples from machine systems, equipment, and/or storage containers in accordance with established procedures; and
- h) prepare samples for transport and/or testing in accordance with established procedures.

4.3 Category II

Individuals classified as Category II are qualified to perform basic field lubricant testing and analysis according to established and recognised procedures. Personnel classified as Category II shall be able to:

- a) set up instruments for basic on-site testing;
- b) perform calibration checks on instruments used for on-site testing;

- c) establish procedures for sample acquisition, preparation and transport;
- d) select sample point locations, methods and hardware and oversee installation of sampling hardware;
- e) apply selected test methods for on-site testing and wear debris analysis;
- f) liaise with an off-site laboratory;
- g) classify, interpret and evaluate basic test results (including acceptance tests) in accordance with applicable specifications and standards;
- h) employ basic lubricant analysis techniques to troubleshoot lubricant, machinery and components;
- i) maintain a database of analysis schedules, results and diagnosis;
- j) prepare reports for appropriate personnel on basic lubricant and machine condition, recommend corrective action (non-intrusive maintenance) and report on effectiveness of repairs/changes;
- k) be aware of the use of alternative or supplementary condition monitoring technologies; and
- l) provide guidance and supervision to Category I personnel.

4.4 Category III

Individuals classified as Category III are qualified to perform and/or direct all types of field lubricant testing and analysis. Personnel classified as Category III shall be able to:

- a) interpret and evaluate test methods, standards, codes, specifications and procedures;
- b) select the appropriate machinery lubricant analysis technique;
- c) specify the appropriate instrumentation hardware and software for both portable and permanently installed systems;
- d) design and manage calibration programmes;
- e) establish lubricant monitoring programmes including determination of machines for periodic/continuous monitoring, frequency and type of testing, route plans, etc., and quality assurance testing;
- f) establish programmes for the specification of targets, alarms and limits for machinery;
- g) perform advanced on-site tests and wear debris analysis;
- h) classify, interpret and evaluate advanced test results and wear debris analysis (including acceptance tests) in accordance with applicable specifications and standards;
- i) manage and perform administrative tasks for lubricant analysis software and databases;
- j) perform Failure Mode, Effect and Criticality Analysis (FMECA);
- k) perform prognostics for fault conditions;
- l) evaluate the performance of outside lubricant analysis services and recommend necessary corrective changes;
- m) prepare reports for appropriate personnel based on advanced lubricant testing and wear debris analysis on lubricant and machine condition;

- n) make major maintenance corrective action recommendations (normally intrusive maintenance) and report on effectiveness of repairs/changes;
- o) report to management regarding programme objectives, budgets, cost justification, and personnel development;
- p) recommend the use of alternative condition monitoring (CM) technologies;
- q) based on the accrued data, review the lubricants currently in use and make recommendations, inclusive of required lubrication specification changes, with a view to enhancing performance;
- r) assess the influence of physical/chemical properties on stability of rotor in bearings, stability of turbine control systems, wear of gears and hydrodynamic seals; and
- s) provide guidance and supervision to Category I and II personnel.

5 Eligibility

5.1 General

Candidates should have a combination of education, training and experience to ensure that they understand the principles and procedures applicable to machinery lubrication and lubricant analysis. General machinery knowledge is required.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

5.2 Education

Candidates seeking classification do not need to provide evidence of formal education to establish eligibility. However, it is recommended that candidates for Category I and II have at least a secondary school qualification or its equivalent. Category II and III candidates must be able to manipulate simple algebraic equations, use a basic scientific calculator (including trigonometric and logarithmic functions), and be familiar with the operation of personal computers. Successful completion of two or more years of mechanical technology or mechanical engineering at a college, university, or technical school is highly recommended for candidates seeking classification to Category III.

5.3 Training

5.3.1 Introduction

To be eligible to apply for assessment based on this part of ISO 18436, the candidates shall provide evidence of successful completion of training based on the requirements of Annex A. The documents in the Bibliography should be used as the domain of knowledge for the training syllabus. Such training shall be compliant with the requirements of ISO 18436-3. The minimum duration of training is shown in Table 1. Training should be in the form of lectures, demonstrations, practical exercises or formal training courses.

Qualification requirements shall be in accordance with this part of ISO 18436. Training time devoted to each topic shall be in accordance with Annex A and Table 1.

Table 1 — Minimum duration of cumulative training (hours)

| Category I | Category II | Category III |
|------------|-------------|--------------|
| 24 | 48 | 80 |

5.3.2 Additional training on tribology and lubrication management

In addition to the training hours shown in Table 1, candidates should attend tribology and lubrication management training of at least a similar duration to that shown in Table 1.

Such training shall be in addition to any formal education compliant with 5.2, inclusive of any college or university education. If undertaken, the additional training shall cover the design, implementation, and operation of lubrication and lubricant analysis systems and programmes, maintenance principles of machines and components, the failure modes and mechanisms associated with each principle, and the typical tribological aspects associated with each mechanism. Such training shall be validated by verifiable records.

5.3.3 Mature candidate entry

Mature candidate entry may be allowed at the discretion of the assessment body.

Mature candidates may not need to have attended a course of training at Category II. Such candidates may apply for direct entry to Category II, without the need to have previously held classification at Category I, providing they can produce verifiable documentary evidence of training and experience that satisfies the requirements for both Category I and Category II qualification.

Candidates shall have at least five years of documented experience without significant interruption in lubricant-analysis-based condition monitoring of machines for Category II. Candidates shall provide evidence of completion of an equivalent course of training covering the syllabus in accordance with Annex A.

Such candidates should apply to the assessment body under the mature candidate route. If a significant interruption exists, the candidate may be required to undertake further training as determined by the assessment body.

5.4 Experience

5.4.1 To be eligible to apply for assessment based on this part of ISO 18436, the candidate shall provide evidence to the assessment body of experience in the field of lubricant-analysis-based machinery condition monitoring in accordance with Table 2. Classification to Category II and Category III requires previous classification at the lower category.

Table 2 — Minimum cumulative sampling and analysis experience requirements (months)

| Category I | Category II | Category III |
|--|-------------|--------------|
| 12 | 24 | 36 |
| NOTE The months of experience are based on 16 h minimum per month of lubricant-analysis-based machinery condition monitoring experience. | | |

5.4.2 Candidates shall keep verifiable documentary evidence of the hours and nature of work for their lubricant-analysis-based machinery condition monitoring. Candidates for Categories I and II shall have this evidence validated by a Category II or III person or, in the absence of such a person, by the candidate's technical supervisor.

5.4.3 Candidates for Category III shall have this evidence validated by a Category III person or, in the absence of such a person, by the candidate's technical supervisor.

5.4.4 The validation process for all categories requires the signature of the validating person on the documentary evidence. The validating person should augment this validation process via oral assessment, accompanied task performance, report submission and review, procedure submission and review, or a combination thereof, in order to increase the confidence in the validation.