



SLOVENSKI STANDARD

oSIST prEN 10373:2020

01-februar-2020

Ugotavljanje fizikalnih in mehanskih lastnosti jekel z uporabo modelov

Determination of the physical and mechanical properties of steels using models

Berechnungsmodell für die Datenbereitstellung von physikalischen und mechanischen Eigenschaften für Stähle

Détermination des propriétés physiques et mécaniques des aciers à l'aide de modèles

ITeH STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: **prEN 10373**

[oSIST prEN 10373:2020](https://standards.iteh.ai/catalog/standards/sist/1ecc7962-4da0-47aa-96ea-a67af0288f3d/osist-pren-10373-2020)

<https://standards.iteh.ai/catalog/standards/sist/1ecc7962-4da0-47aa-96ea-a67af0288f3d/osist-pren-10373-2020>

ICS:

77.080.20 Jekla Steels

oSIST prEN 10373:2020

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[oSIST prEN 10373:2020](#)

<https://standards.iteh.ai/catalog/standards/sist/1ecc7962-4da0-47aa-96ea-a67af0288f3d/osist-pren-10373-2020>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

DRAFT
prEN 10373

December 2019

ICS 77.080.20; 77.140.01

English Version

Determination of the physical and mechanical properties of steels using models

Détermination des propriétés physiques et mécaniques
des aciers à l'aide de modèles

Berechnungsmodell für die Datenbereitstellung von
physikalischen und mechanischen Eigenschaften für
Stähle

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 459/SC 12.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	3
Introduction	4
1 Scope.....	5
2 Normative references.....	5
3 Terms and definitions	5
4 Requirements on the application of models	6
4.1 General.....	6
4.2 Application range.....	7
4.3 Requirements on input data	8
4.4 Requirements on output data.....	8
5 Requirements on model verification and application.....	8
5.1 General.....	8
5.2 Model verification.....	10
5.3 Modelling process validation.....	10
5.4 Details of the assessment procedure for model verification	11
6 Requirements on monitoring of models.....	11
6.1 General.....	11
6.2 Monitoring of models.....	11
6.3 Deviation of output data from conventional testing.....	12
6.4 Statistical methods for control and monitoring of models.....	13
7 Specific requirements on quality management.....	13
7.1 General.....	13
7.2 Responsibilities and qualification of employees.....	13
7.3 Measuring and testing equipment	13
7.4 Handling of data.....	14
7.5 Documentation.....	14
7.6 Case of dispute.....	14
Bibliography.....	15

European foreword

This document (prEN 10373:2019) has been prepared by Technical Committee CEN/TC 459 SC 12 “General issues”, the secretariat of which is held by BSI.

This document is currently submitted to the CEN Enquiry.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[oSIST prEN 10373:2020](https://standards.iteh.ai/catalog/standards/sist/1ecc7962-4da0-47aa-96ea-a67af0288f3d/osist-pren-10373-2020)

<https://standards.iteh.ai/catalog/standards/sist/1ecc7962-4da0-47aa-96ea-a67af0288f3d/osist-pren-10373-2020>

Introduction

[Cited from proposals of CEN TC 459/SC 3/WG 2]

Since the physical and mechanical properties of steels are ultimately based upon the metallurgical transformations during the production process, there have been numerous efforts of the manufacturers in the past, to design models for providing property data for the whole product, in order to improve the control of the increasingly complex processes during the manufacturing of steel products.

In doing so, the use of models not only helps to reduce the amount of testing in the scope of factory production control, but it gives a more representative overview of the material properties of steels, since models can use all available data, determined during the production process, whereas conventional material testing represents in principle a spot check of the material properties at the time of sampling and at the place where the samples were taken.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[oSIST prEN 10373:2020](#)

<https://standards.iteh.ai/catalog/standards/sist/1ecc7962-4da0-47aa-96ea-a67af0288f3d/osist-pren-10373-2020>

1 Scope

This document specifies the method for the verification of models for the determination of the property data of steels and the validation of the modelling process. It is applicable where modelling of mechanical or physical properties is used to substitute conventional testing for specific inspection. Models can be based on statistical data, thermo-physical data or indirect measurement (e.g. measurement of magnetic or ultrasonic data), or a combination of these methods.

This document applies only for providing the properties of rolled and/or heat-treated products such as plates, sheets, strip, sections and bars.

This document is used to demonstrate the ability of the model to supply property data which is equivalent to data, measured by conventional testing.

Any self-learning system is excluded from the scope.

NOTE A self-learning model is a model which changes its internal parameters by itself.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 10021, *General technical delivery conditions for steel products*

EN 10204, *Metallic products - Types of inspection documents*

NOTE At the time of the first release of this standard, there have been no normative references to statistical analyses of manufacturing processes and/or statistical methods, applicable for this standard. The bibliography contains references to technical literature, which can be taken into account.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

model

documented system for the generation of output data using input data

Note 1 to entry: The model shall provide the same data set in output with the same data set as input.

Note 2 to entry: The model calculates physical and/or mechanical property data from input data, the results of which can also be determined by physical and/or mechanical testing.

3.2

input data

measurement data, or data which is related to those parts of a manufacturing process, which are relevant to the product properties to be calculated

prEN 10373:2019 (E)**3.3****output data**

physical and/or mechanical property data of a steel product according to the scope, which is generated by a model according to 3.1

3.4**manufacturing process**

entirety of all process steps (including all time periods between them), that leads from a starting product (e.g. raw material, or a semi-finished product) to an end product

3.5**model verification**

documented system of initial comparative testing and analysis procedures, carried out by the manufacturer, proving the ability of a model to replace conventional testing of product properties by output data

3.6**modelling process validation**

validation of the process by which the applicability and accuracy of models for prediction of specified properties is confirmed by an independent, or a notified body

Note 1 to entry: The validation shall be done before it can be used for release of products.

3.7**model monitoring**

documented system of regular checks, using data analysis procedures of input and output data, part of the modelling process, as well as regular comparative testing, to ensure the accuracy and reliability of modelled product properties

iTeh STANDARD PREVIEW
(standards.iteh.ai)
oSIST prEN 10373:2020
<https://standards.iteh.ai/catalog/standards/sist/1ecc7962-4da0-47aa-96ea-a67af0288f3d/osist-pren-10373-2020>

3.8**application range**

range of steel products, chemical composition, manufacturing conditions and all additional conditions affecting the model accuracy for which the model has been verified

4 Requirements on the application of models**4.1 General**

Models can be based on direct measurement data (thermo-physical data), indirect measurement data (e.g. measurement of magnetic or ultrasonic data), statistical data generated from indirect and/or direct measurement data, or a combination of these methods.

The output data, determined by models, shall be equivalent to the results of conventional testing, within the limits of allowable gaps, distinctively specified for each physical and mechanical property.

4.2 Application range

4.2.1 General

Models for determination of property data are intended to be used for quality control in the production process of steel products with specified physical properties, which are documented in standards or other specifications and which can be alternatively determined by physical testing.

The application range of the model shall be described and documented in reference to the steel products, in terms of chemical composition and manufacturing conditions and all additional conditions, that have an influence on the model accuracy, and for which the model has been verified.

4.2.2 Conditions for the application of models

The following restrictions shall apply to models:

- a) Manufacturing processes shall run under control of a quality management system and shall produce input data, representative for the products and in an sufficient amount to apply appropriate documented statistical methods in the scope of the control and monitoring of models according to Clause 6 (e.g. large scale production).

NOTE Quality management systems in accordance with EN ISO 9001, or comparable systems, meet this requirement.

- b) The application range of a model shall be explicitly defined and documented with respect to the considered products.
- c) The model outputs shall only be used for product release if the model is used within the application range.
- d) Determination of physical and/or mechanical properties by a model shall be in accordance to the requirements of a written specification (e.g. national, or international standards, or other appropriate technical documentation).
- e) Only input data, which can be related explicitly to the test unit according to the inspection type, according to EN 10204 shall be used.
- f) The modelling process shall have been validated by an independent or notified body before any initial application of any model according to Clause 5 of this document.

4.2.3 Conditions for extension of the application range of models

Extension can only be considered if the model itself, including any internal parameter, does not change.

Any extension of the application range which requires modification of the model or its internal parameters shall be treated as a new model.

In case of the extension of the application range of a model for the determination of physical and mechanical properties of steels, it shall be ensured, that:

- a) The extension of the application range of a model is explicitly defined and documented in terms given in 4.2.2.
- b) The application of the extended model is in accordance with the conditions of 4.2.2.
- c) The validation according to Clause 5 of this document has been repeated for the extended application range of the model, prior to its regular use (e.g. for the manufacturers factory production control).