
**Industrial automation systems and
integration — Product data
representation and exchange —**

Part 240:

**Application protocol: Process plans for
machined products**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

*Systèmes d'automatisation industrielle et intégration — Représentation
et échange de données de produits —*

*Partie 240: Protocole d'application: Plan des processus pour produits
usinés*
<https://standards.iteh.ai/catalog/standards/sist/b75bcaca-50c8-4991-946f-9c1ad4565b4b/iso-10303-240-2005>



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[ISO 10303-240:2005](https://standards.iteh.ai/catalog/standards/sist/b75bcaca-50c8-4991-946f-9c1ad4565b4b/iso-10303-240-2005)

<https://standards.iteh.ai/catalog/standards/sist/b75bcaca-50c8-4991-946f-9c1ad4565b4b/iso-10303-240-2005>

© ISO 2005

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents	Page
1 Scope	1
2 Normative references	3
3 Terms, definitions and abbreviations	5
3.1 Terms defined in ISO 10303-1	5
3.2 Terms defined in ISO 10303-21	6
3.3 Terms defined in ISO 10303-31	6
3.4 Other definitions	6
3.5 Abbreviations	8
4 Information requirements	9
4.1 Units of functionality	10
4.1.1 administrative	10
4.1.2 design_exception	11
4.1.3 library_reference	11
4.1.4 manufacturing_machine_tool_resources	11
4.1.5 manufacturing_part_properties	12
4.1.6 manufacturing_process_requirement_documents	13
4.1.7 measurement_limitations	14
4.1.8 part_model	15
4.1.9 process_activities	15
4.1.10 process_plan	17
4.1.11 shape_representation_for_process_planning	17
4.2 Application objects	18
4.3 Application assertions	127
5 Application interpreted model	152
5.1 Mapping specification	152
5.1.1 administrative UoF	154
5.1.2 design_exception UoF	157
5.1.3 library_reference UoF	161
5.1.4 manufacturing_machine_tool_resources UoF	169
5.1.5 manufacturing_part_properties UoF	192
5.1.6 manufacturing_process_requirement_documents UoF	204
5.1.7 measurement_limitations UoF	230
5.1.8 part_model UoF	252
5.1.9 process_activities UoF	261
5.1.10 process_plan UoF	293
5.1.11 shape_representation_for_process_planning UoF	307
5.2 AIM EXPRESS short listing	326
6 Conformance requirements	443
Annex A (normative) AIM EXPRESS expanded listing	464
Annex B (normative) AIM short names	680

ISO 10303-240:2005(E)

Annex C (normative) Implementation method specific requirements	698
Annex D (normative) Protocol Implementation Conformance Statement (PICS) proforma	699
Annex E (normative) Information object registration	701
Annex F (informative) Application activity model	702
Annex G (informative) Application reference model	723
Annex H (informative) AIM EXPRESS-G	744
Annex J (informative) Computer interpretable listings	781
Annex K (informative) Technical discussions	782
Bibliography	783
Index	784

Figures

Figure 1 — Process planning data planning model	xix
Figure 2 — Angular_dimension_tolerance	24
Figure 3 — Angular_size_dimension_tolerance	24
Figure 4 — Block_base_shape	26
Figure 5 — Curved_dimension_tolerance	32
Figure 6 — Cylindrical_base_shape	33
Figure 7 — Diameter_dimension_tolerance	37
Figure 8 — Distance_along_curve_tolerance	39
Figure 9 — Fixture setup	59
Figure 10 — Implicit_base_shape_representation	63
Figure 11 — Location_dimension_tolerance	67
Figure 12 — Machine cut sequence tolerance	73
Figure 13 — Manufactured_assembly and Mating_definition	74
Figure 14 — Property example	78
Figure 15 — Ngon_base_shape	84
Figure 16 — Part fixture relationship	89
Figure 17 — Part machine relationship	92
Figure 18 — Radial_dimension_tolerance	106
Figure F.1 — IDEF0 Basic notation	702
Figure F.2 — A-0 Process plans for machined parts	712
Figure F.3 — A0 Manufacture Mechanical Products	713
Figure F.4 — A1 Engineer Manufacturing Process	714
Figure F.5 — A11 Engineer Manufacturing Methods and Part Routing	715
Figure F.6 — A115 Select Resources	716
Figure F.7 — A12 Engineer Process Detail	717
Figure F.8 — A121 Specify and Sequence Operations	718
Figure F.9 — A1213 Engineer Material Removal	719
Figure F.10 — A14 Develop Tooling Packages	720

Figure F.11 — A15 Develop Equipment Instructions	721
Figure F.12 — A16 Finalize Manufacturing Data Package	722
Figure G.1 — ARM EXPRESS-G diagram 1 of 20	724
Figure G.2 — ARM EXPRESS-G diagram 2 of 20	725
Figure G.3 — ARM EXPRESS-G diagram 3 of 20	726
Figure G.4 — ARM EXPRESS-G diagram 4 of 20	727
Figure G.5 — ARM EXPRESS-G diagram 5 of 20	728
Figure G.6 — ARM EXPRESS-G diagram 6 of 20	729
Figure G.7 — ARM EXPRESS-G diagram 7 of 20	730
Figure G.8 — ARM EXPRESS-G diagram 8 of 20	731
Figure G.9 — ARM EXPRESS-G diagram 9 of 20	732
Figure G.10 — ARM EXPRESS-G diagram 10 of 20	733
Figure G.11 — ARM EXPRESS-G diagram 11 of 20	734
Figure G.12 — ARM EXPRESS-G diagram 12 of 20	735
Figure G.13 — ARM EXPRESS-G diagram 13 of 20	736
Figure G.14 — ARM EXPRESS-G diagram 14 of 20	737
Figure G.15 — ARM EXPRESS-G diagram 15 of 20	738
Figure G.16 — ARM EXPRESS-G diagram 16 of 20	739
Figure G.17 — ARM EXPRESS-G diagram 17 of 20	740
Figure G.18 — ARM EXPRESS-G diagram 18 of 20	741
Figure G.19 — ARM EXPRESS-G diagram 19 of 20	742
Figure G.20 — ARM EXPRESS-G diagram 20 of 20	743
Figure H.1 — action - AIM EXPRESS-G diagram 1 of 36	745
Figure H.2 — action_method - AIM EXPRESS-G diagram 2 of 36	746
Figure H.3 — action_property - AIM EXPRESS-G diagram 3 of 36	747
Figure H.4 — action_resource - AIM EXPRESS-G diagram 4 of 36	748
Figure H.5 — contract and security_classification - AIM EXPRESS-G diagram 5 of 36	749
Figure H.6 — document - AIM EXPRESS-G diagram 6 of 36	750
Figure H.7 — document reference - AIM EXPRESS-G diagram 7 of 36	751
Figure H.8 — identification assignment - AIM EXPRESS-G diagram 8 of 36	752
Figure H.9 — group - AIM EXPRESS-G diagram 9 of 36	753
Figure H.10 — approval - AIM EXPRESS-G diagram 10 of 36	754
Figure H.11 — date - AIM EXPRESS-G diagram 11 of 36	755
Figure H.12 — person and organization - AIM EXPRESS-G diagram 12 of 36	756
Figure H.13 — application context - AIM EXPRESS-G diagram 13 of 36	757
Figure H.14 — product - AIM EXPRESS-G diagram 14 of 36	758
Figure H.15 — property definition - AIM EXPRESS-G diagram 15 of 36	759
Figure H.16 — representation - AIM EXPRESS-G diagram 16 of 36	760
Figure H.17 — shape representation - AIM EXPRESS-G diagram 17 of 36	761
Figure H.18 — characterized object - AIM EXPRESS-G diagram 18 of 36	762
Figure H.19 — shape aspect - AIM EXPRESS-G diagram 19 of 36	763
Figure H.20 — geometry topology - AIM EXPRESS-G diagram 20 of 36	764
Figure H.21 — point - AIM EXPRESS-G diagram 21 of 36	765
Figure H.22 — position - AIM EXPRESS-G diagram 22 of 36	766
Figure H.23 — curve - AIM EXPRESS-G diagram 23 of 36	767
Figure H.24 — bounded curve - AIM EXPRESS-G diagram 24 of 36	768
Figure H.25 — b_spline curve - AIM EXPRESS-G diagram 25 of 36	769
Figure H.26 — surface - AIM EXPRESS-G diagram 26 of 36	770
Figure H.27 — bounded surface - AIM EXPRESS-G diagram 27 of 36	771
Figure H.28 — topology - AIM EXPRESS-G diagram 28 of 36	772

ISO 10303-240:2005(E)

Figure H.29 — face and shell - AIM EXPRESS-G diagram 29 of 36	773
Figure H.30 — geometric tolerance - AIM EXPRESS-G diagram 30 of 36	774
Figure H.31 — dimensional tolerance - AIM EXPRESS-G diagram 31 of 36	775
Figure H.32 — datum - AIM EXPRESS-G diagram 32 of 36	776
Figure H.33 — unit - AIM EXPRESS-G diagram 33 of 36	777
Figure H.34 — measure with unit - AIM EXPRESS-G diagram 34 of 36	778
Figure H.35 — attributes - AIM EXPRESS-G diagram 35 of 36	779
Figure H.36 — description attribute - AIM EXPRESS-G diagram 36 of 36	780

Tables

Table 1 — Conformance class elements	444
Table 2 — AIM short names	680

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO 10303-240:2005](https://standards.iteh.ai/catalog/standards/sist/b75bcaca-50c8-4991-946f-9c1ad4565b4b/iso-10303-240-2005)

<https://standards.iteh.ai/catalog/standards/sist/b75bcaca-50c8-4991-946f-9c1ad4565b4b/iso-10303-240-2005>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 10303-240 was prepared by Technical Committee ISO TC184/SC4, *Industrial automation systems and integration*, Subcommittee SC4 *Industrial data*.

This International Standard is organized as a series of parts, each published separately. The structure of this International Standard is described in ISO 10303-1.

Each part of this International Standard is a member of one of the following series: description methods, implementation methods, conformance testing methodology and framework, integrated generic resources, integrated application resources, application protocols, abstract test suites, application interpreted constructs, and application modules. This part is a member of the 200 series.

A complete list of parts of ISO 10303 is available from the Internet:

<<http://www.tc184-sc4.org/titles/>>

Introduction

ISO 10303 is an International Standard for the computer-interpretable representation of product information and for the exchange of product data. The objective is to provide a neutral mechanism capable of describing products throughout their life cycle. This mechanism is suitable not only for neutral file exchange, but also as a basis for implementing and sharing product databases, and as a basis for archiving.

This part of ISO 10303 is a member of the application protocol series. This part of ISO 10303 specifies an application protocol (AP) for the exchange, archiving and sharing of computer-interpretable process plans for numerical control and manually machined parts. The intent of this AP is to allow for the exchange, archiving and sharing of data between dissimilar Computer-Aided Process Planning (CAPP) systems.

A process plan is a set of instructions. These instructions are used by programmers to generate machine tool controller programs which, when executed, drive the tool motion to remove material. Process planning takes place after the preliminary engineering design is completed but before the manufacturing process has begun, and the process plan effort requires feedback for design completeness. Design information is communicated to a process planner who identifies the manufacturing steps necessary to transform the material specified by the design into a product.

This AP specifies the data contained within a process plan as opposed to the data necessary to perform process planning functions. Included in this AP are the relationships that exist between the different process plan data items as well as the relationships that exist between these data items and the product definition data. Product definition data includes data items from design process such as geometry, surface finish and machining tolerance.

This application protocol defines the context, scope, and information requirements for digitally represented process plans for numerical control and manually machined parts and specifies the integrated resources necessary to satisfy these requirements.

Application protocols provide the basis for developing implementations of ISO 10303 and abstract test suites for the conformance testing of AP implementations.

Clause 1 defines the scope of the application protocol and summarizes the functionality and data covered by the AP. Clause 3 lists the words defined in this part of ISO 10303 and gives pointers to words defined elsewhere. An application activity model that is the basis for the definition of the scope is provided in Annex F. The information requirements of the application are specified in clause 4 using terminology appropriate to the application. A graphical representation of the information requirements, referred to as the application reference model, is given in Annex G.

Resource constructs are interpreted to meet the information requirements. This interpretation produces the application interpreted model (AIM). This interpretation, given in 5.1, shows the correspondence between the information requirements and the AIM. The short listing of the AIM specifies the interface to the integrated resources and is given in 5.2. Note that the definitions and EXPRESS provided in the integrated resources for constructs used in the AIM may include select list items and subtypes which are not imported into the AIM. The expanded listing given in Annex A contains the complete EXPRESS for the AIM without annotation. A graphical representation of the AIM is given in Annex H. Additional requirements for specific implementation methods are given in Annex C.

Figure 1 contains the data planning model that provides a high-level description of the requirements for this application protocol, as well as identifying that some relationship exists between the basic data components.

The planning model illustrates that an process plan is composed of one or more sequenced activities. The activities can be broken into several closely related sub-activities. Activities are associated with the product definition data and will be used in the production of the product shape data. Each activity describes in detail the associated processing and the type and amount of resource required with additional special instructions, if necessary. An process plan also includes administrative data pertinent to the management of the process plan.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[ISO 10303-240:2005](https://standards.iteh.ai/catalog/standards/sist/b75bcaca-50c8-4991-946f-9c1ad4565b4b/iso-10303-240-2005)

<https://standards.iteh.ai/catalog/standards/sist/b75bcaca-50c8-4991-946f-9c1ad4565b4b/iso-10303-240-2005>




Figure 1 — Process planning data planning model

Industrial automation systems and integration — Product data representation and exchange —

Part 240:

Application protocol: Process plans for machined products

1 Scope

This part of ISO 10303 specifies the use of the integrated resources necessary for the scope and information requirements for the exchange, sharing and long term data retention of computer-interpretable process plan information for both numerical control (NC) and manually operated applications, and associated product definition data.

NOTE 1 The application activity model in Annex F provides a graphical representation of the processes and information flows which are the basis for the definition of the scope of this part of ISO 10303.

The following are within the scope of this part of ISO 10303:

— information out of the planning activity that is contained in the process plans for machined parts which includes:

- numerical controlled machines; [ISO 10303-240:2005](https://standards.iso.org/standards/catalog/standards/sist/b75bcaca-50c8-4991-946f-9c1ad4565b4b/iso-10303-240-2005)
- manual operations.

— the manufacture of a single piece mechanical part, and assemblies of single piece parts for manufacturing purpose which includes:

- process data for part routing which includes manufacturing process and setup sequencing;
- process data for operation.

— interface for capturing technical data out of the upstream application protocols which includes:

- product definition data, including tracking a design exception notice of a part;
- initial material definition data.

— technical data for and/or out of the process planning for machined parts which includes:

- machining features for defining shapes necessary for manufacturing;
- machining feature classification structure;
- geometric and dimensional tolerances of the parts being manufactured;

ISO 10303-240:2005(E)

- materials, and properties of the parts being manufactured.
- references to standards and specifications declared in the process plan;
- work instructions for the tasks required to manufacture a part, using which include:
 - references to the resources required to perform the work;
 - the sequences of the work instructions;
 - relationships of the work to the part geometry.
- information required to support NC programming of processes specified in the process plan;

NOTE 2 This includes product definition, administrative data, machine, tooling, and material requirements.

- information required to support in-process inspection specified in the process plan;

NOTE 3 In-process inspection includes such tasks as using gauge blocks or performing a probing operation to verify the dimensional constraints placed upon the part.

- shop floor information specified in the process plan;
- information for production planning specified in the process plan;

NOTE 4 Information for production planning contains items such as process data for part routing and required resource to perform the planned activity.

NOTE 5 Shop floor information contains such items as part routing, machine setup, and part loading instructions.

The following are outside the scope of this part of ISO 10303:

- NC program, source programs, and specific machine tool controller codes;
- NC process information derived from, or required for, manufacturing preplanning activities;

NOTE 6 This includes information from activities such as factory capacity planning, scheduling, producibility analysis, and statistical process control.

- continuous processes;

NOTE 7 Continuous process is the control of a process that requires feedback to determine new parameters such as those in adaptive control, real-time inspection and automatic corrections and in the manufacture of chemical and plating products.

- inspection processes that require an inspection plan;

NOTE 8 Inspection processes refer to inspection that occurs outside the context of the NC machining process, such as removing the part and remounting it on a Coordinate Measuring Machine (CMM).

- drawing and production illustration contents;

- make or buy analysis activities;
- actual costing data;
- production control and scheduling analysis;
- production planning functions;
- actual execution of the process plan or associated NC programs.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8824-1, *Information Technology — Abstract Syntax Notation One (ASN.1) — Specification of Basic Notation — Part 1*.

ISO 10303-1, *Industrial automation systems and integration — Product data representation and exchange — Part 1: Overview and fundamental principles*.

ISO 10303-11, *Industrial automation systems and integration — Product data representation and exchange — Part 11: Description methods: The EXPRESS language reference manual*.

ISO 10303-21, *Industrial automation systems and integration — Product data representation and exchange — Part 21: Implementation methods: Clear text encoding of the exchange structure*.

ISO 10303-31, *Industrial automation systems and integration — Product data representation and exchange — Part 31: Conformance testing methodology and framework: General concepts*.

ISO 10303-41, *Industrial automation systems and integration — Product data representation and exchange — Part 41: Integrated generic resources: Fundamentals of product description and support*.

ISO 10303-42, *Industrial automation systems and integration — Product data representation and exchange — Part 42: Integrated generic resources: Geometric and topological representation*.

ISO 10303-43, *Industrial automation systems and integration — Product data representation and exchange — Part 43: Integrated generic resources: Representation structures*.

ISO 10303-44, *Industrial automation systems and integration — Product data representation and exchange — Part 44: Integrated generic resources: Product structure configuration*.

ISO 10303-45, *Industrial automation systems and integration — Product data representation and exchange — Part 45: Integrated generic resources: Materials*.

ISO 10303-240:2005(E)

ISO 10303-47, *Industrial automation systems and integration — Product data representation and exchange — Part 47: Integrated generic resources: Shape variation tolerances.*

ISO 10303-49, *Industrial automation systems and integration — Product data representation and exchange — Part 49: Integrated generic resources: Process structure and properties.*

ISO 10303-501, *Industrial automation systems and integration — Product data representation and exchange — Part 501: Application interpreted construct: Edge-based wireframe.*

ISO 10303-502, *Industrial automation systems and integration — Product data representation and exchange — Part 502: Application interpreted construct: Shell-based wireframe.*

ISO 10303-507, *Industrial automation systems and integration — Product data representation and exchange — Part 507: Application interpreted construct: Geometrically bounded surface.*

ISO 10303-509, *Industrial automation systems and integration — Product data representation and exchange — Part 509: Application interpreted construct: Manifold surface.*

ISO 10303-510, *Industrial automation systems and integration — Product data representation and exchange — Part 510: Application interpreted construct: Geometrically bounded wireframe.*

ISO 10303-511, *Industrial automation systems and integration — Product data representation and exchange — Part 511: Application interpreted construct: Topologically bounded surface.*

ISO 10303-512, *Industrial automation systems and integration — Product data representation and exchange — Part 512: Application interpreted construct: Faceted boundary representation.*

[ISO 10303-240:2005](https://standards.iteh.ai/catalog/standard/iso/10303-240:2005)

ISO 10303-514, *Industrial automation systems and integration — Product data representation and exchange — Part 514: Application interpreted construct: Advanced boundary representation.*

ISO 10303-519, *Industrial automation systems and integration — Product data representation and exchange — Part 519: Application interpreted construct: Geometric tolerances.*

ISO 10303-522, *Industrial automation systems and integration — Product data representation and exchange — Part 522: Application interpreted construct: Machining features.*

ISO 13584-26, *Industrial automation systems and integration — Parts library — Part 26: Logical resource: Information supplier identification.*

ISO 13584-42, *Industrial automation systems and integration — Parts library — Part 42: Description methodology: Methodology for structuring part families.*

IEC/ISO Directives, Part 2, *Rules for the structure and drafting of International Standards*, Fourth edition, 2001.

3 Terms, definitions and abbreviations

3.1 Terms defined in ISO 10303-1

For the purpose of this part of ISO 10303, the following terms defined in ISO 10303-1 apply.

- abstract test suite (ATS);
- application;
- application activity model (AAM);
- application context;
- application interpreted model (AIM);
- application object;
- application protocol (AP);
- application reference model (ARM);
- computer aided design (CAD);
- computer aided manufacture (CAM);
- conformance class;
- conformance requirement;
- data;
- data exchange;
- generic resource;
- information;
- integrated generic resource;
- integrated resource;
- interpretation;
- model;
- PICS proforma;
- product;

ITC STANDARD PREVIEW

(standards.iteh.ai)

ISO 10303-240:2005

<https://standards.iteh.ai/catalog/standards/sist/b75bcaca-50c8-4991-946f-9c1ad4565b4b/iso-10303-240-2005>