



SLOVENSKI STANDARD
kSIST FprEN 12164:2015

01-december-2015

Baker in bakrove zlitine - Palice za obdelavo z odrezovanjem na avtomatih

Copper and copper alloys - Rod for free machining purposes

Kupfer und Kupferlegierungen - Stangen für die spanende Bearbeitung

Ta slovenski standard je istoveten z: FprEN 12164

ICS:

77.150.30 Bakreni izdelki Copper products

kSIST FprEN 12164:2015 **en,fr,de**

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

FINAL DRAFT
FprEN 12164

October 2015

ICS 77.150.30

Will supersede EN 12164:2011

English Version

Copper and copper alloys - Rod for free machining purposes

Kupfer und Kupferlegierungen - Stangen für die spanende Bearbeitung

This draft European Standard is submitted to CEN members for unique acceptance procedure. It has been drawn up by the Technical Committee CEN/TC 133.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword.....	4
Introduction	5
1 Scope	6
2 Normative references	6
3 Terms and definitions	6
4 Designations.....	7
4.1 Material.....	7
4.1.1 General.....	7
4.1.2 Symbol.....	7
4.1.3 Number	7
4.2 Material condition	7
4.3 Product.....	7
5 Ordering information	9
6 Requirements	10
6.1 Composition	10
6.2 Mechanical properties.....	10
6.3 Resistance to dezincification	11
6.4 Residual stress level.....	11
6.5 Dimensions and tolerances	11
6.5.1 Diameter or width across-flats.....	11
6.5.2 Shape tolerances	11
6.5.3 Straightness.....	11
6.5.4 Length.....	11
6.5.5 Corner radii.....	12
6.5.6 Twist of polygonal rod.....	12
6.5.7 Shaped ends	12
6.6 Surface quality.....	14
7 Sampling.....	14
7.1 General.....	14
7.2 Analysis.....	14
7.3 Mechanical tests	14
7.4 Dezincification resistance and stress corrosion resistance tests.....	14
8 Test methods	15
8.1 Analysis.....	15
8.2 Tensile test	15
8.2.1 General.....	15
8.2.2 Location of test pieces	15
8.2.3 Shape and size of test pieces	15
8.2.4 Procedure for testing.....	15
8.2.5 Determination of results	15
8.3 Hardness test.....	16
8.4 Dezincification resistance test	16

8.5	Stress corrosion resistance test	16
8.6	Determination of the electrical conductivity.....	16
8.7	Retests	16
8.7.1	Analysis, tensile test, hardness test and dezincification resistance test, determination of the electrical conductivity	16
8.7.2	Stress corrosion resistance test	17
8.8	Rounding of results.....	17
9	Declaration of conformity and inspection documentation	17
9.1	Declaration of conformity.....	17
9.2	Inspection documentation	17
10	Marking, packaging, labelling	17
	Bibliography	36

Figures

Figure 1	— Measurement of twist of polygonal rod	12
Figure 2	— Shaped ends of rod, Types	13

Tables

Table 1	— Indicative shaped ends dimensions.....	13
Table 2	— Composition of low alloyed copper alloys	18
Table 3	— Composition of copper-nickel-zinc alloys.....	19
Table 4	— Composition of copper-tin alloys	19
Table 5	— Composition of copper-zinc alloys.....	20
Table 6	— Composition of copper-zinc-lead alloys	21
Table 7	— Composition of complex copper-zinc alloys.....	23
Table 8	— Mechanical properties of rod of low alloyed copper alloys.....	24
Table 9	— Mechanical properties of rod of copper-nickel-zinc alloys	25
Table 10	— Mechanical properties of rod of copper-tin alloys.....	26
Table 11	— Mechanical properties of rod of copper-zinc alloys	27
Table 12	— Mechanical properties of rod of copper-zinc-lead alloys	29
Table 13	— Mechanical properties of rod of complex copper-zinc alloys	31
Table 14	— Tolerances on diameter of round rod (including deviation from circular form)	33
Table 15	— Tolerances on width across-flats of regular polygonal rod	33
Table 16	— Tolerances on straightness of rod.....	34
Table 17	— Tolerances on length of nominal length rod	34
Table 18	— Corner radii for square, hexagonal and octagonal rod.....	34
Table 19	— Maximum twist of square, hexagonal and octagonal rod	35
Table 20	— Sampling rate.....	35

FprEN 12164:2015 (E)**European foreword**

This document (FprEN 12164:2015) has been prepared by Technical Committee CEN/TC 133 “Copper and copper alloys”, the secretariat of which is held by DIN.

This document is currently submitted to the Unique Acceptance Procedure.

This document will supersede EN 12164:2011.

Within its programme of work, Technical Committee CEN/TC 133 requested CEN/TC 133/WG 4 “Extruded and drawn products, forgings and scrap” to revise the following standard:

— EN 12164:2011, *Copper and copper alloys — Rod for free machining purposes.*

This document is one of a series of European Standards for the copper and copper alloy products rod, wire, profile and forgings. Other products are specified as follows:

- EN 12163, *Copper and copper alloys — Rod for general purposes;*
- EN 12165, *Copper and copper alloys — Wrought and unwrought forging stock;*
- EN 12166, *Copper and copper alloys — Wire for general purposes;*
- EN 12167, *Copper and copper alloys — Profiles and bars for general purposes;*
- EN 12168, *Copper and copper alloys — Hollow rod for free machining purposes;*
- EN 13601, *Copper and copper alloys — Copper rod, bar and wire for general electrical purposes;*
- EN 13602, *Copper and copper alloys — Drawn, round copper wire for the manufacture of electrical conductors;*
- EN 13605, *Copper and copper alloys — Copper profiles and profiled wire for electrical purposes.*

In comparison with EN 12164:2011, the following significant technical changes were made:

- a) addition of four new materials: CuZn37Pb1 (CW605N), CuZn35Pb1,5AlAs (CW625N), CuZn33Pb1,5AlAs (CW626N) and CuZn33Pb1AlSiAs (CW725R) due to the market requirements on restriction of lead and modification of the chemical composition for CuZn39Pb1 (CW611N);
- b) introduction of an optional procedure how to refer to restrictions to the chemical composition imposed by the 4 MS Common Composition List for materials used for products accepted for contact with drinking water;
- c) requirements and test methods for resistance of dezincification modified;
- d) provisions for surface quality added;
- e) mechanical properties for CuZn21Si3P (CW724R) modified.

Introduction

The European Committee for Standardization (CEN) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning the alloy CuZn21Si3P (CW724R) and CuZn33Pb1AlSiAs (CW725R) given in 6.1.

CEN takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has ensured the CEN that he is willing to negotiate licenses either free of charge or under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with CEN.

— For CuZn21Si3P (CW724R) information may be obtained from:

Wieland-Werke AG
Graf Arco Straße 36
D-89079 Ulm
GERMANY

— For CuZn33Pb1AlSiAs (CW725R) information may be obtained from:

Diehl Metall Messing
Heinrich-Diehl-Straße 9
D-90552 Röthenbach/Pegnitz
GERMANY

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. CEN shall not be held responsible for identifying any or all such patent rights.

CEN and CENELEC maintain online lists of patents relevant to their standards. Users are encouraged to consult the lists for the most up to date information concerning patents (<ftp://ftp.cencenelec.eu/EN/IPR/Patents/IPRdeclaration.pdf>).

Due to developing legislation, the composition of a material may be restricted to the composition specified in this European Standard with respect to individual uses (e.g. for the use in contact with drinking water in some Member States of the European Union). These individual restrictions are not part of this European Standard. Nevertheless, for materials for which traditional and major uses are affected, these restrictions are indicated. The absence of an indication, however, does not imply that the material can be used in any application without any legal restriction.

FprEN 12164:2015 (E)**1 Scope**

This European Standard specifies the composition, property requirements and dimensional tolerances for copper alloy rod, in the shape of circles, squares, hexagons or octagons, finally produced by drawing or extruding, especially intended for free machining purposes.

The sampling procedures and the methods of test for verification of conformity to the requirements of this European Standard are also specified.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1173, *Copper and copper alloys — Material condition designation*

EN 1412, *Copper and copper alloys — European numbering system*

EN 1655, *Copper and copper alloys — Declarations of conformity*

EN 10204, *Metallic products — Types of inspection documents*

EN 14977, *Copper and copper alloys — Detection of tensile stress — 5 % ammonia test*

EN ISO 6506-1, *Metallic materials — Brinell hardness test — Part 1: Test method (ISO 6506-1)*

EN ISO 6509-1, *Corrosion of metals and alloys — Determination of dezincification resistance of copper alloys with zinc — Part 1: Test method (ISO 6509-1)*

EN ISO 6892-1, *Metallic materials — Tensile testing — Part 1: Method of test at room temperature (ISO 6892-1)*

ISO 1190-1, *Copper and copper alloys — Code of designation — Part 1: Designation of materials*

ISO 6957, *Copper alloys — Ammonia test for stress corrosion resistance*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1**rod**

straight product of uniform cross-section along its whole length

[SOURCE: FprEN 12163:2015, 3.1]

3.2**deviation from circular form**

difference between the maximum and the minimum diameters measured at any one cross-section of a round product

[SOURCE: FprEN 12163:2015, 3.2]