



SLOVENSKI STANDARD
SIST EN 12165:2016

01-oktober-2016

Nadomešča:
SIST EN 12165:2011

Baker in bakrove zlitine - Palice (lite in izstiskane) za izkovke

Copper and copper alloys - Wrought and unwrought forging stock

Kupfer und Kupferlegierungen - Vormaterial für Schmiedestücke

Cuivre et alliages de cuivre - Barres corroyées et brutes pour matriçage
iTeh STANDARD PREVIEW
(standards.iteh.ai)

Ta slovenski standard je istoveten z: ~~SIST EN 12165:2011~~ EN 12165:2016

<https://standards.iteh.ai/catalog/standards/sist/7d5ce755-61d3-4c39-abec-124129b649be/sist-en-12165-2016>

ICS:

77.150.30 Bakreni izdelki Copper products

SIST EN 12165:2016 **en,fr,de**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 12165:2016](#)

<https://standards.iteh.ai/catalog/standards/sist/7d5ce755-61d3-4c39-abec-124129b649be/sist-en-12165-2016>

EUROPEAN STANDARD

EN 12165

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2016

ICS 77.150.30

Supersedes EN 12165:2011

English Version

Copper and copper alloys - Wrought and unwrought forging stock

Cuivre et alliages de cuivre - Barres corroyées et brutes
pour matriçage

Kupfer und Kupferlegierungen - Vormaterial für
Schmiedestücke

This European Standard was approved by CEN on 9 April 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

<https://standards.iteh.ai/catalog/standards/sist/7d5ce755-61d3-4c39-abec-124129b649be/sist-en-12165-2016>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword.....	4
Introduction	6
1 Scope.....	7
2 Normative references.....	7
3 Terms and definitions	7
4 Designations.....	8
4.1 Material.....	8
4.1.1 General.....	8
4.1.2 Symbol.....	8
4.1.3 Number	8
4.2 Material condition	8
4.3 Product.....	8
5 Ordering information	10
6 Requirements.....	12
6.1 Composition	12
6.2 Mechanical properties.....	12
6.3 Resistance to dezincification	12
6.4 Dimensions and tolerances	13
6.4.1 Diameter.....	13
6.4.2 Deviation from circular form.....	13
6.4.3 Length.....	13
6.4.4 Straightness.....	13
6.5 Surface quality.....	13
7 Sampling.....	13
7.1 General.....	13
7.2 Analysis.....	13
7.3 Hardness and dezincification resistance tests	14
8 Test methods	14
8.1 Analysis.....	14
8.2 Hardness test.....	14
8.2.1 General.....	14
8.2.2 Preparation of samples.....	14
8.2.3 Procedure for testing.....	14
8.3 Dezincification resistance test	14
8.4 Retests for analysis, hardness and dezincification resistance	14
8.5 Rounding of results	15
9 Declaration of conformity and inspection documentation.....	15
9.1 Declaration of conformity	15
9.2 Inspection documentation.....	15
10 Marking, packaging, labelling.....	15
Bibliography.....	30

Tables

Table 1 — Composition of copper	16
Table 2 — Composition of low alloyed copper alloys	17
Table 3 — Composition of copper-aluminium alloys	18
Table 4 — Composition of copper-nickel alloys	19
Table 5 — Composition of copper-nickel-zinc alloys	19
Table 6 — Composition of copper-zinc alloys	20
Table 7 — Composition of copper-zinc-lead alloys	21
Table 8 — Composition of complex copper-zinc alloys	23
Table 9 — Mechanical properties of round forging stock of copper	25
Table 10 — Mechanical properties of round forging stock of low alloyed copper alloys	25
Table 11 — Mechanical properties of round forging stock of copper-aluminium alloys	26
Table 12 — Mechanical properties of round forging stock of copper-nickel alloys	26
Table 13 — Mechanical properties of round forging stock of copper-nickel-zinc alloys	26
Table 14 — Mechanical properties of round forging stock of copper-zinc alloys	27
Table 15 — Mechanical properties of round forging stock of copper-zinc-lead alloys	27
Table 16 — Mechanical properties of round forging stock of complex copper-zinc alloys	28
Table 17 — Tolerances on diameter of round forging stock	29
Table 18 — Tolerances on straightness of round forging stock	29
Table 19 — Sampling rate	29

EN 12165:2016 (E)

European foreword

This document (EN 12165:2016) has been prepared by Technical Committee CEN/TC 133 “Copper and copper alloys”, the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2017, and conflicting national standards shall be withdrawn at the latest by January 2017.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12165:2011.

Within its programme of work, Technical Committee CEN/TC 133 requested CEN/TC 133/WG 4 “Extruded and drawn products, forgings and scrap” to revise the following standard:

- EN 12165:2011, *Copper and copper alloys — Wrought and unwrought forging stock.*

This document is one of a series of European Standards for the copper and copper alloy products rod, wire, profile and forgings. Other products are specified as follows:

- EN 12163, *Copper and copper alloys — Rod for general purposes;*
- EN 12164, *Copper and copper alloys — Rod for free machining purposes;*
- EN 12166, *Copper and copper alloys — Wire for general purposes;*
- EN 12167, *Copper and copper alloys — Profiles and bars for general purposes;*
- EN 12168, *Copper and copper alloys — Hollow rod for free machining purposes;*
- EN 12420, *Copper and copper alloys — Forgings;*
- EN 13601, *Copper and copper alloys — Copper rod, bar and wire for general electrical purposes;*
- EN 13602, *Copper and copper alloys — Drawn round copper wire for the manufacture of electrical conductors;*
- EN 13605, *Copper and copper alloys — Copper profiles and profiled wires for electrical purposes.*

In comparison with EN 12165:2011, the following significant technical changes were made:

- a) addition of three new materials: CuZn35Pb1,5AlAs (CW625N), CuZn33Pb1,5AlAs (CW626N) and CuZn33Pb1AlSiAs (CW725R) due to the market requirements on restriction of lead and modification of the chemical composition for CuZn39Pb1 (CW611N);
- b) introduction of an optional procedure how to refer to restrictions to the chemical composition imposed by the 4 MS Common Composition List for materials used for products accepted for contact with drinking water;
- c) requirements and test methods for resistance of dezincification modified;

- d) provisions for surface quality added;
- e) mechanical properties for CuZn21Si3P (CW724R) modified.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[SIST EN 12165:2016](https://standards.iteh.ai/catalog/standards/sist/7d5ce755-61d3-4c39-abec-124129b649be/sist-en-12165-2016)

<https://standards.iteh.ai/catalog/standards/sist/7d5ce755-61d3-4c39-abec-124129b649be/sist-en-12165-2016>

Introduction

The European Committee for Standardization (CEN) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning the alloy CuZn21Si3P (CW724R) and CuZn33Pb1AlSiAs (CW725R) given in 6.1.

CEN takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has ensured the CEN that he is willing to negotiate licenses either free of charge or under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with CEN.

— For CuZn21Si3P (CW724R) information may be obtained from:

Wieland-Werke AG
Graf Arco Straße 36
D-89079 Ulm
GERMANY

— For CuZn33Pb1AlSiAs (CW725R) information may be obtained from:

Diehl Metall Messing
Heinrich-Diehl-Straße 9
D-90552 Röthenbach/Pegnitz
GERMANY

ITEH STANDARD PREVIEW
(standards.iteh.ai)

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. CEN shall not be held responsible for identifying any or all such patent rights.

<https://standards.iteh.ai/catalog/standards/sist/7d5ce755-61d3-4c39-abec-124129b649bc/sist-en-12165-2016>

CEN and CENELEC maintain online lists of patents relevant to their standards. Users are encouraged to consult the lists for the most up to date information concerning patents (<ftp://ftp.cencenelec.eu/EN/IPR/Patents/IPRdeclaration.pdf>).

Due to developing legislation, the composition of a material may be restricted to the composition specified in this European Standard with respect to individual uses (e.g. for the use in contact with drinking water in some Member States of the European Union). These individual restrictions are not part of this European Standard. Nevertheless, for materials for which traditional and major uses are affected, these restrictions are indicated. The absence of an indication, however, does not imply that the material can be used in any application without any legal restriction.

1 Scope

This European Standard specifies the composition, property requirements and dimensional tolerances for forging stock of copper and copper alloys.

The sampling procedures and the methods of test for verification of conformity to the requirements of this European Standard are also specified.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1173, *Copper and copper alloys - Material condition designation*

EN 1412, *Copper and copper alloys - European numbering system*

EN 1655, *Copper and copper alloys - Declarations of conformity*

EN 1976, *Copper and copper alloys - Cast unwrought copper products*

EN 10204, *Metallic products - Types of inspection documents*

EN ISO 6506-1, *Metallic materials - Brinell hardness test - Part 1: Test method (ISO 6506-1)*

EN ISO 6509-1, *Corrosion of metals and alloys — Determination of dezincification resistance of brass (ISO 6509-1)*

ISO 1190-1, *Copper and copper alloys — Code of designation — Part 1: Designation of materials*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

forging

three-dimensional shaped product produced by a plastic forming process such as hammering or pressing between open or closed dies, including hammering between flat surfaces, normally when hot

Note 1 to entry Forging processes include, drop forging, hot stamping and hot pressing.

3.2

forging stock

extruded, rolled or drawn product such as rod, hollow rod, bar or profile or cast product, intended for the production of forgings

3.3

deviation from circular form

difference between the maximum and the minimum diameters measured at any one cross-section of a round product

[SOURCE: EN 12163:2016, 3.2]

EN 12165:2016 (E)**4 Designations****4.1 Material****4.1.1 General**

The material is designated either by symbol or by number (see Tables 1 to 8).

4.1.2 Symbol

The material symbol designation is based on the designation system given in ISO 1190-1.

NOTE Although material symbol designations used in this standard might be the same as those in other standards using the designation system given in ISO 1190-1, the detailed composition requirements are not necessarily the same.

4.1.3 Number

The material number designation is in accordance with the system given in EN 1412.

4.2 Material condition

For the purposes of this standard, the following designations, which are in accordance with the system given in EN 1173, apply for the material condition:

M material condition for the product as manufactured without specified mechanical properties;

H... material condition designated by the minimum value of hardness requirement for the product with mandatory hardness requirements.

Material condition is designated by only one of the above designations.

4.3 Product

The product designation provides a standardized pattern of designation from which a rapid and unequivocal description of a product can be conveyed in communication. It provides mutual comprehension at the international level with regard to products which meet the requirements of the relevant European Standard.

The product designation is no substitute for the full content of the standard.


The product designation for products to this standard shall consist of:

- denomination (Forging stock);
- number of this European Standard (EN 12165);
- material designation, either symbol or number (see Tables 1 to 8);
- DW for compliance in the chemical composition according to the 4 MS Common Composition List. This information is mandatory in the case in which the product is used for drinking water applications according to the 4 MS Common Composition List and not to be given in other cases;
- material condition designation (see Tables 9 to 16);
- cross-sectional shape (the following designations shall be used as appropriate: RND for round, SQR for square, HEX for hexagonal, OCT for octagonal, RCT for rectangular (bar), PFL for profile);

- for rod with round or regular polygonal cross-section, hollow rod or bar, the nominal cross-sectional dimension(s) (diameter, width across-flats, external dimension × internal dimension, width × thickness, as appropriate);
- for profiles, the number of the profile, or a fully dimensioned and toleranced drawing;
- for round rod, the tolerance class (see Table 17).

The derivation of a product designation is shown in the following examples.

EXAMPLE 1 Forging stock conforming to this standard, in material designated either CuZn40Pb2 or CW617N, for standard applications, in material condition H080, round, nominal diameter 15 mm, tolerance class A, will be designated as follows:




EXAMPLE 2 Forging stock conforming to this standard, in material designated either CuZn40Pb2 or CW617N, for drinking water applications according to the 4 MS Common Composition List, in material condition H080, round, nominal diameter 15 mm, tolerance class A, will be designated as follows:

EN 12165:2016 (E)

Forging stock — EN 12165 — CuZn40Pb2 — DW — H080 — RND15A

or

Forging stock — EN 12165 — CW617N — DW — H080 — RND15A



5 Ordering information

In order to facilitate the enquiry, order and confirmation of order procedures between the purchaser and the supplier, the purchaser shall state on his enquiry and order the following information:

- a) mass of product required;
- b) denomination (Forging stock);
- c) number of this European Standard (EN 12165);
- d) material designation (see Tables 1 to 8);
- e) material condition designation (see 4.2 and Tables 9 to 16), if it is other than M;
- f) DW for compliance in the chemical composition according to the 4 MS Common Composition List. This information is mandatory in the case in which the product is used for drinking water applications according to the 4 MS Common Composition List and not to be given in other cases;
- g) cross-sectional shape;
- h) size required:
 - 1) for round rod, diameter and whether class A or class B tolerance is required, unless the tolerance class shall be left to the discretion of the supplier (see Table 17);
 - 2) for rod with regular polygonal cross-section or hollow rod or bar, nominal dimension(s) and tolerance(s) required unless they shall be left to the discretion of the supplier;
 - 3) for profiles, a fully dimensioned and toleranced drawing;
- i) the length of product required, if not left to the discretion of the supplier;

It is recommended that the product designation, as described in 4.3, is used for items b) to i).

In addition, the purchaser shall also state on the enquiry and order any the following, if required:

- j) whether special surface quality is required (see 6.5);