

## **SLOVENSKI STANDARD kSIST FprEN 12167:2015**

01-december-2015

#### Baker in bakrove zlitine - Profili in palice za splošno uporabo

Copper and copper alloys - Profiles and bars for general purposes

Kupfer und Kupferlegierungen - Profile und Rechteckstangen zur allgemeinen Verwendung

Ta slovenski standard je istoveten z: FprEN 12167

ICS:

77.150.30 Bakreni izdelki Copper products

kSIST FprEN 12167:2015 en,fr,de

**kSIST FprEN 12167:2015** 

### EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

# FINAL DRAFT FprEN 12167

October 2015

ICS 77.150.30

Will supersede EN 12167:2011

**English Version** 

## Copper and copper alloys - Profiles and bars for general purposes

Kupfer und Kupferlegierungen - Profile und Rechteckstangen zur allgemeinen Verwendung

This draft European Standard is submitted to CEN members for unique acceptance procedure. It has been drawn up by the Technical Committee CEN/TC 133.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

**Warning**: This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

#### FprEN 12167:2015 (E)

Contents		Page	
Euroj	pean foreword	5	
Intro	duction	6	
	Scope		
1	•		
2	Normative references	7	
3	Terms and definitions	7	
4	Designations	8	
4.1	Material	8	
4.1.1	General		
4.1.2	Symbol		
4.1.3	Number		
4.2	Material condition		
4.3	Product		
5	Ordering information	10	
6	Requirements	12	
6.1	Composition		
6.2	Mechanical properties		
6.2.1	Profiles		
6.2.2	Bar		
6.3	Resistance to dezincification		
6.4	Residual stress level		
6.5	Dimensions and tolerances		
6.5.1	Cross-sectional dimensions		
6.5.2 6.5.3	LengthFlatness		
6.5.4	Straightness		
6.5.5	Twist		
6.5.6	Corner radii of bar		
6.6	Surface quality		
	1 7		
7	Sampling		
7.1 7.2	General		
7.2 7.3	AnalysisTensile and hardness tests		
7.3 7.4	Dezincification resistance and stress corrosion resistance tests	_	
8 8.1	Test methodsAnalysis		
8.2	Tensile test		
8.2.1	General		
8.2.2	Location of test pieces		
8.2.3	Shape and size of test pieces		
8.2.4	Procedure for testing		
8.2.5	Expression of results		
8.3	Hardness test		

8.4 8.5	Dezincification resistance testStress corrosion resistance test	
8.6	Retests	
8.6.1	Analysis, tensile, hardness and dezincification resistance tests	
8.6.2	Stress corrosion resistance test	
8.7	Rounding of results	
9	Declaration of conformity and inspection documentation	
9.1 9.2	Declaration of conformityInspection documentation	
10	Marking, packaging, labelling	
Biblio	ography	
Table	s	
Table	1 — Composition of low alloyed copper alloys	20
Table	2 — Composition of copper-aluminium alloys	21
Table	3 — Composition of copper-nickel-zinc alloys	22
Table	4 — Composition of copper-tin alloys	22
Table	5 — Composition of copper-zinc alloys	23
Table	6 — Composition of copper-zinc-lead alloys	24
Table	7 — Composition of complex copper-zinc alloys	26
Table	8 — Mechanical properties of low alloyed copper alloys	27
Table	9 — Mechanical properties of copper-aluminium alloysalloys	30
Table	10 — Mechanical properties of copper-nickel-zinc alloys	31
Table	11 — Mechanical properties of copper-tin alloys	33
Table	12 — Mechanical properties of copper-zinc alloys	34
Table	13 — Mechanical properties of copper-zinc-lead alloys	36
Table	14 — Mechanical properties of complex copper-zinc alloys	38
Table	15 — Tolerances on width (b) and height of a leg (h) for profiles with L-, T- and U-	
	cross-sections	41
Table	16 — Tolerances on thickness for profiles with L-, T- and U-cross-sections	42
Table	17 — Tolerances on width and thickness of bar	43
Table	18 — Tolerances on length of bar	43
Table	19- Tolerances on straightness of bar, for widths $10~$ mm and over	44
Table	20 — Maximum twist of bar	44
Table	21 — Corner radii of bar	44
Table	22 — Sampling rate	45

#### **kSIST FprEN 12167:2015**

#### FprEN 12167:2015 (E)

Fi	gu	res	

Figure 1 — Measurement of flatness of bar	14
Figure 2 — Measurement of twist of bar	15

#### **European foreword**

This document (FprEN 12167:2015) has been prepared by Technical Committee CEN/TC 133 "Copper and copper alloys", the secretariat of which is held by DIN.

This document is currently submitted to the Unique Acceptance Procedure.

This document will supersede EN 12167:2011.

Within its programme of work, Technical Committee CEN/TC 133 requested CEN/TC 133/WG 4 "Extruded and drawn products, forgings and scrap" to revise the following standard:

— EN 12167:2011, Copper and copper alloys — Profiles and bars for general purposes.

This document is one of a series of European Standards for the copper and copper alloy products rod, wire, profile and forgings. Other products are specified as follows:

- EN 12163, Copper and copper alloys Rod for general purposes;
- EN 12164, Copper and copper alloys Rod for free machining purposes;
- EN 12165, Copper and copper alloys Wrought and unwrought forging stock;
- EN 12166, Copper and copper alloys Wire for general purposes;
- EN 12168, Copper and copper alloys Hollow rod for free machining purposes;
- EN 13601, Copper and copper alloys Copper rod, bar and wire for general electrical purposes;
- EN 13602, Copper and copper alloys Drawn, round copper wire for the manufacture of electrical conductors;
- EN 13605, Copper and copper alloys Copper profiles and profiled wire for electrical purposes.

In comparison with EN 12167:2011, the following significant technical changes were made:

- a) addition of four new materials: CuZn37Pb1 (CW605N), CuZn35Pb1,5AlAs (CW625N), CuZn33Pb1,5AlAs (CW626N) and CuZn33Pb1AlSiAs (CW725R) due to the market requirements on restriction of lead and modification of the chemical composition for CuZn39Pb1 (CW611N);
- b) introduction of an optional procedure how to refer to restrictions to the chemical composition imposed by the 4 MS Common Composition List for materials used for products accepted for contact with drinking water;
- c) requirements and test methods for resistance of dezincification modified;
- d) provisions for surface quality added;
- e) mechanical properties for CuZn21Si3P (CW724R) modified.

FprEN 12167:2015 (E)

#### Introduction

The European Committee for Standardization (CEN) draws attention to the fact that it is claimed that compliance with this document may involve the use of a patent concerning the alloy CuZn21Si3P (CW724R) and CuZn33Pb1AlSiAs (CW725R) given in 6.1.

CEN takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has ensured the CEN that he is willing to negotiate licenses either free of charge or under reasonable and non-discriminatory terms and conditions with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with CEN.

— For CuZn21Si3P (CW724R) information may be obtained from:

Wieland-Werke AG Graf Arco Straße 36 D-89079 Ulm GERMANY

— For CuZn33Pb1AlSiAs (CW725R) information may be obtained from:

Diehl Metall Messing Heinrich-Diehl-Straße 9 D-90552 Röthenbach/Pegnitz GERMANY

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights other than those identified above. CEN shall not be held responsible for identifying any or all such patent rights.

CEN and CENELEC maintain online lists of patents relevant to their standards. Users are encouraged to consult the lists for the most up to date information concerning patents (<a href="ftp://ftp.cencenelec.eu/EN/IPR/Patents/IPRdeclaration.pdf">ftp://ftp.cencenelec.eu/EN/IPR/Patents/IPRdeclaration.pdf</a>).

Due to developing legislation, the composition of a material may be restricted to the composition specified in this European Standard with respect to individual uses (e.g. for the use in contact with drinking water in some Member States of the European Union). These individual restrictions are not part of this European Standard. Nevertheless, for materials for which traditional and major uses are affected, these restrictions are indicated. The absence of an indication, however, does not imply that the material can be used in any application without any legal restriction.