



# SLOVENSKI STANDARD SIST EN ISO 5356-1:2015

01-junij-2015

Nadomešča:

SIST EN ISO 5356-1:2004

---

**Anestezijska in dihalna oprema - Konični priključki - 1. del: Vtiči in vtičnice (ISO 5356-1:2015)**

Anaesthetic and respiratory equipment - Conical connectors - Part 1: Cones and sockets (ISO 5356-1:2015)

Anästhesie- und Beatmungsgeräte - Konische Konnektoren - Teil 1: Männliche und weibliche Konen (ISO 5356-1:2015)

Matériel d'anesthésie et de réanimation respiratoire - Raccords coniques - Partie 1: Raccords mâles et femelles (ISO 5356-1:2015)

**Ta slovenski standard je istoveten z: EN ISO 5356-1:2015**

---

**ICS:**

11.040.10	Anestezijska, respiratorna in reanimacijska oprema	Anaesthetic, respiratory and reanimation equipment
-----------	--	--

**SIST EN ISO 5356-1:2015**

**en**

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN ISO 5356-1:2015](#)

<https://standards.iteh.ai/catalog/standards/sist/48c926a3-7fed-4657-820f-8879dda722ce/sist-en-iso-5356-1-2015>

EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**EN ISO 5356-1**

March 2015

ICS 11.040.10

Supersedes EN ISO 5356-1:2004

English Version

**Anaesthetic and respiratory equipment - Conical connectors -  
Part 1: Cones and sockets (ISO 5356-1:2015)**

Matériel d'anesthésie et de réanimation respiratoire -  
Raccords coniques - Partie 1: Raccords mâles et femelles  
(ISO 5356-1:2015)

Anästhesie- und Beatmungsgeräte - Konische Konnektoren  
- Teil 1: Männliche und weibliche Konen (ISO 5356-1:2015)

This European Standard was approved by CEN on 10 January 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

[SIST EN ISO 5356-1:2015](https://standards.iteh.ai/catalog/standards/sist/48c926a3-7fed-4657-820f-8879dda722ce/sist-en-iso-5356-1-2015)

<https://standards.iteh.ai/catalog/standards/sist/48c926a3-7fed-4657-820f-8879dda722ce/sist-en-iso-5356-1-2015>



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

**Contents**

Page

Foreword.....3

**iTeh STANDARD PREVIEW  
(standards.iteh.ai)**

[SIST EN ISO 5356-1:2015](https://standards.iteh.ai/catalog/standards/sist/48c926a3-7fed-4657-820f-8879dda722ce/sist-en-iso-5356-1-2015)

<https://standards.iteh.ai/catalog/standards/sist/48c926a3-7fed-4657-820f-8879dda722ce/sist-en-iso-5356-1-2015>

## Foreword

This document (EN ISO 5356-1:2015) has been prepared by Technical Committee ISO/TC 121 "Anaesthetic and respiratory equipment" in collaboration with Technical Committee CEN/TC 215 "Respiratory and anaesthetic equipment" the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2015, and conflicting national standards shall be withdrawn at the latest by September 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN ISO 5356-1:2004.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

**Endorsement notice**

The text of ISO 5356-1:2015 has been approved by CEN as EN ISO 5356-1:2015 without any modification.

[SIST EN ISO 5356-1:2015](https://standards.iteh.ai/catalog/standards/sist/48c926a3-7fed-4657-820f-8879dda722ce/sist-en-iso-5356-1-2015)

<https://standards.iteh.ai/catalog/standards/sist/48c926a3-7fed-4657-820f-8879dda722ce/sist-en-iso-5356-1-2015>

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN ISO 5356-1:2015](#)

<https://standards.iteh.ai/catalog/standards/sist/48c926a3-7fed-4657-820f-8879dda722ce/sist-en-iso-5356-1-2015>

INTERNATIONAL  
STANDARD

ISO  
5356-1

Fourth edition  
2015-03-15

---

---

**Anaesthetic and respiratory  
equipment — Conical connectors —  
Part 1:  
Cones and sockets**

*Matériel d'anesthésie et de réanimation respiratoire — Raccords  
coniques —*

**iTeh STANDARD PREVIEW**  
*Partie 1: Raccords mâles et femelles*  
**(standards.iteh.ai)**

[SIST EN ISO 5356-1:2015](https://standards.iteh.ai/catalog/standards/sist/48c926a3-7fed-4657-820f-8879dda722ce/sist-en-iso-5356-1-2015)

<https://standards.iteh.ai/catalog/standards/sist/48c926a3-7fed-4657-820f-8879dda722ce/sist-en-iso-5356-1-2015>



Reference number  
ISO 5356-1:2015(E)

© ISO 2015

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN ISO 5356-1:2015

<https://standards.iteh.ai/catalog/standards/sist/48c926a3-7fed-4657-820f-8879dda722ce/sist-en-iso-5356-1-2015>



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2015

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland



# Contents

	Page
Foreword.....	iv
Introduction.....	v
<b>1 Scope.....</b>	<b>1</b>
<b>2 Normative references.....</b>	<b>1</b>
<b>3 Dimensional requirements.....</b>	<b>1</b>
3.1 General requirements.....	1
3.2 Additional requirements.....	3
<b>4 22 mm latching sockets.....</b>	<b>4</b>
<b>Annex A (normative) Plug and ring test gauges for cones and sockets made of materials other than metal.....</b>	<b>5</b>
<b>Annex B (normative) Test for security of engagement of 22 mm latching sockets to cones.....</b>	<b>7</b>
<b>Annex C (normative) Test for leakage from 22 mm latching sockets.....</b>	<b>8</b>
<b>Annex D (normative) Drop procedure for 22 mm latching sockets.....</b>	<b>9</b>
<b>Annex E (informative) Plug and ring test gauges for cones and sockets made of metal.....</b>	<b>10</b>
<b>Annex F (informative) Suggested apparatus and methods for testing the security of engagement of 22 mm latching sockets.....</b>	<b>12</b>
<b>Bibliography.....</b>	<b>17</b>

**iTeh STANDARD PREVIEW**

**(standards.iteh.ai)**

[SIST EN ISO 5356-1:2015](https://standards.iteh.ai/catalog/standards/sist/48c926a3-7fed-4657-820f-8879dda722ce/sist-en-iso-5356-1-2015)

<https://standards.iteh.ai/catalog/standards/sist/48c926a3-7fed-4657-820f-8879dda722ce/sist-en-iso-5356-1-2015>

## ISO 5356-1:2015(E)

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information \(standards.iteh.ai\)](http://Foreword - Supplementary information (standards.iteh.ai))

The committee responsible for this document is ISO/TC 121, *Anaesthetic and respiratory equipment*, Subcommittee SC 1, *Breathing attachments and anaesthetic machines*.

This fourth edition cancels and replaces the third edition (ISO 5356-1:2004), which has been technically revised with the following changes:

- harmonizing the terminology used in the text with the title of this part of ISO 5356;
- deleting the definition of 22 mm latching connector because the content is covered by the text of this part of ISO 5356;
- including 11,5 mm cones and sockets;
- adding the minimum internal diameter for the 30 mm cone and changing the minimum internal diameter of the 8,5 mm cone from 6,0 mm to 6,25 mm;
- deleting the requirements on reuse of 22 mm latching sockets and cones because this is covered by the standards for the specific medical devices and accessories;
- making the recess and the shoulder for the 22 mm cone conditional;
- correcting the dimension  $D$  for the plug and ring test gauges for 8,5 mm cones and sockets made of materials other than metal in [Annex A](#) of this part of ISO 5356;
- restructuring the document for clarity.

ISO 5356 consists of the following parts, under the general title *Anaesthetic and respiratory equipment — Conical connectors*:

- *Part 1: Cones and sockets*
- *Part 2: Screw-threaded weight-bearing connectors*

## Introduction

In clinical practice, several breathing attachments used in anaesthetic and respiratory equipment may have to be joined together to provide a suitable breathing system. Items of medical equipment, such as a humidifier or a spirometer, are often incorporated into the breathing system which might also be connected to an anaesthetic gas scavenging system. Connections for these purposes are usually cone and socket joints, and a lack of standardization of these connections has given rise to problems of interchangeability when connecting equipment made by different manufacturers. This part of ISO 5356 specifies the requirements and dimensions for cones and sockets used in anaesthetic and respiratory equipment.

An important consideration is that conical connections need to be secure but nevertheless disconnectable by the operator. The use of cones and sockets meeting the requirements of this part of ISO 5356 will not necessarily prevent them being disconnected accidentally. To minimize the risk of 22 mm connectors being accidentally disconnected, latching sockets can be used.

[Annex A](#) includes a figure and a table detailing plug and ring test gauges that are used to check cones and sockets made of materials other than metal. [Annex B](#), [Annex C](#), and [Annex D](#) provide test methods for latching sockets, [Annex E](#) includes a figure and table detailing plug and ring test gauges that can be used to check metal cones and sockets, and [Annex F](#) contains recommendations for testing the security of latching sockets.

[Figure 1](#), detailing the dimensions and tolerances of cones and sockets, has been prepared in accordance with ISO 3040.

In this document, the following print types are used:

- requirements, compliance with which can be verified, and definitions: roman type;
- notes and examples: smaller roman type;
- test methods: *italic type*.

PREVIEW  
(standards.iteh.ai)  
SIST EN ISO 5356-1:2015  
<https://standards.iteh.ai/catalog/standards/sist/48c926a3-7fed-4657-820f-8879dda722ce/sist-en-iso-5356-1-2015>