

# INTERNATIONAL STANDARD

Information technology – Fibre channel –  
Part 251: Framing and signalling (FC-FS)  
**ITih STANDARD PREVIEW**  
**(standards.iteh.ai)**

[ISO/IEC 14165-251:2008](#)

<https://standards.iteh.ai/catalog/standards/sist/8a1206f5-7939-41d0-86e2-b77f4cca09ee/iso-iec-14165-251-2008>



**THIS PUBLICATION IS COPYRIGHT PROTECTED**  
**Copyright © 2008 ISO/IEC, Geneva, Switzerland**

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about ISO/IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office  
3, rue de Varembe  
CH-1211 Geneva 20  
Switzerland  
Email: [inmail@iec.ch](mailto:inmail@iec.ch)  
Web: [www.iec.ch](http://www.iec.ch)

### **About the IEC**

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

### **About IEC publications**

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: [www.iec.ch/searchpub](http://www.iec.ch/searchpub)

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: [www.iec.ch/online\\_news/justpub](http://www.iec.ch/online_news/justpub)

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: [www.electropedia.org](http://www.electropedia.org)

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre [www.iec.ch/webstore/custserv](http://www.iec.ch/webstore/custserv)

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: [csc@iec.ch](mailto:csc@iec.ch)  
Tel.: +41 22 919 02 11  
Fax: +41 22 919 03 00



ISO/IEC 14165-251

Edition 1.0 2008-01

# INTERNATIONAL STANDARD

---

Information technology – Fibre channel –  
Part 251: Framing and signalling (FC-FS)

**STANDARD PREVIEW**  
(standards.iteh.ai)

[ISO/IEC 14165-251:2008](https://standards.iteh.ai/catalog/standards/sist/8a1206f5-7939-41d0-86e2-b77f4cca09ee/iso-iec-14165-251-2008)

<https://standards.iteh.ai/catalog/standards/sist/8a1206f5-7939-41d0-86e2-b77f4cca09ee/iso-iec-14165-251-2008>

INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

PRICE CODE

**XL**

---

ICS 35.200

ISBN 2-8318-9483-2

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

ISO/IEC 14165-251:2008

<https://standards.iteh.ai/catalog/standards/sist/8a1206f5-7939-41d0-86e2-b77f4cca09ee/iso-iec-14165-251-2008>

# Contents

<b>FOREWORD</b> .....	<b>37</b>
<b>INTRODUCTION</b> .....	<b>40</b>
<b>1 Scope</b> .....	<b>41</b>
<b>2 Normative references</b> .....	<b>41</b>
2.1 Approved references .....	41
2.2 References under development .....	41
2.3 Other references .....	41
<b>3 Definitions, abbreviations, conventions and keywords</b> .....	<b>43</b>
3.1 Definitions .....	43
3.2 Editorial conventions .....	50
3.3 Abbreviations, acronyms and symbols .....	51
3.3.1 Data rate abbreviations .....	51
3.3.2 Acronyms and other abbreviations .....	51
3.3.3 Symbols .....	55
3.4 Keywords .....	55
<b>4 Structure and Concepts</b> .....	<b>57</b>
4.1 Introduction .....	57
4.2 FC-1 general description .....	58
4.3 FC-2 general description .....	59
4.4 FC-FS physical model .....	60
4.5 Communication models .....	60
4.5.1 Introduction .....	60
4.5.2 Hunt Group .....	61
4.5.3 Fractional bandwidth .....	62
4.6 Bandwidth .....	62
4.7 Topology .....	62
4.7.1 Types .....	62
4.7.2 Point-to-point topology .....	62
4.7.3 Fabric topology .....	62
4.7.4 Arbitrated Loop topology .....	63
4.8 Classes of service .....	63
4.8.1 General .....	63
4.8.2 Class 1 service - dedicated connection .....	64
4.8.3 Class 2 service - multiplex .....	64
4.8.4 Class 3 service - datagram .....	64
4.8.5 Class 4 service – fractional bandwidth .....	65
4.8.6 Class 6 – multicast connection .....	65
4.9 Intermixing other classes with Class 1 or Class 6 .....	65
4.10 General Fabric model .....	66
4.10.1 General .....	66
4.10.2 Fabric Ports (F_Ports) .....	66
4.10.3 Connection Service .....	68
4.10.4 Connectionless Service .....	68
4.11 Fibre Channel services .....	69
4.12 Building Blocks .....	69
4.12.1 Building block hierarchy .....	69
4.12.2 Frame .....	70
4.12.3 Sequence .....	70
4.12.3.1 Introduction .....	70
4.12.3.2 Sequence_Identifier (SEQ_ID) .....	70
4.12.3.3 Sequence Status Blocks .....	70
4.12.4 Exchange .....	71
4.12.4.1 Introduction .....	71

4.12.4.2	Exchange_Identifiers (OX_ID and RX_ID)	71
4.12.4.3	Association_Header	71
4.12.4.4	Exchange Status Blocks	71
4.12.5	Exchange of service parameters	71
4.13	Segmentation and reassembly	72
4.13.1	General	72
4.13.2	Application data mapping	72
4.13.3	Relative offset	72
4.13.4	Sending end mapping	72
4.13.5	Capability	72
4.13.6	FC-2 mapping	73
4.13.7	Segmentation	73
4.13.8	Reassembly	73
4.14	Error detection and recovery	73
<b>5</b>	<b>FC-1 8B/10B transmission code</b>	<b>74</b>
5.1	Introduction	74
5.2	Notation conventions	74
5.3	Character encoding and decoding	75
5.3.1	Introduction	75
5.3.2	Transmission order	75
5.3.3	Valid and invalid Transmission Characters	75
5.3.3.1	Definitions	75
5.3.3.2	Generating Transmission Characters	81
5.3.3.3	Validity of received Transmission Characters	81
5.4	Word encoding and decoding	82
5.5	Ordered Sets	82
5.5.1	General	82
5.5.2	Frame delimiters	83
5.5.3	Primitive Signals	83
5.5.3.1	Introduction	83
5.5.3.2	Idle	83
5.5.3.3	Receiver_Ready (R_RDY)	83
5.5.3.4	Virtual Circuit Ready (VC_RDY)	85
5.5.3.5	BB_SCs	85
5.5.3.6	BB_SCr	86
5.5.3.7	SYNx, SYNy, SYNz	86
5.5.3.8	ARByx, ARB(val)See [2]	86
5.5.3.9	CLS	86
5.5.3.10	DHD	86
5.5.3.11	MRKtx	86
5.5.3.12	OPNyx	86
5.5.3.13	OPNyy	86
5.5.3.14	OPNyr	86
5.5.3.15	DHD	86
5.5.4	Primitive Sequences	86
5.5.4.1	Introduction	86
5.5.4.2	Not_Operational (NOS)	87
<b>6</b>	<b>FC-1 Receiver and Transmitter State Diagrams</b>	<b>88</b>
6.1	Receiver	88
6.1.1	Introduction	88
6.1.2	State Diagram Overview	88
6.1.3	Operational and Not Operational conditions	88
6.1.4	Word Synchronization Procedure	89
6.1.4.1	Bit Synchronization	89
6.1.4.2	Transmission Word synchronization	90
6.1.4.2.1	Introduction	90

6.1.4.2.2	Achieving Word Synchronization	90
6.1.4.2.3	Word alignment methods	90
6.1.4.2.3.1	Continuous-mode alignment	90
6.1.4.2.3.2	Explicit-mode alignment	90
6.1.5	Loss of Word Synchronization	90
6.1.5.1	Introduction	90
6.1.5.2	Detection of loss of Signal	91
6.1.5.3	Detection of an invalid Transmission Word	91
6.1.6	State transitions	91
6.1.6.1	Default State	91
6.1.6.2	State A (Loss of Synchronization)	91
6.1.6.3	State B (Word Synchronization Acquired)	91
6.1.6.3.1	State B.1 (No Invalid Transmission Word Detected State)	92
6.1.6.3.2	State B.2 (First Invalid Transmission Word Detected State)	92
6.1.6.3.3	State B.3 (Second Invalid Transmission Word Detected State)	92
6.1.6.3.4	State B.4 (Third Invalid Transmission Word Detection State)	92
6.1.6.4	State C (Reset)	92
6.2	Transmitter	93
6.2.1	State Diagram	93
6.2.2	Operational condition	93
6.2.3	State Transitions	93
6.2.3.1	Not Enabled State	93
6.2.3.2	Working State	94
6.2.3.3	Failure State	94
<b>7 FC Port state machine</b>	<b>95</b>	
7.1	State diagram	95
7.2	Active State (AC)	95
7.3	Link Recovery	95
7.3.1	Link recovery hierarchy	95
7.3.2	LR Transmit State (LR1)	95
7.3.2.1	General (while in the LR1 state)	95
7.3.2.2	Class 1 (while in the LR1 state)	95
7.3.2.3	Class 2 and Class 3 (while in the LR1 state)	96
7.3.2.4	Class 4 (while in the LR1 state)	97
7.3.2.5	Class 6 (while in the LR1 state)	97
7.3.3	LR Receive State (LR2)	97
7.3.3.1	General (while in the LR2 state)	97
7.3.3.2	Class 1 (while in the LR2 state)	97
7.3.3.3	Class 4 (while in the LR2 state)	97
7.3.3.4	Class 6 (while in the LR2 state)	98
7.3.4	LRR Receive State (LR3)	98
7.3.4.1	General (while in the LR3 state)	98
7.3.4.2	Class 1 and Class 6 behavior (while in the LR3 state)	98
7.3.4.3	Class 4 behavior (while in the LR2 state)	98
7.4	Link Failure	99
7.4.1	NOS Receive State (LF1)	99
7.4.1.1	General	99
7.4.1.2	Class 4 behavior	99
7.4.2	NOS Transmit State (LF2)	99
7.4.2.1	General	99
7.4.2.2	Class 4 behavior	99
7.5	Offline	99
7.5.1	General	99
7.5.2	OLS Transmit State (OL1)	100
7.5.2.1	Actions applicable to all classes	100
7.5.2.2	Class 4 behavior	100
7.5.3	OLS Receive State (OL2)	100

ITeH STANDARD PREVIEW

(standards.iteh.ai)

ISO/IEC 14165-251:2008

<https://standards.iteh.ai/catalog/standards/sist/8a1206f5-7939-41d0-86e2-b778fcca09es/iso-iec-14165-251-2008>

7.5.3.1	General	100
7.5.3.2	Class 4 behavior	100
7.5.4	Wait for OLS State (OL3)	100
7.5.4.1	Actions applicable to all classes	100
7.5.4.2	Class 4 behavior	101
7.6	Primitive Sequence protocols	101
7.6.1	Functions	101
7.6.2	Link Initialization protocol	101
7.6.3	Link Reset protocol	101
7.6.4	Link Failure protocol	101
7.6.5	Online-to-offline protocol	102
<b>8</b>	<b>Frame formats</b>	<b>103</b>
8.1	General frame format	103
8.2	Frame transmission	103
8.3	Start-of-Frame (SOF) delimiter	103
8.3.1	Introduction	103
8.3.2	SOF Connect Class 1 or 6 (SOF <sub>c1</sub> )	104
8.3.3	SOF Circuit Activate Class 4 (SOF <sub>c4</sub> )	104
8.3.4	SOF Initiate (SOF <sub>ix</sub> )	104
8.3.4.1	Applicability	104
8.3.4.2	SOF Initiate Class 1 or 6 (SOF <sub>i1</sub> )	104
8.3.4.3	SOF Initiate Class 2 (SOF <sub>i2</sub> )	104
8.3.4.4	SOF Initiate Class 3 (SOF <sub>i3</sub> )	104
8.3.4.5	SOF Initiate Class 4 (SOF <sub>i4</sub> )	104
8.3.5	SOF Normal (SOF <sub>n</sub> )	104
8.3.5.1	Applicability	104
8.3.5.2	SOF Normal Class 1 or 6 (SOF <sub>n1</sub> )	104
8.3.5.3	SOF Normal Class 2 (SOF <sub>n2</sub> )	104
8.3.5.4	SOF Normal Class 3 (SOF <sub>n3</sub> )	104
8.3.5.5	SOF Normal Class 4 (SOF <sub>n4</sub> )	105
8.3.6	SOF Fabric (SOF <sub>f</sub> )	105
8.4	Frame_Header	105
8.5	Data Field	105
8.6	CRC	105
8.7	End-of-Frame (EOF) delimiter	106
8.7.1	Introduction	106
8.7.2	Valid frame content	106
8.7.2.1	EOF Normal (EOF <sub>n</sub> )	106
8.7.2.2	EOF Terminate (EOF <sub>t</sub> )	106
8.7.2.3	EOF Disconnect Terminate (EOF <sub>dt</sub> ) (Class 1 or Class 6)	106
8.7.2.4	EOF Deactivate Terminate (EOF <sub>dt</sub> ) (Class 4)	107
8.7.2.5	EOF Remove Terminate (EOF <sub>rt</sub> )	107
8.7.3	Invalid frame content	107
8.7.3.1	General	107
8.7.3.2	End of Frame Abort (EOF <sub>a</sub> )	107
8.7.3.3	EOF Disconnect Terminate Invalid (EOF <sub>diti</sub> ) (Class 1 and Class 6)	108
8.7.3.4	EOF Deactivate Terminate Invalid (EOF <sub>diti</sub> ) (Class 4)	108
8.7.3.5	EOF Remove Terminate Invalid (EOF <sub>rti</sub> )	108
8.7.3.6	EOF Invalid (EOF <sub>ni</sub> )	108
8.8	Frame field order	108
8.9	Frame reception	110
8.9.1	Rules	110
8.9.2	Frame validity	110
8.9.3	Invalid frame processing	110
<b>9</b>	<b>Frame_Header</b>	<b>111</b>
9.1	Introduction	111



9.2	Identification	111
9.2.1	Frame identification	111
9.2.2	Sequence identification	111
9.3	Routing Control (R_CTL)	112
9.3.1	Introduction	112
9.3.2	ROUTING Field	112
9.3.3	INFORMATION Field	112
9.4	Address identifiers (D_ID, S_ID)	114
9.4.1	General	114
9.4.2	Reserved address identifiers	114
9.4.3	Destination_ID (D_ID)	114
9.4.4	Source_ID (S_ID)	114
9.5	Class Specific Control (CS_CTL)/Priority	115
9.5.1	Introduction	115
9.5.2	CS_CTL	115
9.5.2.1	General	115
9.5.2.2	Class 1 and Class 6	115
9.5.2.3	Class 2	116
9.5.2.4	Class 3	116
9.5.2.5	Class 4	117
9.5.3	Priority	118
9.5.3.1	Introduction	118
9.5.3.2	Class 1 and Class 6	118
9.5.3.3	Class 2 and Class 3	119
9.5.3.4	Class 4	119
9.6	Data structure type (TYPE)	120
9.7	Frame Control (F_CTL)	122
9.7.1	Introduction	122
9.7.2	Exchange Context	122
9.7.3	Sequence Context	124
9.7.4	First_Sequence	125
9.7.5	Last_Sequence	125
9.7.6	End_Sequence	125
9.7.7	End_Connection (E_C) (Class 1 or 6) or Deactivate Class 4 circuit	125
9.7.8	CS_CTL/Priority Enable	125
9.7.9	Sequence Initiative	126
9.7.10	ACK_Form	126
9.7.11	Retransmitted Sequence	126
9.7.12	Unidirectional Transmit or Remove_Connection	126
9.7.13	Continue Sequence Condition	127
9.7.14	Abort Sequence Condition	127
9.7.15	Relative offset present	128
9.7.16	Exchange reassembly	129
9.7.17	Fill Data Bytes	129
9.7.18	F_CTL bits on Data frames	129
9.7.19	F_CTL bits on Link_Control frames	130
9.8	Sequence_ID (SEQ_ID)	132
9.9	Data Field Control (DF_CTL)	132
9.10	Sequence count (SEQ_CNT)	133
9.11	Originator Exchange_ID (OX_ID)	133
9.12	Responder Exchange_ID (RX_ID)	134
9.13	Parameter	134
<b>10</b>	<b>Optional headers</b>	<b>135</b>
10.1	Introduction	135
10.2	ESP_Header	136
10.3	Network_Header	138

iTech STANDARD PREVIEW

(standards.itech.ai)

[ISO/IEC 14165-251:2008](https://standards.itech.ai/catalog/standards/sist/8a1206f5-7939-41d0-86e2-b774cca09ee/iso-iec-14165-251-2008)

[https://standards.itech.ai/catalog/standards/sist/8a1206f5-7939-41d0-86e2-](https://standards.itech.ai/catalog/standards/sist/8a1206f5-7939-41d0-86e2-b774cca09ee/iso-iec-14165-251-2008)

[b774cca09ee/iso-iec-14165-251-2008](https://standards.itech.ai/catalog/standards/sist/8a1206f5-7939-41d0-86e2-b774cca09ee/iso-iec-14165-251-2008)

10.4	Association_Header	139
10.4.1	Introduction	139
10.4.2	Process_Associators	140
10.4.2.1	Originator and Responder Process_Associators	140
10.4.2.2	Multicast Process_Associator	140
10.4.2.3	Operation_Associators	141
10.5	Device_Header	141
<b>11</b>	<b>Data frames and responses</b>	<b>142</b>
11.1	Data frames	142
11.1.1	Introduction	142
11.1.2	Frame Delimiters	142
11.1.3	Addressing	142
11.1.4	Data Field	143
11.1.5	Payload size	143
11.1.6	Responses	143
11.1.6.1	R_RDY response	143
11.1.6.2	Data frame responses	143
11.1.6.2.1	Introduction	143
11.1.6.2.2	ACK frames - successful Data frame delivery	143
11.1.6.3	Link_Response frames - Unsuccessful Data frame delivery	144
11.2	Link_Control Frames	144
11.2.1	Introduction	144
11.2.2	Link_Continue function	146
11.2.2.1	Introduction	146
11.2.2.2	Receiver Ready (R_RDY)	146
11.2.2.3	Acknowledge (ACK)	147
11.2.2.3.1	General	147
11.2.2.3.2	ACK_1	148
11.2.2.3.3	ACK_0	148
11.2.2.3.4	Header definition for all ACK forms	148
11.2.2.3.4.1	Addressing	148
11.2.2.3.4.2	F_CTL	148
11.2.2.3.4.3	SEQ_ID	148
11.2.2.3.4.4	SEQ_CNT	148
11.2.2.3.4.5	Parameter field	149
11.2.2.3.5	Responses	149
11.2.3	Link_Response	149
11.2.3.1	Introduction	149
11.2.3.2	Fabric Busy (F_BSY)	149
11.2.3.2.1	Description	149
11.2.3.2.2	Responses	150
11.2.3.3	N_Port Busy (P_BSY)	150
11.2.3.3.1	Description	150
11.2.3.3.2	Responses	152
11.2.3.4	Reject (P_RJT, F_RJT)	152
11.2.3.4.1	Introduction	152
11.2.3.4.2	Class 4	153
11.2.3.4.3	Parameter field	153
11.2.3.4.3.1	Reject Code format	153
11.2.3.4.3.2	Invalid D_ID	156
11.2.3.4.3.3	Invalid S_ID	156
11.2.3.4.3.4	Nx_Port not available, temporary	156
11.2.3.4.3.5	Nx_Port not available, permanent	156
11.2.3.4.3.6	Class not supported	156
11.2.3.4.3.7	Delimiter usage error	156
11.2.3.4.3.8	TYPE not supported	157

11.2.3.4.3.9	Invalid Link_Control	157
11.2.3.4.3.10	Invalid R_CTL field	157
11.2.3.4.3.11	Invalid F_CTL field	157
11.2.3.4.3.12	Invalid OX_ID	157
11.2.3.4.3.13	Invalid RX_ID	157
11.2.3.4.3.14	Invalid SEQ_ID	157
11.2.3.4.3.15	Invalid DF_CTL	157
11.2.3.4.3.16	Invalid SEQ_CNT	157
11.2.3.4.3.17	Invalid Parameter field	157
11.2.3.4.3.18	Exchange Error	157
11.2.3.4.3.19	Protocol Error	157
11.2.3.4.3.20	Incorrect length	157
11.2.3.4.3.21	Unexpected ACK	158
11.2.3.4.3.22	Class of service not supported by entity at hex 'FF FF FE'	158
11.2.3.4.3.23	Login Required	158
11.2.3.4.3.24	Excessive Sequences attempted	158
11.2.3.4.3.25	Unable to Establish Exchange	158
11.2.3.4.3.26	Fabric path not available	158
11.2.3.4.3.27	Invalid VC_ID (Class 4)	158
11.2.3.4.3.28	Invalid CS_CTL Field	158
11.2.3.4.3.29	Insufficient resources for VC (Class 4)	158
11.2.3.4.3.30	Invalid class of service	158
11.2.3.4.3.31	Preemption request rejected	158
11.2.3.4.3.32	Preemption not enabled	158
11.2.3.4.3.33	Multicast error	159
11.2.3.4.3.34	Multicast error terminate	159
11.2.3.4.3.35	Vendor Specific Reject	159
11.2.3.4.3.36	Responses	159
11.2.4	Link_Control commands	159
11.2.4.1	Introduction	159
11.2.4.2	Link Credit Reset (LCR)	159
11.2.4.2.1	Description	159
11.2.4.2.2	Protocol	160
11.2.4.2.3	Request Sequence	160
11.2.4.2.4	Responses	160
11.2.4.3	End (END)	160
11.2.4.3.1	Description	160
11.2.4.3.2	Protocol	161
11.2.4.3.3	Request Sequence	161
11.2.4.3.4	Reply Sequence	161
11.3	ACK generation assistance	161
11.3.1	Introduction	161
11.3.2	N_Port Login	161
11.3.2.1	Capability Indicator	161
11.3.3	Applicability	161
11.3.4	F_CTL bits	161
11.3.5	Login rules	161
11.3.6	ACK_Form errors	162
<b>12</b>	<b>Link Services</b>	<b>163</b>
12.1	Sequence and Exchange management	163
12.2	Basic Link Service commands	163
12.2.1	Introduction	163
12.2.2	Abort Sequence (ABTS)	164
12.2.2.1	Overview	164
12.2.2.2	Aborting Sequences using ABTS	165
12.2.2.2.1	Introduction	165

12.2.2.2.2	ABTS Initiator	165
12.2.2.2.3	ABTS Recipient	165
12.2.2.2.4	Recovery Qualifier	166
12.2.2.2.5	Protocol	166
12.2.2.2.6	Request Sequence	166
12.2.2.2.7	Reply Sequence	167
12.2.2.3	Aborting Exchanges using ABTS	167
12.2.2.3.1	Introduction	167
12.2.2.3.2	ABTS sent by the last Sequence Initiator in an open Sequence	168
12.2.2.3.3	ABTS sent by the last Sequence Initiator in a new Sequence	168
12.2.2.3.4	ABTS sent in an open or new Sequence	168
12.2.2.3.5	ABTS by the last Sequence Recipient	168
12.2.2.3.6	Request Sequence	168
12.2.2.3.7	Reply Sequence	169
12.2.3	Basic Accept (BA_ACC)	170
12.2.3.1	Description	170
12.2.3.2	Protocol	170
12.2.3.3	Request Sequence	170
12.2.3.4	Reply Sequence	170
12.2.4	Basic Reject (BA_RJT)	170
12.2.4.1	Description	170
12.2.4.2	Protocol	170
12.2.4.3	Request Sequence	170
12.2.4.4	Reply Sequence	171
12.2.5	No Operation (NOP)	172
12.2.5.1	Description	172
12.2.5.2	Protocol	172
12.2.5.3	Request Sequence	172
12.2.5.4	Reply Sequence	172
12.2.6	Remove Connection (RMC)	172
12.2.6.1	Description	172
12.2.6.2	Protocol	173
12.2.6.3	Request Sequence	173
12.2.6.4	Reply Sequence	173
12.2.7	Dedicated connection preempted (PRMT)	173
12.2.7.1	Description	173
12.2.7.2	Protocol	173
12.2.7.3	Request Sequence	173
12.2.7.4	Reply Sequence	173
12.3	Extended Link Services	173
12.3.1	Introduction	173
12.3.2	Extended Link Service requests	174
12.3.2.1	Introduction	174
12.3.2.2	Abort Exchange (ABTX)	178
12.3.2.2.1	Description	178
12.3.2.2.2	Protocol	179
12.3.2.2.3	Request Sequence	179
12.3.2.2.4	Reply Sequence	180
12.3.2.3	Advise Credit (ADVC)	180
12.3.2.3.1	Description	180
12.3.2.3.2	Protocol	180
12.3.2.3.3	Request Sequence	180
12.3.2.3.4	Reply Sequence	181
12.3.2.4	Echo (ECHO)	182
12.3.2.4.1	Description	182
12.3.2.4.2	Protocol	182
12.3.2.4.3	Request Sequence	183

ITeH STANDARD PREVIEW

(standards.iteh.ai)

ISO/IEC 14165-251:2008

[https://standards.iteh.ai/catalog/standards/sist/8a1206f5-7939-41d0-86e2-](https://standards.iteh.ai/catalog/standards/sist/8a1206f5-7939-41d0-86e2-b774cca09ee/iso-iec-14165-251-2008)

[b774cca09ee/iso-iec-14165-251-2008](https://standards.iteh.ai/catalog/standards/sist/8a1206f5-7939-41d0-86e2-b774cca09ee/iso-iec-14165-251-2008)

12.3.2.4.4	Reply Sequence	183
12.3.2.5	Estimate Credit (ESTC)	183
12.3.2.5.1	Description	183
12.3.2.5.2	Protocol	183
12.3.2.5.3	Request Sequence	184
12.3.2.5.4	Reply Sequence	184
12.3.2.6	Establish Streaming (ESTS)	184
12.3.2.6.1	Description	184
12.3.2.6.2	Protocol	184
12.3.2.6.3	Request Sequence	184
12.3.2.6.4	Reply Sequence	185
12.3.2.7	Login (FLOGI/PLOGI)	186
12.3.2.7.1	Description	186
12.3.2.7.2	Protocol	186
12.3.2.7.3	Request Sequence	186
12.3.2.7.4	Reply Sequence	186
12.3.2.8	Logout (LOGO)	186
12.3.2.8.1	Description	186
12.3.2.8.2	Protocol	187
12.3.2.8.3	Request Sequence	187
12.3.2.8.4	Reply Sequence	187
12.3.2.9	Read Connection Status (RCS)	187
12.3.2.9.1	Description	187
12.3.2.9.2	Protocol	187
12.3.2.9.3	Request Sequence	188
12.3.2.9.4	Reply Sequence	188
12.3.2.10	Read Exchange Status Block (RES)	189
12.3.2.10.1	Description	189
12.3.2.10.2	Protocol	190
12.3.2.10.3	Request Sequence	190
12.3.2.10.4	Reply Sequence	190
12.3.2.11	Read Link Error Status Block (RLS)	191
12.3.2.11.1	Description	191
12.3.2.11.2	Protocol	191
12.3.2.11.3	Request Sequence	191
12.3.2.11.4	Reply Sequence	191
12.3.2.12	Read Sequence Status Block (RSS)	191
12.3.2.12.1	Description	191
12.3.2.12.2	Protocol	192
12.3.2.12.3	Request Sequence	192
12.3.2.12.4	Reply Sequence	192
12.3.2.13	Read Timeout Value (RTV)	193
12.3.2.13.1	Description	193
12.3.2.13.2	Protocol	193
12.3.2.13.3	Request Sequence	193
12.3.2.13.4	Reply Sequence	193
12.3.2.14	Reinstate Recovery Qualifier (RRQ)	194
12.3.2.14.1	Description	194
12.3.2.14.2	Protocol	194
12.3.2.14.3	Request Sequence	194
12.3.2.14.4	Reply Sequence	195
12.3.2.15	Request Sequence Initiative (RSI)	195
12.3.2.15.1	Description	195
12.3.2.15.2	Protocol	196
12.3.2.15.3	Request Sequence	196
12.3.2.15.4	Reply Sequence	196
12.3.2.16	Test (TEST)	196

STANDARD PREVIEW

(standards.iteh.ai)

ISO/IEC 14165-251:2008

[https://standards.iteh.ai/catalog/standards/sist/8a1206f5-7939-41d0-86e2-](https://standards.iteh.ai/catalog/standards/sist/8a1206f5-7939-41d0-86e2-b77f1cca09ee/iso-iec-14165-251-2008)

[b77f1cca09ee/iso-iec-14165-251-2008](https://standards.iteh.ai/catalog/standards/sist/8a1206f5-7939-41d0-86e2-b77f1cca09ee/iso-iec-14165-251-2008)

12.3.2.16.1	Description	196
12.3.2.16.2	Protocol	197
12.3.2.16.3	Request Sequence	197
12.3.2.16.4	Reply Sequence	197
12.3.2.17	Report node Capability Information (RNC)	197
12.3.2.18	Fabric Address Notification (FAN)	197
12.3.2.18.1	Description	197
12.3.2.18.2	Protocol	198
12.3.2.18.3	Request Sequence	198
12.3.2.18.4	Reply Sequence	198
12.3.2.19	Loop Initialize (LINIT)	198
12.3.2.19.1	Description	198
12.3.2.19.2	Protocol	198
12.3.2.19.3	Request Sequence	198
12.3.2.19.4	Reply Sequence	199
12.3.2.20	Loop Port Control (LPC) (Obsolete)	200
12.3.2.21	Loop Status (LSTS)	200
12.3.2.21.1	Description	200
12.3.2.21.2	Protocol	200
12.3.2.21.3	Request Sequence	200
12.3.2.21.4	Reply Sequence	200
12.3.2.22	Registered State Change Notification (RSCN)	202
12.3.2.22.1	Introduction	202
12.3.2.22.2	RSCNs issued by the Fabric Controller	203
12.3.2.22.3	RSCN issued by the affected Nx Port	203
12.3.2.22.4	RSCN initiative	203
12.3.2.22.5	RSCN registration	203
12.3.2.22.6	Protocol	203
12.3.2.22.7	Request Sequence	204
12.3.2.22.8	Reply Sequence	205
12.3.2.23	State Change Registration (SCR)	206
12.3.2.23.1	Description	206
12.3.2.23.2	Protocol	206
12.3.2.23.3	Request Sequence	206
12.3.2.23.4	Reply Sequence	207
12.3.2.24	Process login (PRLI)	207
12.3.2.24.1	Introduction	207
12.3.2.24.2	Protocol	207
12.3.2.24.3	Request Sequence	207
12.3.2.24.4	Reply Sequence	209
12.3.2.25	Process logout (PRLO)	211
12.3.2.25.1	Description	211
12.3.2.25.2	Protocol	211
12.3.2.25.3	Request Sequence	212
12.3.2.25.4	Reply sequence	213
12.3.2.26	State change notification (SCN)	216
12.3.2.27	Test Process Login State (TPLS)	216
12.3.2.27.1	Description	216
12.3.2.27.2	Protocol	216
12.3.2.27.3	Request Sequence	216
12.3.2.27.4	Reply sequence	218
12.3.2.28	Fibre Channel Address Resolution Protocol Request (FARP_REQ)	220
12.3.2.28.1	Description	220
12.3.2.28.2	Protocol	220
12.3.2.28.3	Request Sequence	220
12.3.2.28.4	Reply Sequence	224
12.3.2.29	Fibre Channel Address Resolution Protocol Reply (FARP_REPLY)	224

STANDARD PREVIEW

(standards.iteh.ai)

ISO/IEC 14165-251:2008

<https://standards.iteh.ai/catalog/standards/sist/8a1206f5-7939-41d0-86e2-b774cca09ee/iso-iec-14165-251-2008>

12.3.2.29.1	Description	224
12.3.2.29.2	Protocol	225
12.3.2.29.3	Request Sequence	225
12.3.2.29.4	Reply Sequence	227
12.3.2.30	Request Node Identification Data (RNID)	227
12.3.2.30.1	Introduction	227
12.3.2.30.2	Protocol	228
12.3.2.30.3	Request Sequence	228
12.3.2.30.4	Reply Sequence:	229
12.3.2.31	Registered Link Incident Report (RLIR)	234
12.3.2.31.1	Description	234
12.3.2.31.2	Link Incident reporting procedure	234
12.3.2.31.3	Protocol	235
12.3.2.31.4	Request Sequence	235
12.3.2.31.5	Reply Sequence	241
12.3.2.32	Link Incident Record Registration (LIRR)	241
12.3.2.32.1	Description	241
12.3.2.32.2	Registration for Link Incident Records	241
12.3.2.32.3	Responsibilities of Valid-Registered Recipients	242
12.3.2.32.4	Protocol	242
12.3.2.32.5	Request Sequence	242
12.3.2.32.6	Reply Sequence	243
12.3.2.33	Get Alias_ID (GAID)	244
12.3.2.33.1	Description	244
12.3.2.33.2	Protocol	244
12.3.2.33.3	Request Sequence	244
12.3.2.33.4	Reply Sequence	245
12.3.2.34	Fabric Activate Alias_ID (FACT)	245
12.3.2.34.1	Description	245
12.3.2.34.2	Protocol	245
12.3.2.34.3	Request Sequence	245
12.3.2.34.4	Reply Sequence	246
12.3.2.35	Fabric Deactivate Alias_ID (FDACT)	246
12.3.2.35.1	Description	246
12.3.2.35.2	Protocol	246
12.3.2.35.3	Request Sequence	246
12.3.2.35.4	Reply Sequence	247
12.3.2.36	N_Port Activate Alias_ID (NACT)	247
12.3.2.36.1	Description	247
12.3.2.36.2	Protocol	247
12.3.2.36.3	Reply Sequence	248
12.3.2.36.4	Reply Sequence	248
12.3.2.37	N_Port Deactivate Alias_ID (NDACT)	249
12.3.2.37.1	Description	249
12.3.2.37.2	Protocol	249
12.3.2.37.3	Request Sequence	249
12.3.2.37.4	Reply Sequence	249
12.3.2.38	Quality of Service Request (QoS SR)	250
12.3.2.38.1	Description	250
12.3.2.38.2	Protocol	250
12.3.2.38.3	Request Sequence	250
12.3.2.38.4	Reply Sequence	252
12.3.2.39	Read Virtual Circuit Status (RVCS)	254
12.3.2.39.1	Description	254
12.3.2.39.2	Protocol	254
12.3.2.39.3	Request Sequence	254
12.3.2.39.4	Reply Sequence	255

ITeH STANDARD PREVIEW

(standards.iteh.ai)

ISO/IEC 14165-251:2008

[https://standards.iteh.ai/catalog/standards/sist/8a1206f5-7939-41d0-86e2-](https://standards.iteh.ai/catalog/standards/sist/8a1206f5-7939-41d0-86e2-b774cca09ee/iso-iec-14165-251-2008)

[b774cca09ee/iso-iec-14165-251-2008](https://standards.iteh.ai/catalog/standards/sist/8a1206f5-7939-41d0-86e2-b774cca09ee/iso-iec-14165-251-2008)