

SLOVENSKI STANDARD SIST EN ISO 80000-2:2013

01-junij-2013

Nadomešča: SIST ISO 31-11:1995 SIST ISO 31-11:1995

Veličine in enote - 2. del: Matematični znaki in simboli za uporabo v naravoslovnih vedah in tehniki (ISO 80000-2:2009)

Quantities and units - Part 2: Mathematical signs and symbols to be used in the natural sciences and technology (ISO 80000-2:2009)

iTeh STANDARD PREVIEW

Größen und Einheiten - Teil 2: Mathematische Zeichen für Naturwissenschaft und Technik (ISO 80000-2:2009)

SIST EN ISO 80000-2:2013

Grandeurs et unités Partie 2. Signes et symboles mathématiques à employer dans les sciences de la nature et dans la technique (ISO 80000-2:2009)

Ta slovenski standard je istoveten z: EN ISO 80000-2:2013

<u>ICS:</u>

01.060	Veličine in enote
01.075	Simboli za znake
07.020	Matematika

Quantities and units Character symbols Mathematics

SIST EN ISO 80000-2:2013

en

iTeh STANDARD PREVIEW (standards.iteh.ai)

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

EN ISO 80000-2

April 2013

ICS 01.060

English Version

Quantities and units - Part 2: Mathematical signs and symbols to be used in the natural sciences and technology (ISO 80000-2:2009)

Grandeurs et unités - Partie 2: Signes et symboles mathématiques à employer dans les sciences de la nature et dans la technique (ISO 80000-2:2009) Größen und Einheiten - Teil 2: Mathematische Zeichen für Naturwissenschaft und Technik (ISO 80000-2:2009)

This European Standard was approved by CEN on 14 March 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovakia, Slovakia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

2eff978724e9/sist-en-iso-80000-2-2013



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

iTeh STANDARD PREVIEW (standards.iteh.ai)

Foreword

The text of ISO 80000-2:2009 has been prepared by Technical Committee ISO/TC 12 "Quantities and units" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 80000-2:2013.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2013, and conflicting national standards shall be withdrawn at the latest by October 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 80000-2:2009 has been approved by CEN as EN ISO 80000-2:2013 without any modification. (standards.iteh.ai)

iTeh STANDARD PREVIEW (standards.iteh.ai)

INTERNATIONAL STANDARD

ISO 80000-2

First edition 2009-12-01

Quantities and units -

Part 2:

Mathematical signs and symbols to be used in the natural sciences and technology

iTeh STGrandeurs et unités PREVIEW

Partie 2: Signes et symboles mathématiques à employer dans les sciences de la nature et dans la technique

SIST EN ISO 80000-2:2013 https://standards.iteh.ai/catalog/standards/sist/bff046b9-5785-4d6f-bc56-2eff978724e9/sist-en-iso-80000-2-2013



Reference number ISO 80000-2:2009(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 80000-2:2013 https://standards.iteh.ai/catalog/standards/sist/bff046b9-5785-4d6f-bc56-2eff978724e9/sist-en-iso-80000-2-2013



COPYRIGHT PROTECTED DOCUMENT

© ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org Published in Switzerland

Contents

Page

Forew	word	iv
Introd	duction	vi
1	Scope	1
2	Normative references	1
3	Variables, functions, and operators	1
4	Mathematical logic	3
5	Sets	4
6	Standard number sets and intervals	6
7	Miscellaneous signs and symbols	8
8	Elementary geometry	10
9	Operations	11
10	Combinatorics	14
11	Functions iTeh STANDARD PREVIEW	15
12	Exponential and logarithmic functions ds. it ch. ai	18
13	Circular and hyperbolic functions	19
14	Complex numbers <u>SIST EN ISO 80000-2:2013</u>	21
15	nttps://standards.iten.avcatalog/standards/sist/bit/4669-5785-4d6F-bc56- Matrices	22
16	Coordinate systems	24
17	Scalars, vectors, and tensors	26
18	Transforms	
19	Special functions	31
Anne	ex A (normative) Clarification of the symbols used	
Biblio	ography	40

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 80000-2 was prepared by Technical Committee ISO/TC 12, *Quantities and units*, in collaboration with IEC/TC 25, *Quantities and units*.

This first edition cancels and replaces ISO 31-11:1992, which has been technically revised. The major technical changes from the previous standard are the following: teh.ai

 Four clauses have been added, i.e. "Standard number sets and intervals", "Elementary geometry", "Combinatorics" and "Transforms".
SIST EN ISO 80000-2:2013 https://standards.iteh.ai/catalog/standards/sist/bfl046b9-5785-4d6f-bc56-

ISO 80000 consists of the following parts, under the general title Quantities and units:

- Part 1: General
- Part 2: Mathematical signs and symbols to be used in the natural sciences and technology¹⁾
- Part 3: Space and time
- Part 4: Mechanics
- Part 5: Thermodynamics
- Part 7: Light
- Part 8: Acoustics
- Part 9: Physical chemistry and molecular physics
- Part 10: Atomic and nuclear physics
- Part 11: Characteristic numbers
- Part 12: Solid state physics

¹⁾ Title to be shortened to read "Mathematics" in the second edition of ISO 80000-2.

IEC 80000 consists of the following parts, under the general title Quantities and units:

- Part 6: Electromagnetism
- Part 13: Information science and technology
- Part 14: Telebiometrics related to human physiology

iTeh STANDARD PREVIEW (standards.iteh.ai)

Introduction

Arrangement of the tables

The first column "Item No." of the tables contains the number of the item, followed by either the number of the corresponding item in ISO 31-11 in parentheses, or a dash when the item in question did not appear in ISO 31-11.

The second column "Sign, symbol, expression" gives the sign or symbol under consideration, usually in the context of a typical expression. If more than one sign, symbol or expression is given for the same item, they are on an equal footing. In some cases, e.g. for exponentiation, there is only a typical expression and no symbol.

The third column "Meaning, verbal equivalent" gives a hint on the meaning or how the expression may be read. This is for the identification of the concept and is not intended to be a complete mathematical definition.

The fourth column "Remarks and examples" gives further information. Definitions are given if they are short enough to fit into the column. Definitions need not be mathematically complete.

The arrangement of the table in Clause 16, "Coordinate systems" is somewhat different.

(standards.iteh.ai)

Quantities and units —

Part 2: Mathematical signs and symbols to be used in the natural sciences and technology

1 Scope

ISO 80000-2 gives general information about mathematical signs and symbols, their meanings, verbal equivalents and applications.

The recommendations in ISO 80000-2 are intended mainly for use in the natural sciences and technology, but also apply to other areas where mathematics is used.

2 Normative references

(standards.iteh.ai) The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

https://standards.iteh.ai/catalog/standards/sist/bff046b9-5785-4d6f-bc56-

ISO 80000-1:---2) , Quantities and units --- Part 1: General

3 Variables, functions and operators

Variables such as x, y, etc., and running numbers, such as i in $\Sigma_i x_i$ are printed in italic (sloping) type. Parameters, such as a, b, etc., which may be considered as constant in a particular context, are printed in italic (sloping) type. The same applies to functions in general, e.g. f, g.

An explicitly defined function not depending on the context is, however, printed in Roman (upright) type, e.g. sin, exp, In, Γ . Mathematical constants, the values of which never change, are printed in Roman (upright) type, e.g. e = 2,718 218 8...; π = 3,141 592...; i² = -1. Well-defined operators are also printed in Roman (upright) style, e.g. div, δ in δx and each d in d/dx.

Numbers expressed in the form of digits are always printed in Roman (upright) style, e.g. 351 204; 1,32; 7/8.

The argument of a function is written in parentheses after the symbol for the function, without a space between the symbol for the function and the first parenthesis, e.g. f(x), $\cos(\omega t + \varphi)$. If the symbol for the function consists of two or more letters and the argument contains no operation symbol, such as +, -, ×, · or /, the parentheses around the argument may be omitted. In these cases, there should be a thin space between the symbol for the function and the argument, e.g. int 2,4; sin $n\pi$; arcosh 2*A*; Ei *x*.

If there is any risk of confusion, parentheses should always be inserted. For example, write cos(x) + y; do not write cos x + y, which could be mistaken for cos(x + y).

²⁾ To be published. (Revision of ISO 31-0:1992)

A comma, semicolon or other appropriate symbol can be used as a separator between numbers or expressions. The comma is generally preferred, except when numbers with a decimal comma are used.

If an expression or equation must be split into two or more lines, one of the following methods shall be used.

- a) Place the line breaks immediately after one of the symbols =, +, -, ± or ∓, or, if necessary, immediately after one of the symbols ×, ·, or /. In this case, the symbol indicates that the expression continues on the next line or next page.
- b) Place the line breaks immediately before one of the symbols =, +, -, \pm or \mp , or, if necessary, immediately before one of the symbols ×, ·, or /. In this case, the symbol indicates that the expression is a continuation of the previous line or page.

The symbol shall not be given twice around the line break; two minus signs could for example give rise to sign errors. Only one of these methods should be used in one document. If possible, the line break should not be inside of an expression in parentheses.

It is customary to use different sorts of letters for different sorts of entities. This makes formulas more readable and helps in setting up an appropriate context. There are no strict rules for the use of letter fonts which should, however, be explained if necessary.

iTeh STANDARD PREVIEW (standards.iteh.ai)

ltem No.	Sign, symbol, expression	Meaning, verbal equivalent	Remarks and examples
2-4.1	$p \wedge q$	conjunction of p and q ,	
(11-3.1)	1 1	p and q	
2-4.2	$p \lor q$	disjunction of p and q ,	This "or" is inclusive, i.e.
(11-3.2)	1 1	p or q	$p \lor q$ is true, if either p or q , or both are true.
2-4.3	$\neg p$	negation of p,	
(11-3.3)	Γ	not p	
2-4.4	$p \Rightarrow q$	p implies q ,	$q \leftarrow p$ has the same meaning as $p \Rightarrow q$.
(11-3.4)	1 1	if <i>p</i> , then <i>q</i>	\Rightarrow is the implication symbol.
2-4.5	$p \Leftrightarrow q$	p is equivalent to q	$(p \Rightarrow q) \land (q \Rightarrow p)$ has the same meaning as
(11-3.5)			$p \Leftrightarrow q.$
			\Leftrightarrow is the equivalence symbol.
2-4.6	$\forall x \in A p(x)$	for every <i>x</i> belonging to <i>A</i> , the	If it is clear from the context which set A is
(11-3.6)		proposition $p(x)$ is true	being considered, the notation $\forall x \ p(x)$ can
	iTe	h STANDARD PRI	be used.
		(standards.iteh.a	∀ is the universal quantifier.
			For $x \in A$, see 2-5.1.
2-4.7	$\exists x \in A p(x)$	there exists an x belonging to 043	If it is clear from the context which set A is
(11-3.7) https://	https://stan	larfoftwhichp(x)/isntrueds/sist/bff046b9 2eff978724e9/sist-en-iso-80000-2-20	being considered, the notation $\exists x \ p(x)$ can be used.
			∃ is the existential quantifier.
			For $x \in A$, see 2-5.1.
			$\exists^{1}x p(x)$ is used to indicate that there is exactly one element for which $p(x)$ is true.
			\exists ! is also used for \exists ¹ .

4 Mathematical logic