


iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 702-3:2001](#)

<https://standards.iteh.ai/catalog/standards/sist/fb0c13ec-51e0-40e8-9034-afe2b0649a9f/sist-ets-300-702-3-2001>



EUROPEAN
TELECOMMUNICATION
STANDARD

ETS 300 702-3

March 1997

Source: ETSI EP-DECT

Reference: DE/DECT-010025-3

ICS: 33.020

Key words: DECT, interworking, GSM, PTS, TTCN

**Digital Enhanced Cordless Telecommunications (DECT);
Global System for Mobile communications (GSM);
DECT/GSM Interworking Profile (IWP);
Profile Test Specification (PTS);
Profile Specific Test Specification (PSTS);
Part 3: Fixed radio Termination (FT)**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1997. All rights reserved.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ETS 300 702-3:2001](https://standards.iteh.ai/catalog/standards/sist/fb0c13ec-51e0-40e8-9034-afe2b0649a9f/sist-ets-300-702-3-2001)

<https://standards.iteh.ai/catalog/standards/sist/fb0c13ec-51e0-40e8-9034-afe2b0649a9f/sist-ets-300-702-3-2001>

Contents

Foreword	5
1 Scope	7
2 Normative references	7
3 Definitions and abbreviations	9
3.1 Definitions	9
3.2 Abbreviations	9
4 Relevant test cases list	10
4.1 Network (NWK) layer	10
4.1.1 Test suite structure	11
4.1.2 Test case index	12
4.2 Data Link Control (DLC) layer	12
4.3 Medium Access Control (MAC) layer	12
4.4 Physical (PHL) layer	12
5 Replacement lists	12
5.1 General	12
5.2 Test case replacement list	13
5.3 Test step replacement list	14
5.4 Constraint replacement list	15
5.5 Test cases impacted by replacements outside of the test case description	15
6 Additional test cases list	16
6.1 Test purposes	16
6.1.1 Test purposes for Call Control (CC)	16
6.1.1.1 Outgoing call	16
6.1.1.2 Incoming call	17
6.1.1.3 Information transfer procedures	17
6.1.1.4 Call release	18
6.1.1.5 Timer handling	18
6.1.2 Test purposes for Mobility Management (MM)	19
6.1.2.1 Identity procedures	19
6.1.2.2 Authentication procedures	19
6.1.2.3 Location registration procedures	20
6.1.2.4 Cipherring procedures	21
6.1.2.5 Timer handling	22
6.1.3 Test purposes for Link Control Entity (LCE)	22
6.1.3.1 Connection oriented link establishment procedures	22
6.1.3.2 Timer handling	22
Annex A (normative): Abstract Test Suite (ATS) for NWK testing (DECT/GSM IWP specific)	23
A.1 The machine processable ATS (TTCN.MP)	23
A.2 The graphical ATS (TTCN.GR)	23
Annex B (normative): Profile Implementation Extra Information for Testing (IXIT) proforma	24
B.1 General	24
B.2 Profile XRL NWK layer protocol	24
B.2.1 Addresses	24
B.2.2 Parameter values	25

B.2.3	Timer values.....	25
B.2.4	Counters values	25
B.2.5	Protocol constants values	25
B.2.6	Control of Protocol Data Units (PDU) sending.....	26
B.3	Profile specific IXIT NWK layer.....	26
B.3.1	Configuration constraints	26
Annex C (normative):	Profile Conformance Test Report (Profile CTR) proforma	27
C.1	Identification summary.....	27
C.1.1	Profile CTR.....	27
C.1.2	Implementation Under Test (IUT)	27
C.1.3	Testing environment.....	28
C.1.4	Limits and reservations	28
C.1.5	Comments.....	28
C.2	IUT conformance status	28
C.3	Static conformance summary	29
C.4	Dynamic conformance summary.....	29
C.5	Static conformance review report.....	30
C.6	Test campaign report.....	31
C.6.1	NWK layer	31
C.7	Observations.....	31
Annex D (normative):	System Conformance Test Report (SCTR) proforma	32
D.1	Identification summary.....	32
D.1.1	SCTR.....	32
D.1.2	Test laboratory	32
D.1.3	Client	33
D.1.4	System Under Test (SUT).....	33
D.1.5	Profile	33
D.1.6	Nature of conformance testing.....	34
D.1.7	Limits and reservations	34
D.1.8	Record of agreement	34
D.1.9	Comments.....	34
D.2	System report summary	35
D.2.1	Profile testing summary for DECT/GSM IWP NWK layer FT.....	35
Annex E (normative):	System Conformance Statement (SCS) proforma	36
E.1	Identification summary.....	36
E.1.1	SCS identification	36
E.1.2	IUT identification.....	36
E.1.3	Client identification	36
E.1.4	Supplier identification	37
E.1.5	Manufacturer identification	37
E.1.6	Protocols identification	38
E.1.7	Profile identification	38
E.2	Miscellaneous system information.....	39
E.2.1	Configuration	39
E.2.2	Other information	39
History	40

Foreword

This European Telecommunication Standard (ETS) has been produced by the Digital Enhanced Cordless Telecommunications (DECT) Project of the European Telecommunications Standards Institute (ETSI).

The meaning of the abbreviation DECT has been changed to Digital Enhanced Cordless Telecommunications (DECT) by the decision of the 23rd ETSI Technical Assembly (TA), 7th November 1995.

The Digital Enhanced Cordless Telecommunications/Global System for Mobile communications (DECT/GSM) Interworking Profile (IWP) Profile test Specification (PTS) comprises three parts:

Part 1: "Summary";

Part 2: "Portable radio Termination (PT)";

Part 3: "Fixed radio Termination (FT)".

Transposition dates	
Date of adoption:	21 March 1997
Date of latest announcement of this ETS (doa):	31 July 1997
Date of latest publication of new National Standard or endorsement of this ETS (dop/e):	31 January 1998
Date of withdrawal of any conflicting National Standard (dow):	31 January 1998

(standards.iteh.ai)

[SIST ETS 300 702-3:2001](https://standards.iteh.ai/catalog/standards/sist/fb0c13ec-51e0-40e8-9034-afe2b0649a9f/sist-ets-300-702-3-2001)

<https://standards.iteh.ai/catalog/standards/sist/fb0c13ec-51e0-40e8-9034-afe2b0649a9f/sist-ets-300-702-3-2001>

Blank page

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST ETS 300 702-3:2001](https://standards.iteh.ai/catalog/standards/sist/fb0c13ec-51e0-40e8-9034-afe2b0649a9f/sist-ets-300-702-3-2001)

<https://standards.iteh.ai/catalog/standards/sist/fb0c13ec-51e0-40e8-9034-afe2b0649a9f/sist-ets-300-702-3-2001>

1 Scope

This European Telecommunication Standard (ETS) contains the test specification for Digital Enhanced Cordless Telecommunications / Global System for Mobile communications (DECT/GSM) Interworking Profile (IWP) Fixed Part (FP) applications as specified in ETS 300 370 [3].

The main objective of the DECT/GSM IWP test specification is to provide approval tests giving a high probability of air interface inter-operability between any DECT FP and any Portable Part (PP) conforming to ETS 300 370 [3] offered by different manufacturers.

All FPs conforming to ETS 300 370 [3] and supporting only Access Rights Identity (ARI) class D, as far as DECT Network (NWK) layer is concerned, are tested for conformance only to this ETS.

All FPs conforming to ETS 300 370 [3] and supporting in addition to ARI class D any other ARI classes, as far as DECT NWK layer is concerned, are tested for conformance separately:

- first to ETS 300 494-1 [17] and ETS 300 494-3 [18]; and
- second to this ETS.

All FPs conforming to ETS 300 370 [3], as far as the Data Link Control (DLC) layer, Medium Access Control (MAC) layer and PHL layer are concerned, are tested to ETS 300 494-1 [17] and ETS 300 494-3 [18].

ISO/IEC 9646 Parts 1 to 7 [19] - [24] are used as the basis for the test methodology, and as the basis for test case specification.

The test cases if listed in this ETS have been derived from ETS 300 497 Parts 1 to 9 [8] - [16] or ETS 300 494-1 [17] and ETS 300 494-3 [18]. Additional DECT/GSM IWP specific test cases are included where required. The Profile IXIT is based on ETS 300 497 Parts 8 to 9 [15] - [0] and GAP Profile IXIT ETS 300 494-1 [17] and ETS 300 494-3 [18].

Annex A contains the Abstract Test Suite (ATS).

<https://standards.iteh.ai/catalog/standards/sist/fb0c13ec-51e0-40e8-9034-af2b0649a9f/sist-ets-300-702-3-2001>

2 Normative references

This ETS incorporates, by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to, or revisions of, any of these publications apply to this ETS only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies.

- | | |
|-----|---|
| [1] | ETS 300 175-5: "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); Common Interface (CI); Part 5: Network (NWK) layer". |
| [2] | ETS 300 466: "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications/Global System for Mobile Communications (DECT/GSM) interworking profile; General description of service requirements; Functional capabilities and information flows". |
| [3] | ETS 300 370: "Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications / Global System for Mobile communications (DECT/GSM) inter-working profile; Access and mapping (Protocol/procedure description for 3,1 kHz speech service)". |
| [4] | ETS 300 704-2: "Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications/Global System for Mobile communications (DECT/GSM) Interworking Profile (IWP); Profile Implementation Conformance Statement (ICS); Part 2: Fixed radio Termination (FT)". |

- [5] ETS 300 444: "Radio Equipment and Systems (RES); Digital European Cordless Telecommunications (DECT); Generic Access Profile (GAP)".
- [6] ETS 300 474, Part 1 and 2: "Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Generic Access Profile (GAP); Profile requirement list and profile specific Implementation Conformance Statement (ICS) proforma".
- [7] ETS 300 476, Part 1 - 7: "Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI); Protocol Implementation Conformance Statement (PICS) proforma".
- [8] ETS 300 497-1: "Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 1: Test Suite Structure (TSS) and Test Purposes (TP) for Medium Access Control (MAC) layer".
- [9] ETS 300 497-2: "Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 2: Abstract Test Suite (ATS) for Medium Access Control (MAC) layer - Portable radio Termination (PT)".
- [10] ETS 300 497-3: "Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 3: Abstract Test Suite (ATS) for Medium Access Control (MAC) layer - Fixed radio Termination (FT)".
- [11] ETS 300 497-4: "Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 4: Test Suite Structure (TSS) and Test Purposes (TP) - Data Link Control (DLC) layer".
- [12] ETS 300 497-5: "Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 5: Abstract Test Suite (ATS) - Data Link Control (DLC) layer".
- [13] ETS 300 497-6: "Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 6: Test Suite Structure (TSS) and Test Purposes (TP) - Network (NWK) layer - Portable radio Termination (PT)".
- [14] ETS 300 497-7: "Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 7: Abstract Test Suite (ATS) for Network (NWK) layer - Portable radio Termination (PT)".
- [15] ETS 300 497-8: "Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 8: Test Suite Structure (TSS) and Test Purposes (TP) - Network (NWK) layer - Fixed radio Termination (FT)".
- [16] ETS 300 497-9: "Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Common Interface (CI) Test Case Library (TCL); Part 9: Abstract Test Suite (ATS) for Network (NWK) layer - Fixed radio Termination (FT)".
- [17] ETS 300 494-1: "Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Generic Access Profile (GAP); Profile Test Specification (PTS); Part 1: Summary".

- [18] ETS 300 494-3: "Radio Equipment and Systems (RES); Digital Enhanced Cordless Telecommunications (DECT); Generic Access Profile (GAP); Profile Test Specification (PTS); Part 3: Profile Specific Test Specification (PSTS) - Fixed radio Termination (FT)".
- [19] ISO/IEC 9646-1 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 1: General concepts". (See also CCITT Recommendation X.290 (1991)).
- [20] ISO/IEC 9646-2 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 2: Abstract test suite specification". (See also CCITT Recommendation X.291 (1991)).
- [21] ISO/IEC 9646-3 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 3: The tree and tabular combined notation". (See also CCITT Recommendation X.292 (1992)).
- [22] ISO/IEC 9646-5 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 5: Requirements on test laboratories and clients for the conformance assessment process". (See also CCITT Recommendation X.292 (1992)).
- [23] ISO/IEC 9646-6 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 6: Protocol profile test specification".
- [24] ISO/IEC 9646-7 (1991): "Information technology - Open Systems Interconnection - Conformance testing methodology and framework - Part 7: Implementation conformance statement".

3 Definitions and abbreviations

[https://standards.iteh.ai/catalog/standards/sist/fb0c13ec-51e0-40e8-9034-](https://standards.iteh.ai/catalog/standards/sist/fb0c13ec-51e0-40e8-9034-afe2b0649a9f/sist-ets-300-702-3-2001)

3.1 Definitions

For the purposes of this ETS, the following definitions apply:

- terms defined in ISO/IEC 9646 Parts 1 to 3 [19] - [21] and Parts 5 to 7 [22] - [24];
- definitions in ETS 300 370 [3];
- definitions in pr ETS 300 466 [2].

3.2 Abbreviations

For the purposes of this ETS, the following abbreviations apply:

ATS	Abstract Test Suite
CC	Call Control
CI	Common Interface
DLC	Data Link Control
FT	Fixed radio Termination
GAP	Generic Access Profile
GSM	Global System for Mobile communications
ICS	Implementation Conformance Statement
IPUI	International Portable User Identity
IUT	Implementation Under Test
IWP	Interworking Profile
IXIT	Implementation Extra Information for Testing
LCE	Link Control Entity
LLME	Lower Layer Management Entity

LLN	Logical Link Number
MAC	Medium Access Control
MM	Mobility Management
NLF	New Link Flag
NWK	Network
PARK	Portable Access Rights Key
PHL	Physical
PICS	Protocol Implementation Conformance Statement
PIXIT	Protocol Implementation Extra Information for Testing
PP	Portable Part
PSTS	Profile Specific Test Specification
PT	Portable radio Termination
PTS	Profile Test Specification
SARI	Secondary Access Rights Identity
SUT	System Under Test
TCL	Test Case Library
TPUI	Temporary Portable User Identity
TS	Test System
TSO	Test Suite Overview
TSS&TP	Test Suite Structure & Test Purposes
TTCN	Tree and Tabular Combined Notation

4 Relevant test cases list

4.1 Network (NWK) layer

This subclause includes lists of test suite groups and abstract test cases relevant for DECT/GSM IWP derived from ETS 300 497-9 [16] and ETS 300 494-3 [18].

If a test purpose, described in ETS 300 497-8 [15], is outside the scope of the DECT/GSM IWP the name of the relevant test case is excluded from the list.

NOTE: Exclusion of a test case may lead to exclusion of test steps, constraints, etc. and this should be taken into account when extracting the relevant information from ETS 300 497-9 [16].

If a test purpose, described in ETS 300 497-8 [15], is within the scope of the DECT/GSM IWP the name of the relevant test case is included into the list.

4.1.1 Test suite structure

Table 1: Test suite structure

Test suite structure	
Suite name:	nwk_ft
Standards Ref.:	ETS 300 370 [3]; ETS 300 497-9 [16]; ETS 300 494-3 [18]
Profile ICS Ref.:	ETS 300 704-2 [4]
Profile IXIT Ref.:	ETS 300 702-3 (this ETS)
Test Method:	remote
Comments:	
Test group reference	Test group objective
FT/	To check the behaviour of the NWK layer of the FT(IUT)
FT/CC/	To check the IUT CC-state machine behaviour
FT/CC/IT/	To check that the IUT CC-state machine provides sufficient conformance for possible interconnection without trying to perform thorough testing
FT/CC/CA/	Limited testing that the observable capabilities of the CC entity of the IUT are in accordance with the static conformance requirements and the additional capabilities claimed in the Profile ICS/Profile IXIT
FT/CC/BV/	To tests the CC entity of the IUT in response to syntactically and contextual correct behaviour of the test system
FT/CC/BV/OC/	To check the IUT's behaviours to set-up an outgoing call
FT/CC/BV/IC/	To check the IUT's behaviours to set-up an incoming call
FT/CC/BV/CI/	To check the IUT's behaviours in information transfer procedures
FT/CC/BV/CR/	To check the IUT's behaviours to release an outgoing/incoming call
FT/CC/TI/	To verify that the IUT CC timers are with correct values and the IUT is reacting properly to the expiry of a timer
FT/MM/	To check the behaviour of the MM entity of the IUT
FT/MM/IT/	To check that the MM entity of the IUT provides sufficient conformance for possible interconnection without trying to perform thorough testing
FT/MM/CA/	Limited testing that the observable capabilities of the MM entity of the IUT are in accordance with the static conformance requirements and the additional capabilities claimed in the Profile ICS/Profile IXIT
FT/MM/BV/	To tests the MM entity of the IUT in response to syntactically and contextual correct behaviour of the test system
FT/MM/BV/AU/	To check the IUT's behaviour concerning the authentication procedures
FT/MM/BV/ID/	To check the IUT's behaviour concerning identity procedures
FT/MM/BV/LO/	To check the IUT's behaviour concerning the location procedures
FT/MM/BV/CH/	To check the IUT's behaviour concerning the ciphering related procedures
FT/MM/TI/	To verify that the IUT MM timers are with correct values and the IUT is reacting properly to the expiry of a timer
FT/LC/	To check the behaviour of the LCE of the IUT
FT/LC/IT/	To check that LCE of the IUT provides sufficient conformance for possible interconnection without trying to perform thorough testing
FT/LC/CA/	Limited testing that the observable capabilities of the LCE of the IUT are in accordance with the static conformance requirements and the additional capabilities claimed in the Profile ICS/Profile IXIT
FT/LC/BV/	To tests the LCE of the IUT in response to syntactically and contextual correct behaviour of the test system
FT/LC/BV/LE/	To check the IUT's behaviour concerning the connection oriented link establishment procedures
FT/LC/TI/	To verify that the IUT LCE timers are with correct values and the IUT is reacting properly to the expiry of a timer
Detailed comments:	
1.	The sub-sub-groups with identifiers FT/xx/IT/ and FT/xx/CA/ do not include their own test cases but only list an appropriate selection of tests from the relevant sub-group with identifier FT/xx/.