



SLOVENSKI STANDARD
oSIST prEN 13209-1:2017
01-maj-2017

Izdelki za otroke - Oprema za nošenje dojenčkov - Varnostne zahteve in preskusne metode - 1. del: Nahrbtniki z ogrodjem

Child care and care articles - Baby carriers - Safety requirements and test methods - Part 1: Framed back carrier

Artikel für Säuglinge und Kleinkinder - Kindertragen - Sicherheitstechnische Anforderungen und Prüfverfahren - Teil 1: Rückentragen mit Gestell

Articles de puériculture - Porte-bébés - Exigences de sécurité et méthodes d'essai - Partie 1 : Porte-enfants dorsaux avec armature

Ta slovenski standard je istoveten z: prEN 13209-1

[SIST EN 13209-1:2022](https://standards.iteh.ai/catalog/standards/sist/4e163def-3732-4f02-8b73-bec6a93e4ff5/sist-en-13209-1-2022)

<https://standards.iteh.ai/catalog/standards/sist/4e163def-3732-4f02-8b73-bec6a93e4ff5/sist-en-13209-1-2022>

ICS:

97.190 Otroška oprema Equipment for children

oSIST prEN 13209-1:2017

en,fr,de

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

DRAFT
prEN 13209-1

March 2017

ICS 97.190

Will supersede EN 13209-1:2004

English Version

Child care and care articles - Baby carriers - Safety requirements and test methods - Part 1: Framed back carrier

Articles de puériculture - Porte-enfants - Exigences de sécurité et méthodes d'essai - Partie 1 : Porte-enfants dorsaux à armature

Artikel für Säuglinge und Kleinkinder - Kindertragen - Sicherheitstechnische Anforderungen und Prüfverfahren - Teil 1: Rückentragen mit Gestell

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 252.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword.....	4
1 Scope.....	5
2 Normative references.....	5
3 Terms and definitions	5
4 Test equipment.....	5
4.1 Small parts cylinder	5
4.2 Feeler gauge	6
4.3 Test torso	6
4.4 Test masses and dummy.....	8
4.4.1 Test mass A.....	8
4.4.2 Test mass B.....	8
4.4.3 Test mass C	8
4.4.4 Test mass D.....	8
4.4.5 Test mass E	9
4.4.6 Test dummy.....	9
4.5 Test platform	10
4.6 Finger probe for bounded openings.....	10
4.7 Finger probe for mesh.....	11
5 General requirements	11
5.1 Order of tests	11
5.2 Test conditions.....	11
5.3 Tolerances	11
6 Chemical hazards	12
6.1 Migration of certain elements	12
6.2 Formaldehyde	12
7 Thermal hazards	13
7.1 General.....	13
7.2 Flammability.....	13
7.2.1 Requirements	13
7.2.2 Test methods	13
8 Mechanical hazards.....	13
8.1 Entrapment of fingers.....	13
8.1.1 Requirements	13
8.1.2 Test methods	13
8.2 Choking and ingestion hazards	14
8.2.1 Requirements	14
8.2.2 Test methods	14
8.3 Entanglement hazards.....	15
8.3.1 Requirements	15
8.3.2 Test methods	15
8.4 Stability.....	16
8.4.1 Requirements	16

8.4.2	Test method	16
8.5	Protective function	17
8.5.1	Child restraint system	17
8.5.2	Carer's attachment system	17
8.5.3	Structural integrity	18
9	Suffocation hazards from packaging materials	18
10	Product information	18
10.1	General	18
10.2	Purchase information	18
10.3	Marking	19
10.4	Instructions for use	19
10.4.1	General	19
10.4.2	Warnings	19
10.4.3	Additional information	19
	Annex A (normative) Warnings	21
	Annex B (informative) Rationales	25
B.1	General	25
B.2	Chemical hazards	25
B.3	Thermal hazards	25
B.4	Mechanical hazards	25
B.4.1	General	25
B.4.2	Entrapment of fingers	25
B.4.3	Choking and ingestion hazards	25
B.4.4	Entanglement hazards	26
B.4.5	Protective function	26
B.5	Suffocation hazards	26
	Bibliography	27

<https://standards.iteh.ai/catalog/standards/sist/4e163def-3732-4022-8b73-bec6a93e4ff5/sist-en-13209-1-2017>

prEN 13209-1:2017 (E)

European foreword

This document (prEN 13209-1:2017) has been prepared by Technical Committee CEN/TC 252 “Child use and care articles”, the secretariat of which is held by AFNOR.

This document is currently submitted to the CEN Enquiry.

This document will supersede EN 13209-1:2004.

iTeh Standards (<https://standards.iteh.ai>) Document Preview

[SIST EN 13209-1:2022](https://standards.iteh.ai/catalog/standards/sist/4e163def-3732-4f02-8b73-bcc6a93e4ff5/sist-en-13209-1-2022)

<https://standards.iteh.ai/catalog/standards/sist/4e163def-3732-4f02-8b73-bcc6a93e4ff5/sist-en-13209-1-2022>

1 Scope

This European Standard specifies the safety requirements and test methods for child back carriers with framed support to carry a child in an essentially seated position. Framed back carriers are intended for children from 6 months of age up to a maximum weight of 22 kg and are designed to be attached to a carer's torso allowing a hands-free operation e.g.: standing, walking.

If the framed back carrier has other functions not covered in this European Standard, reference should be made to the relevant European Standard.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 71-2:2011+A1:2014, *Safety of toys - Part 2: Flammability*

EN 71-3:2013+A1:2014, *Safety of toys - Part 3: Migration of certain elements*

EN ISO 14184-1, *Textiles - Determination of formaldehyde - Part 1: Free and hydrolysed formaldehyde (water extraction method) (ISO 14184-1)*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

framed back carrier

product with a framed support designed to carry the child on the carer's back

3.2

freestanding framed back carrier

framed back carrier designed to stand unsupported

3.3

carer's attachment system

fastenings, straps and/or belts or similar parts which are fitted to the framed back carrier for the purpose of securing the product to the carer's torso

3.4

child restraint system

system incorporated into the framed back carrier in order to retain the child in the product

4 Test equipment

4.1 Small parts cylinder

Small parts cylinder with the dimensions specified in Figure 1.

Dimensions in millimetres




Figure 1 — Small parts cylinder

4.2 Feeler gauge

Gauge with thickness of $(0,4 \pm 0,02)$ mm, with the end to be inserted having a radius of approximately $(3 \text{ mm} \pm 0,5)$, see Figure 2.

Dimensions in millimetres




Figure 2 — Feeler gauge dimensions

4.3 Test torso

Rigid torso made from a hard smooth material with the dimensions specified in Figure 3 which is fitted on a rigid plate.

Dimensions in millimetres




Figure 3 — Test torso

prEN 13209-1:2017 (E)

4.4 Test masses and dummy

4.4.1 Test mass A

Bag filled with sand to a total mass of 15 kg, the shape and size of which is adjustable so that it can be firmly restrained by the carrier.

4.4.2 Test mass B

Bag filled with sand to a total mass of 22 kg, the shape and size of which is adjustable so that it can be firmly restrained by the carrier.

4.4.3 Test mass C

Rigid cylinder (200 ± 5) mm in diameter and (300 ± 5) mm in height having a mass of ($15 + 0,01/0$) kg with its centre of gravity in the centre of the cylinder. All edges shall have a radius of (5 ± 1) mm. Two anchorage points shall be provided, positioned ($150 \pm 2,5$) mm from the base and at 180° to each other around the circumference. See Figure 4.




Figure 4 — Test mass C

4.4.4 Test mass D

Rigid cylinder (220 ± 5) mm in diameter and (320 ± 5) mm in height having a mass of ($22 + 0,01/0$) kg with its centre of gravity in the centre of the cylinder. All edges shall have a radius of (5 ± 1) mm. Two anchorage points shall be provided, positioned ($160 \pm 2,5$) mm from the base and at 180° to each other around the circumference (see Figure 5).




Figure 5 — Test mass D