

SLOVENSKI STANDARD oSIST prEN 12414:2019

01-april-2019

Nadzorna oprema za parkirišča - Zahteve in preskusne metode za parkirne avtomate

Vehicle parking control equipment - Requirements and test methods for a parking terminal

Einrichtungen zur Parküberwachung von Fahrzeugen - Parkautomaten - Anforderungen und Prüfverfahren

Équipement de contrôle du stationnement des véhicules - Exigences et méthodes d'essai pour un terminal de stationnement

Ta slovenski standard je istoveten z: prEN 12414

ICS:

39.040.99 Drugi merilniki časa Other time-measuring

instruments

oSIST prEN 12414:2019 en,fr,de

oSIST prEN 12414:2019

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 12414:2020

https://standards.iteh.ai/catalog/standards/sist/4eb668b0-cddf-488a-a338-a93bc9c1b0fc/sist-en-12414-2020

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM

DRAFT prEN 12414

February 2019

ICS 39.040.99

Will supersede EN 12414:1999

English Version

Vehicle parking control equipment - Requirements and test methods for a parking terminal

Équipement de contrôle du stationnement des véhicules - Exigences et méthodes d'essai pour un terminal de stationnement Einrichtungen zur Parküberwachung von Fahrzeugen -Parkautomaten - Anforderungen und Prüfverfahren

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 226.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning: This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Conte	ents	Page
	ean Foreword	
Introd	uction	6
1	Scope	7
2	Normative references	7
3	Terms and definitions	8
4	Functional requirements	
4 4.1	Modes of operation	
4.1.1	Introduction	
4.1.1 4.1.2	Pay and Display mode (with ticket)	
4.1.3	Pay and Go mode (without ticket)	
4.1.4	Pay on departure	
4.2	User interface	
4.2.1	Screen	
4.2.2	Tickets and receipts	
4.2.3	Transaction confirmation function	
4.2.4	Transaction cancellation function	_
4.2.5	Tariff selection	
4.2.6	Physical keyboard	
4.2.7	Screen standby mode	
4.2.8	Parking terminal visibility	
4.2.9	Out of service and out of order	16
4.2.10	Languages	
	Displayed information during the transaction	
	Parking time calculationSIST EN 12414:2020	
4.2.13	Labels, legends and button colours alog/standards/sist/4eb668b0-cddf-488a-a338-	17
4.3	Connectivity of the parking terminal bofc/sist-en-12414-2020	
4.3.1	General	18
4.3.2	Category A - Not connected parking terminal	18
4.3.3	Category B - Connected parking terminal	18
4.4	Payment means	19
4.4.1	General	19
4.4.2	Various payment means	19
4.4.3	Confirmation and acceptance of payment	20
4.4.4	Collection systems	20
4.5	Upgrade capability	
4.5.1	Software configuration	
4.5.2	Software updates	
4.6	Management at the terminal	
4.6.1	Display of warnings (impending out of order situation)	
4.6.2	Ease of maintenance	
4.6.3	Secured access to maintenance actions	
4.6.4	Storage of operating and management data	
4.6.5	Verification of revenue held	
4.7	Remote management and reporting	
4.7.1	General	
4.7.2	Online status and events monitoring	
4.7.3	Data for statistics	
4.7.4	Remote configuration	24

4.8	Manuals	24
5	Technical requirements	24
5.1	Safety	
5.1.1	Electrical safety	
5.1.2	Ingress Protection (dust, water, and foreign objects)	
5.2 5.2.1	Operating capacity Ticket stock	
5.2.1	Capacity of the escrow for coins and tokens	
5.2.3	Capacity of the cashbox for coins and tokens	
5.2.4	Storage relating to transactions by electronic means of payment	
5.2.5	Energy autonomy	
5.3	Resistance to environmental conditions	
5.3.1	Minimum conditions	
5.3.2	Terminal water flooding resistance	
5.4	Accessibility for end-user	
5.5 5.6	Protection against theft or burglary Data security requirements for a parking terminal	
5.7	Internal clock	
6	Verification of the functional and technical requirements	
6.1 6.2	Tests conditions Test methods	
_		
	A (normative) Energy autonomy test procedure	28
A.1	Calculation of daily consumption	
A.2	Calculation of annual energy available	
A.2.1	Solar powered terminal	29
A.2.2	Terminal powered by a combination of solar energy and a non-rechargeable battery	
A.3	Autonomy during 'no energy' days sist-en-12414-2020	30
A.4	Energy autonomy of a terminal	31
Annex	B (normative) Security test procedure	32
B.1	Requirements for verification of protection against burglary	32
B.1.1	Documentation to be provided before the test	32
B.1.1.	1 General	32
B.1.1.2	2 General requirements on the documentation	32
B.1.1.	3 Necessary documents	32
B.1.1.4	4 Requirements for drawings	32
B.1.1.	5 Declaration of dangerous materials	33
B.1.2	Resistance classes	33
B.1.2.	1 General	33
B.1.2.	2 Access to the cash safe compartment	33
B.2	Preparation of tests	33
B.2.1	Test Team	33
B.2.2	Time measurement	34

B.2.3	Report	34
	Pre-testing actions	
B.2.4.1	General	34
B.2.4.2	Check of documentation	34
B.2.4.3	Preliminary inspection	34
B.2.4.4	Test schedule	34
	Choice of tools	
	Main test	
B.3.1	General	35
	Time keeping	
	Access on cash safe compartments	
B.4	Specification of tool sets	35
	Specification of hydraulic tool	
Annex	C (normative) Verification methods	38
Riblion	rranhy	66

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 12414:2020

https://standards.iteh.ai/catalog/standards/sist/4eb668b0-cddf-488a-a338-a93bc9c1b0fc/sist-en-12414-2020

European Foreword

This document (prEN 12414:2019) has been prepared by Technical Committee CEN/TC 226 "Road equipment", the secretariat of which is held by AFNOR.

This document is currently submitted to the CEN Enquiry.

This document will supersede EN 12414:1999.

The significant technical changes incorporated in this revision are:

- new requirements depending on the different modes of operation (Pay and Display, Pay and Go, Pay on Departure) which justify the change in the title and the scope of this standard where "pay and display ticket machine" has been replaced by "parking terminal";
- verification method described for each of the requirements in annex, which justify the change in the title and scope where "test methods" has been added;
- accessibility requirements taking into account new EN 301549:2014;
- requirement for user interface taking into account new technologies (display, keyboards, touch screen...);
- requirements and definition of categories of terminals depending on the level of connectivity with a central system (central system requirement being out of the scope of this standard);
- requirements for minimum information to be exchanged with the central system for connected terminals:
- requirements for payment means taking into account banknotes and new electronic means of payment;
- energy autonomy requirement for terminal powered by mains supply or solar energy or combination of solar energy and non-rechargeable battery, with detailed test procedure in annex;
- protection against theft or burglary with detailed test procedure in annex and introduction of security classes P0 to P4, with a minimum of P0 required;
- update of operation and management requirements;
- update of normative references.

Introduction

This document is a revision of the EN 12414 issued in 1999. This is not a harmonized standard. This document has been written for those called upon to manufacture, operate, maintain and use a parking terminal with the aim of providing requirements and test methods, especially for parking terminals in addition to the applicable European Directives.

This document takes the different modes of operation of parking terminal into account:

	pay and display mode;				
_	pay and go mode;				
_	pay on departure mode;				
and	and the different configurations of:				
_	user interface;				
_	means of payment;				
_	power supply;				
_	connectivity; iTeh STANDARD PREVIEW				
_	protection against theft or burglary;				
in order to provide measurable minimum requirements and associated test methods to standardize and qualify:					
	ease of use; SIST EN 12414:2020 https://standards.iteh.ai/catalog/standards/sist/4eb668b0-cddf-488a-a338- a93bc9c1b0fc/sist-en-12414-2020				
_	ease of operation; a93bc9c1b0fc/sist-en-12414-2020				
_	accessibility;				
_	security;				
_	energy autonomy;				
_	resistance to environment;				
_	protection against theft or burglary.				
A terminal conformity to this document is understood as a conformity to all minimum requirements applicable to the mode and configuration of the said terminal. This standard is for the terminal only, it					

A terminal conformity to this document is understood as a conformity to all minimum requirements applicable to the mode and configuration of the said terminal. This standard is for the terminal only, it does not cover the central system. Regarding protection against theft or burglary, conformity to the minimum requirement is reached with class P0, but in addition, classes P1-P4 have been defined to allow terminal suppliers to verify the effectiveness of additional measures to increase the protection against theft or burglary above P0.

1 Scope

This document specifies the technical and functional requirements including test methods for parking terminals. It applies to unattended terminals used to obtain the right to park for visual and / or electronic control of multiple road vehicles, with payment where applicable.

This document only covers parking terminals.

For parking terminals connected to centralized system, this document covers the minimum information to be exchanged with a central system. It does not define a standard protocol between parking terminals and central systems. It does not define the centralized system.

This document does not cover pay-on-foot terminals.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1332-3:2008, Identification card systems - Man-machine interface - Part 3: Keypads

EN 60068-2-1, Environmental testing - Part 2-1: Tests - Test A: Cold

EN 60068-2-2, Environmental testing - Part 2-2: Tests - Test B: Dry heat

EN 60068-2-30, Environmental testing - Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)

EN 60068-2-61, Environmental testing - Part 2: Test methods - Test Z/ABDM: Climatic sequence

EN 60529, Degrees of protection provided by enclosures (IP Code)

EN 60904-1, Photovoltaic devices - Part 1: Measurement of photovoltaic current-voltage characteristics

EN 61009-1, Residual current operated circuit-breakers with integral overcurrent protection for household and similar uses (RCBOs) - Part 1: General rules

EN 62262, Degrees of protection provided by enclosures for electrical equipment against external mechanical impacts (IK code)

EN 301549:2014, Accessibility requirements suitable for public procurement of ICT products and services in Europe

ISO 9241-305:2008, Ergonomics of human-system interaction - Part 305: Optical laboratory test methods for electronic visual displays

ISO/IEC 17025, General requirements for the competence of testing and calibration laboratories

ISO/IEC 17065, Conformity assessment — Requirements for bodies certifying products, processes and services

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at http://www.electropedia.org/
- ISO Online browsing platform: available at http://www.iso.org/obp

3.1

token

medium accepted by a terminal and used as a substitute for currency or for test purposes

3.2

transaction

process followed at the terminal to obtain the right to park

3.3

operator

person who is responsible for the operation of the parking terminal

3.4

supplier

terminal supplier or it's representative

3.5

end-user

individual obtaining the rights to park

SIST EN 12414:2020

3.6 http connected terminal

terminal communicating with an external system

3.7

cash

any currently valid coins or notes issued by an official banking system with a set monetary value

3.8

cash box

receptacle for the storage of cash and tokens until collection

3.9

coin validator

terminal component which identifies the validity of the coin/token inserted and accepts or rejects the coin or token

3.10

escrow device

unit to hold coins, tokens or banknotes, before confirmation or cancellation of the transaction

3.11

embedded software

dedicated software that provides:

- control of the terminal hardware components;
- control of the terminal behaviour when used;
- ability to set the operating parameters of the terminal

3.12

out of order

state of a terminal or a part of a terminal that is not able to operate

3.13

out of service

state of a terminal or a part of a terminal that has been voluntarily configured by the operator to no longer operate

3.14

credit note

printed media issued by the terminal for refund purposes

3.15 iTeh STANDARD PREVIEW

ePurse

electronic storage of value, which can be used in a manner similar to cash to pay for goods including the right to park

3.16 SIST EN 12414:2020

private card ps://standards.iteh.ai/catalog/standards/sist/4eb668b0-cddf-488a-a338-

electronic storage of prepaid value which can only be used to pay for the right to park

3.17

cash safe compartment

secure part of the terminal that stores cash

3.18

service compartment

secure part of the terminal that contains technical components for operation and maintenance outside of the cash safe compartment

3.19

return cup

receptacle that contains coins and tokens rejected or returned after cancellation

3.20

collection box

external lockable receptacle used for collection of cash

3.21

ticket

printed document for enforcement

4 Functional requirements

4.1 Modes of operation

4.1.1 Introduction

The modes of operation describe how the right to park is provided to end-users, then inspected by enforcement personnel.

Three modes of operation are defined in this document:

- a) the Pay and Display mode (with ticket);
- b) the Pay and Go mode (without ticket);
- c) the Pay on Departure (with or without ticket).

Any parking terminal shall comply with one or more modes.

4.1.2 Pay and Display mode (with ticket)

4.1.2.1 General

In this mode, a ticket is printed by the parking terminal and is to be displayed in the vehicle to allow visual inspection by the enforcement agent.

For a cash only offline transaction, a ticket with minimum printed information as detailed in 4.1.2.2, shall be issued within four seconds after confirmation of the transaction.

For pay and display, a printer shall be installed to deliver tickets and shall respect the requirements defined in 4.2.2.

4.1.2.2 Printed information (intended for enforcement)

This ticket shall as a minimum contain the following information on the same side of the ticket:

- amount paid (if applicable);
- parking expiry time and date (at least the month, day, hours and minutes);
- location of the parking terminal (identifier or address).

Where applicable, it shall be possible to add the following information:

- tariff category;
- unique transaction identifier;
- licence plate number;
- space number;
- issuing date and time;
- tax mandatory information;
- parking authority or operator reference.

4.1.3 Pay and Go mode (without ticket)

4.1.3.1 General

In this mode, the end-user does not need to display a ticket in a vehicle. Inspections are based on information that allows for identification either the parking space or the licence plate.

To obtain the right to park this information has to be entered by the end-user into the terminal to be recorded locally or in a centralised system.

The parking terminal shall offer the end-user the capability to correct and confirm the identification data manually entered before payment.

The terminal shall always be able to deliver a receipt:

— by a printer that shall respect the requirements defined in 4.1.3.3 and 4.2.2

or,

— digitally transferred to the end-user if allowed by local legislations, banks standards and card issuers if applicable and shall respect the requirements defined in 4.1.3.3.

4.1.3.2 Storage of transactions data and associated inspection

4.1.3.2.1 General

At least one of the means of storage described in 4.1.3.2.3 and 4.1.3.2.4 shall be used.

4.1.3.2.2 Stored information

Transactions shall be stored with the following information:

- parking expiry time and date (at least the month, day, hours and minutes);
- licence plate number or space number;
- amount paid (if applicable);
- location of the parking terminal (identifier or address);

Where applicable, it shall be possible to add the following information:

- specific category of the user;
- unique transaction identifier;
- date and time of issue.

4.1.3.2.3 Local storage of transaction

For terminals belonging of Category A (as defined in 4.3.2), when the transaction is confirmed by the enduser, the information defined in 4.1.3.2.2 shall be saved in the local memory of the parking terminal for local inspection by enforcement agent. The terminal shall have the capacity to store a minimum of 100 active transactions for enforcement purpose. If the maximum transaction capacity is reached the terminal shall block next transactions.

4.1.3.2.4 Online storage of transaction

For terminals belonging of Category B (as defined in 4.3.3), transactions completed by the end-users shall be transmitted to a centralised system to enable inspection by enforcement agent. If online transmission is not possible the terminal shall offer one of the two following possibilities:

- the transaction shall be blocked, or
- the transactions shall be allowed and stored locally until transmission to the centralised system.

4.1.3.3 Receipt

In case of a ticketless transaction, an offer shall be made to the end-user to obtain a receipt or it shall be automatically issued. An offer made at the end of the transaction shall remain for at least five seconds.

The minimum information contained on the receipt shall be the following:

- amount paid (if applicable);
- parking expiry time and date (at least the month, day, hours and minutes);
- the information that makes it possible to identify the vehicle either the licence plate or parking space number;
- location of the parking terminal (identifier or address).

Where applicable, it shall be possible to add the following information:

- tariff category;
- unique transaction identifier;
- https://standards.iteh.ai/catalog/standards/sist/4eb668b0-
- issuing date and time;
- tax mandatory information;
- parking authority or operator reference;
- licence plate number;
- space number;
- date and time of issue.

4.1.4 Pay on departure

4.1.4.1 General

This mode of operation applies only to terminal in category B (as defined in 4.3.3).

To obtain the right to park, the end-user needs to start the parking session at arrival. The parking session is either stopped by the user when departing or automatically by the system when reaching user selected or maximum defined parking end time.

Pay on departure mode can be managed with or without ticket.

The terminal shall always be able to deliver a receipt:

— by a printer that shall respect the requirements defined in 4.1.4.3.2 and 4.2.2,

or

— digitally transferred to the end-user if allowed by local legislations, banks standards and card issuers if applicable and shall respect the requirements defined in 4.1.4.3.2.

4.1.4.2 Transaction data

4.1.4.2.1 Parking session start data

Parking session start data shall contain the following information:

- licence plate number, and/or
- space number, and/or
- unique identifier;
- parking start time (at least the month, day, hours and minutes);
- user selected or maximum defined parking end time.

Where applicable:

- specific category of the user;
- location of the parking terminal (identifier or address).

4.1.4.2.2 Parking session end data and ards. iteh.ai

Parking session end data shall contain the following information:

- licence plate number, and/or
- space number, and/or
- unique identifier;
- parking start time (at least the month, day, hours and minutes);
- parking end time (at least the month, day, hours and minutes);
- amount paid.

Where applicable:

- specific category of the user;
- unique transaction identifier;
- location of the parking terminal (identifier or address).

4.1.4.3 Registration of parking transaction data, payment procedure

4.1.4.3.1 Parking session starts

a) Terminals without ticket