

SLOVENSKI STANDARD

DSIST EN 301 065-1:--

01-XWYfa VYf!% --

8][]HUbca fYyY'n]bhY[f]fUb]a]'gkcf]hj Ua]'fG8 BŁ!`8cdc'b]bUgkcf]hYj .
Xc_c b UbY'_]WUb'Už_c'b]cXn]j Uf7 7BFŁ!`Dfc hc_c`X][]HUbYbUfc b]y_Y
g][bU]nUWYyHr%fb GG%L!%XY. GdYWZ_UWY'Udfchc_c'U

Integrated Services Digital Network (ISDN); Completion of Calls on No Reply (CCNR)
supplementary service; Digital Subscriber Signalling System No. one (DSS1) protocol;
Part 1: Protocol specification

Ta slovenski standard je istoveten z: EN 301 065-1 V1.2.2.% - , !\$

ICS:

33.080	Digitalno omrežje z integriranimi storitvami (ISDN)	Integrated Services Digital Network (ISDN)
--------	---	--

DSIST EN 301 065-1:--

en

EN 301 065-1 V1.2.2 (1998-10)

European Standard (Telecommunications series)

**Integrated Services Digital Network (ISDN);
Completion of Calls on No Reply (CCNR)
supplementary service;
Digital Subscriber Signalling System No. one (DSS1) protocol;
Part 1: Protocol specification**



Reference

DEN/SPS-05115-1 (9v090ipc.PDF)

Keywords

ISDN, DSS1, supplementary service, CCNR

ETSI

Postal address

F-06921 Sophia Antipolis Cedex - FRANCE

Office address

650 Route des Lucioles - Sophia Antipolis

Valbonne - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C

Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Internet

secretariat@etsi.fr

<http://www.etsi.org>

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1998.
All rights reserved.

Contents

Intellectual Property Rights.....	5
Foreword	5
1 Scope	7
2 Normative references	7
3 Definitions.....	8
4 Abbreviations	10
5 Description	10
6 Operational requirements	10
6.1 Provision and withdrawal.....	10
6.2 Requirements on the network A side	11
6.3 Requirements on the network B side.....	11
7 Coding requirements	11
8 State definitions	14
8.1 User A states	14
8.2 User B states	14
8.3 Network A states.....	14
8.4 Network B states.....	14
9 Signalling procedures at the coincident S and T reference point	14
9.1 Activation	14
9.1.1 Normal operation	14
9.1.2 Exceptional procedures	16
9.2 User initiated deactivation procedure	17
9.3 Interrogation	17
9.3.1 General interrogation.....	17
9.3.1.1 Normal operation.....	17
9.3.1.2 Exceptional procedures.....	18
9.3.2 Specific interrogation	18
9.3.2.1 Normal operation.....	18
9.3.2.2 Exceptional procedures.....	18
9.4 Invocation and operation	19
9.4.1 Recall indication.....	19
9.4.1.1 Normal operation.....	19
9.4.1.2 Exceptional procedures.....	19
9.4.2 CCNR call request.....	20
9.4.3 CCNR call establishment	20
9.4.4 Network initiated deactivation procedures	20
9.4.5 B free but A busy procedure.....	20
9.4.5.1 Normal operation.....	20
9.4.5.2 Exceptional procedures.....	20
9.4.6 User A monitoring procedure.....	21
9.4.6.1 Normal operation.....	21
9.4.6.2 Exceptional procedures.....	21
9.5 Procedures at network B	21
9.5.1 Determination that CCNR is available	21
9.5.1.1 Normal operation.....	21
9.5.1.2 Exceptional procedures.....	21
9.5.2 Acceptance of a CCNR request.....	22
9.5.3 Queue B processing.....	22
9.5.3.1 Normal operation.....	22
9.5.3.2 Exceptional procedures.....	22

9.5.4	Determination of user B free	22
9.5.5	CCNR call	22
9.6	Call information retention	22
9.6.1	Normal operation	23
9.6.2	Exceptional procedures	23
9.7	Basic call information and compatibility checking at user A	23
10	Procedures for interworking with private ISDNs	24
10.1	Procedures for the originating T reference point	24
10.1.1	CCNR available indication	24
10.1.1.1	Normal operation	24
10.1.1.2	Exceptional procedures	24
10.1.2	CCNR supplementary service request	24
10.1.2.1	Normal operation	24
10.1.2.2	Exceptional procedures	25
10.1.3	User B free indication	25
10.1.4	Suspend request	25
10.1.5	Resume request	25
10.1.6	CCNR call establishment	25
10.1.7	Deactivation	25
10.2	Procedures for the destination T reference point	26
10.2.1	CCNR available indication	26
10.2.1.1	Normal operation	26
10.2.1.2	Exceptional procedures	26
10.2.2	CCNR supplementary service request	26
10.2.2.1	Normal operation	26
10.2.2.2	Exceptional procedures	26
10.2.3	User B free indication	27
10.2.3A	Normal operation	27
10.2.4	Suspend request	27
10.2.5	Resume request	27
10.2.6	CCNR call establishment	27
10.2.7	Deactivation	27
11	Interactions with other networks	27
12	Interactions with other supplementary services	27
13	Parameter values (timers)	28
14	Dynamic description (SDL diagrams)	29
Annex A (informative):	CCNR signalling flows	73
Annex B (normative):	Provision of status request procedures	81
Annex C (informative):	Assignment of object identifier values	82
History	83	

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available **free of charge** from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.fr/ipr> or <http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Signalling Protocols and Switching (SPS).

The present document is part 1 of a multi-part standard covering the Digital Subscriber Signalling System No. one (DSS1) protocol specification for the Integrated Services Digital Network (ISDN) Completion of Calls on No Reply (CCNR) supplementary service, as described below:

Part 1: "Protocol specification";

- Part 2: "Protocol Implementation Conformance Statement (PICS) proforma specification";
- Part 3: "Test Suite Structure and Test Purposes (TSS&TP) specification for the user";
- Part 4: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the user";
- Part 5: "Test Suite Structure and Test Purposes (TSS&TP) specification for the network";
- Part 6: "Abstract Test Suite (ATS) and partial Protocol Implementation eXtra Information for Testing (PIXIT) proforma specification for the network".

In accordance with CCITT Recommendation I.130, the following three level structure is used to describe the supplementary telecommunication services as provided by European public telecommunications operators under the pan-European ISDN:

- Stage 1: is an overall service description, from the user's standpoint;
- Stage 2: identifies the functional capabilities and information flows needed to support the service described in stage 1; and
- Stage 3: defines the signalling system protocols and switching functions needed to implement the service described in stage 1.

The present document details the stage 3 aspects (signalling system protocols and switching functions) needed to support the CCNR supplementary service. The stage 1 aspects are detailed in EN 301 134.

NOTE: Currently no stage 2 document exists.

National transposition dates	
Date of adoption of this EN:	9 October 1998
Date of latest announcement of this EN (doa):	31 January 1999
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 July 1999
Date of withdrawal of any conflicting National Standard (dow):	31 July 1999