



SLOVENSKI STANDARD

DSIST ETS 300 401:1999

01-1 b]11999

Sistemi radiodifuzije - Digitalna zvokovna radiodifuzija (DAB) za mobilne, prenosne in fiksne sprejemnike

Radio broadcasting systems; Digital Audio Broadcasting (DAB) to mobile, portable and fixed receivers

Ta slovenski standard je istoveten z: ETS 300 401 E2.% - +!\$)

ICS:

33.020	Telekomunikacije na splošno	Telecommunications in general
33.170	Televizijska in radijska difuzija	Television and radio broadcasting

DSIST ETS 300 401:1999

en



EUROPEAN
TELECOMMUNICATION
STANDARD

ETS 300 401

May 1997

Second Edition

Source: EBU/CENELEC/ETSI JTC

Reference: RE/JTC-00DAB-4

ICS: 33.020

Key words: Digital, audio, broadcasting, DAB, data, satellite, terrestrial

European Broadcasting Union



Union Européenne de Radio-Télévision

**Radio broadcasting systems;
Digital Audio Broadcasting (DAB) to
mobile, portable and fixed receivers**

ETSI

European Telecommunications Standards Institute

ETSI Secretariat

Postal address: F-06921 Sophia Antipolis CEDEX - FRANCE

Office address: 650 Route des Lucioles - Sophia Antipolis - Valbonne - FRANCE

X.400: c=fr, a=atlas, p=etsi, s=secretariat - **Internet:** secretariat@etsi.fr

Tel.: +33 4 92 94 42 00 - Fax: +33 4 93 65 47 16

Copyright Notification: No part may be reproduced except as authorized by written permission. The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1997.

© European Broadcasting Union 1997.

All rights reserved.

Contents

Foreword	9
1 Scope	11
2 Normative references	11
3 Definitions, abbreviations, symbols and conventions	13
3.1 Definitions	13
3.2 Abbreviations	17
3.3 Mathematical symbols	19
3.3.1 Arithmetic operators	19
3.3.2 Logical and set operators	19
3.3.3 Functions	19
3.3.4 Constants	19
3.4 C-language mathematical symbols	20
3.4.1 Arithmetic operators	20
3.4.2 Logical operators	20
3.4.3 Relational operators	20
3.4.4 Assignment	20
3.4.5 Mnemonics	20
3.4.6 Method of describing bit stream syntax	21
3.5 Convention	22
4 Basic DAB system description	23
4.1 Transport mechanisms	23
4.2 Multiplex Configuration Information (MCI)	25
4.3 Audio coding	25
4.4 Data features	26
4.5 Conditional Access (CA)	26
4.6 Energy dispersal	26
4.7 Convolutional coding	26
4.8 Time interleaving	26
4.9 Common Interleaved Frame	26
4.10 DAB transmission signal	27
4.11 Radio frequency parameters	27
4.12 Main DAB system characteristics	28
5 Transport mechanisms	31
5.1 Introduction	31
5.2 Fast Information Channel (FIC)	33
5.2.1 Fast Information Block (FIB)	33
5.2.2 Fast Information Group (FIG)	34
5.2.2.1 FIG type 0 data field	34
5.2.2.2 FIG type 1 data field	36
5.2.2.3 FIG type 5 data field	36
5.2.2.4 FIG type 6 data field	37
5.3 Main Service Channel (MSC)	38
5.3.1 Stream mode	38
5.3.2 Packet mode - network level	38
5.3.2.1 Packet header	39
5.3.2.2 Packet data field	40
5.3.2.3 Packet CRC	40
5.3.3 Packet mode - transport level	40
5.3.3.1 MSC data group header	41
5.3.3.2 Session header	42
5.3.3.3 MSC data group data field	43
5.3.3.4 MSC data group CRC	43

	5.3.4	Interrelation of network and transport level in packet mode	43
5.4		Transport of Service Information in the Auxiliary Information Channel	43
6		Multiplex Configuration Information (MCI)	44
6.1		Introduction	44
6.2		Sub-channel organization	45
6.3		Service organization	49
	6.3.1	Basic service and service component definition	49
	6.3.2	Service component in packet mode with or without Conditional Access	52
	6.3.3	Service component with Conditional Access in stream mode or FIC	53
	6.3.4	Service component "hooks"	54
	6.3.5	Data Service Component Type extension	54
	6.3.6	Service component global definition	55
6.4		Ensemble information	56
6.5		Multiplex re-configuration	58
7		Audio coding	58
7.1		Audio encoding	60
	7.1.1	Analysis sub-band filter	60
	7.1.2	Scale Factor calculation	62
	7.1.3	Coding of Scale Factors	62
	7.1.4	Coding of Scale Factor Selection Information	63
	7.1.5	Psychoacoustic model	64
	7.1.6	Bit allocation	64
	7.1.7	Bit allocation coding	64
	7.1.8	Quantization and coding of sub-band samples	67
	7.1.9	Formatting of the audio bit stream	69
7.2		Semantics of the audio bit stream	70
	7.2.1	MPEG Audio Layer II bit stream	70
	7.2.1.1	Audio sequence	70
	7.2.1.2	Audio frame	70
	7.2.1.3	Audio frame header	71
	7.2.1.4	Error check	74
	7.2.1.5	Audio data	74
	7.2.1.6	Ancillary data	74
	7.2.2	DAB audio bit stream	75
	7.2.2.1	DAB audio sequence	75
	7.2.2.2	DAB audio frame	75
	7.2.2.3	DAB audio frame header	76
	7.2.2.4	Error check	76
	7.2.2.5	Audio data	76
	7.2.2.6	Audio stuffing bits	76
	7.2.2.7	Extended Programme Associated Data (X-PAD)	76
	7.2.2.8	Scale Factor Error Check (ScF-CRC)	76
	7.2.2.9	Fixed Programme Associated Data (F-PAD)	76
7.3		Audio bit stream syntax	78
	7.3.1	ISO/IEC 11172-3 and ISO/IEC 13818-3 Layer II bit stream syntax	78
	7.3.1.1	Audio sequence	78
	7.3.1.2	Audio frame	78
	7.3.1.3	Header	79
	7.3.1.4	Error check	79
	7.3.1.5	Audio data	80
	7.3.1.6	Ancillary data	81
	7.3.2	DAB audio bit stream syntax	82
	7.3.2.1	DAB audio sequence	82
	7.3.2.2	DAB audio frame	82
	7.3.2.3	DAB audio frame header	82
	7.3.2.4	Error check	82
	7.3.2.5	Audio data	82
	7.3.2.6	Audio stuffing bits	83
	7.3.2.7	Extended Programme Associated Data	83
	7.3.2.8	Scale Factor error check	84
	7.3.2.9	Fixed Programme Associated Data	84

7.4	Programme Associated Data (PAD)	84
7.4.1	Coding of F-PAD	85
	7.4.1.1 Dynamic Range Control data	88
7.4.2	Structure of X-PAD	88
	7.4.2.1 Short X-PAD	89
	7.4.2.2 Variable size X-PAD	90
7.4.3	Application types	91
7.4.4	Contents indicator	92
	7.4.4.1 Contents indicator in short X-PAD	92
	7.4.4.2 Contents indicator in variable size X-PAD	92
7.4.5	Applications in X-PAD	93
	7.4.5.1 Table of contents	93
	7.4.5.2 Dynamic label segment	94
	7.4.5.3 ITTS packets	96
	7.4.5.4 In-house information	96
	7.4.5.5 Closed user-group packet channel	96
	7.4.5.6 Closed user-group stream channel	96
8	Data features	96
8.1	Service Information (SI)	96
8.1.1	Introduction	96
8.1.2	Service component language	97
8.1.3	Time and country identifier	98
	8.1.3.1 Date and Time	98
	8.1.3.2 Country, LTO and International table	99
8.1.4	Programme Number	100
8.1.5	Programme Type	101
	8.1.5.1 Programme Type coding	101
	8.1.5.2 Programme Type downloading	103
	8.1.5.3 Programme Type preview	105
8.1.6	Announcements	106
	8.1.6.1 Announcement support	106
	8.1.6.2 Announcement switching	107
8.1.7	Service component trigger	109
8.1.8	Frequency Information	111
8.1.9	Transmitter Identification Information (TII) database	115
8.1.10	Other ensembles	117
	8.1.10.1 OE Frequencies	117
	8.1.10.2 OE Services	117
	8.1.10.3 OE Programme Number	118
	8.1.10.4 OE Programme Type	118
	8.1.10.5 OE Announcements	118
	8.1.10.5.1 OE Announcement support	118
	8.1.10.5.2 OE Announcement switching	119
	8.1.10.6 OE Text labels	120
	8.1.10.7 OE Satellite database	120
8.1.11	FM services	120
	8.1.11.1 FM Frequencies	120
	8.1.11.2 FM Announcements	120
	8.1.11.2.1 FM Announcement support	120
	8.1.11.2.2 FM Announcement switching	121
	8.1.11.3 FM Programme Number	121
	8.1.11.4 FM Programme Type	121
	8.1.11.5 FM Text labels	121
8.1.12	FIC re-direction	121
8.1.13	Ensemble label	122
8.1.14	Service label	123
	8.1.14.1 Programme service label	123
	8.1.14.2 Data service label	123
	8.1.14.3 Service component label	123
8.1.15	Service linking information	124
8.1.16	Regional identification	127
	8.1.16.1 Region definition	127

	8.1.16.2	Region label	130
8.1.17		Local service area	130
8.1.18		Satellite assistance	130
	8.1.18.1	Satellite database	131
	8.1.18.2	Satellite handover	133
8.1.19		AM services	133
	8.1.19.1	AM Frequencies	133
	8.1.19.2	AM Programme Number	133
	8.1.19.3	AM Programme Type	133
	8.1.19.4	AM Text labels	133
8.2		Fast Information Data Channel	134
	8.2.1	Paging	134
	8.2.2	Traffic Message Channel (TMC)	135
	8.2.3	Emergency Warning Systems (EWS)	136
9		Conditional Access (CA)	136
	9.1	Scrambling audio and data	137
	9.1.1	Introduction	137
	9.1.2	Description of the audio and data scrambling processes	137
	9.1.3	Generating scrambling and descrambling sequences	137
	9.1.3.1	Generation of the initialization word	137
	9.1.3.2	Phasing	138
	9.1.4	Scrambling/descrambling processes	138
	9.1.4.1	Conditional Access signalling configurations	138
	9.1.4.2	Scrambling/descrambling of service components in stream mode	139
	9.1.4.3	Scrambling/descrambling of service components in packet mode	140
	9.1.4.4	Scrambling/descrambling of service components in the FIDC	141
	9.2	CA signalling and synchronizing data	143
	9.2.1	Conditional Access Identifier (CAId)	143
	9.2.2	Service Component Conditional Access (SCCA)	143
	9.2.3	Data Group Conditional Access (DGCA)	146
	9.2.4	Fast Information Data Channel Conditional Access (FIDCCA and FIDCCA_Ext)	147
	9.2.4.1	FIDCCA	147
	9.2.4.2	FIDCCA_Extended	147
	9.3	ECM and EMM transmission	148
	9.3.1	General description	148
	9.3.1.1	ECM and EMM coding	148
	9.3.1.2	Command Identifier coding	149
	9.3.2	Transport of ECM and EMM	150
	9.3.2.1	Transport in the MSC	150
	9.3.2.2	Transport in the FIC	151
	9.3.2.3	Transport together with service component	152
10		Energy dispersal	152
	10.1	General procedure	152
	10.2	Energy dispersal as applied in the Fast Information Channel	152
	10.3	Energy dispersal as applied in the Main Service Channel	153
11		Convolutional coding	153
	11.1	Convolutional code	153
	11.1.1	Mother code	153
	11.1.2	Puncturing procedure	154
	11.2	Coding in the Fast Information Channel	156
	11.2.1	Transmission modes I, II, and IV	156
	11.2.2	Transmission mode III	157
	11.3	Coding in the Main Service Channel	157
	11.3.1	Unequal Error Protection (UEP) coding	157
	11.3.2	Equal Error Protection (EEP) coding	160
	11.3.3	Future error protection coding	162