



Technical Specification

Machine-to-Machine communications (M2M); mla, dla and mld interfaces

PREVIEW
iTeh STANDARDS
(standards.iteh.ai)
Full standard
https://standards.iteh.ai/catalog/standards/etsi-102-921-v1.2.1-2013-06
c70e-465b-8829-0be960e463bc

ReferenceRTS/M2M-00010ed121

Keywordsinterface, M2M, protocol, service

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2013.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and
of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	22
Foreword.....	22
1 Scope	23
2 References	23
2.1 Normative references	23
2.2 Informative references.....	26
3 Definitions, symbols, abbreviations and conventions	27
3.1 Definitions.....	27
3.2 Symbols.....	27
3.3 Abbreviations	27
3.4 Conventions.....	27
4 Overview	27
5 General security aspects	28
5.1 Key provisioning and hierarchy derivation	28
5.1.1 Kmr provisioning.....	28
5.1.1.1 Kmr provisioning independent of access network credentials	28
5.1.1.2 Kmr provisioning based on access network credentials.....	28
5.1.1.3 Kmr refresh and invalidation.....	28
5.1.2 Kmc derivation	29
5.1.2.1 Kmc derivation in the case of EAP based mutual authentication and key agreement.....	29
5.1.2.2 Kmc derivation in the case of GBA based mutual authentication and key agreement.....	29
5.1.2.3 Kmc derivation in the case of TLS based mutual authentication and key agreement	29
5.1.2.4 Kmc refresh and invalidation	29
5.2 Security Assumptions.....	29
6 M2M Service Bootstrapping	30
6.1 General Principles	30
6.2 Access Network Assisted M2M Service Bootstrap Procedure.....	30
6.2.1 GBA-based M2M Service Bootstrap Procedure	30
6.2.1.1 Optional use of GBA_U with Ks_int_NAF	30
6.2.1.2 HTTP Digest Authentication and bootstrap parameter delivery	31
6.2.1.3 M2M Root Key (Kmr) derivation	31
6.2.2 EAP-based bootstrapping procedure using SIM/AKA Access Network Credentials	32
6.2.3 Bootstrapping from EAP-based access network layer	33
6.3 Bootstrapping using other methods	34
6.3.1 Bootstrapping methods using EAP over PANA	34
6.3.1.1 Generic procedure	34
6.3.1.1.1 Bootstrapping	34
6.3.1.1.2 Bootstrap-Erase	38
6.3.1.2 EAP/PANA - IBAKE bootstrapping operations	42
6.3.1.2.1 Provisioning of IBE specific parameters	43
6.3.1.2.2 Secure IBAKE protocol.....	44
6.3.1.3 EAP-TLS over PANA.....	45
6.3.2 M2M Service Bootstrap Procedure using TLS over TCP.....	45
6.3.2.1 Recap of M2M Service Bootstrap Procedure using TLS over TCP.....	45
6.3.2.2 Pre-Provisioning for M2M Service Bootstrap Procedure using TLS over TCP.....	45
6.3.2.3 Mutual Authentication for M2M Service Bootstrap Procedure using TLS over TCP	46
6.3.2.4 Parameter Delivery to D/G M2M Node for M2M Service Bootstrap Procedure using TLS over TCP	46
6.3.3 Specifications for TLS/Certificate-Based M2M Service Bootstrap Procedures	46
6.3.3.1 Introduction.....	46
6.3.3.2 TLS Details for TLS/Certificate-Based M2M Service Bootstrap Procedures.....	47
6.3.3.3 Certificate Considerations.....	47
6.3.3.3.1 M2M Device/Gateway Certificate Considerations.....	47

6.3.3.3.2	MSBF Certificate Considerations.....	48
6.4	M2M Service Bootstrap Parameter Delivery Procedure For Procedures using HTTP.....	49
6.4.1	Overview	49
6.4.2	bootstrapParamSet Resource	50
6.4.2.1	bootstrapParamSet Resource URI.....	50
6.4.2.2	bootstrapParamSet Resource Attributes.....	50
6.4.3	M2M Service Bootstrap Parameter Delivery Procedure Primitives	50
6.4.3.1	bootstrapParamSetExecuteRequestIndication.....	50
6.4.3.2	bootstrapParamSetExecuteResponseConfirm (successful case)	51
6.4.3.3	bootstrapParamSetExecuteResponseConfirm (unsuccessful case)	51
6.4.4	MSBF Filtering of Received bootstrapParamSetExecuteRequestIndication Primitives.....	51
6.4.5	M2M Service Bootstrap Parameter Delivery Procedure Sequence of Events	52
7	M2M Service Connection Procedures.....	54
7.1	General principles.....	54
7.2	M2M Service Connection Procedures leveraging access network credentials.....	55
7.2.1	M2M Service Connection Procedure based on GBA	55
7.2.1.1	TLS-PSK with GBA bootstrapped security association.....	55
7.2.1.1.1	M2M Connection Key (Kmc) derivation	56
7.2.2	M2M Service Connection Procedure Based On EAP/PANA with Access Network Credentials.....	57
7.3	M2M Service Connection Procedures using EAP/PANA.....	57
7.3.1	M2M Service Connection Setup Procedure using EAP/PANA.....	57
7.3.2	M2M Service Connection Tear-down Procedure using EAP/PANA	60
7.4	M2M Service Connection Procedure based on TLS-PSK.....	60
7.4.1	Introduction.....	60
7.4.2	TLS Details for M2M Service Connection Procedure Based On TLS-PSK.....	60
7.4.3	Sequence of events for M2M Service Connection Procedure based on TLS-PSK.....	61
7.4.4	Parameter Delivery to D/G M2M Node for M2M Service Connection Procedure based on TLS-PSK	61
7.4.5	M2M Service Connection Parameter Delivery Procedure For TLS-PSK-Based Procedures	62
7.4.5.1	Overview.....	62
7.4.5.2	connectionParamSet Resource	62
7.4.5.2.1	connectionParamSet Resource URI.....	62
7.4.5.2.2	connectionParamSet Resource Attributes.....	62
7.4.5.3	M2M Service Connection Parameter Delivery Procedure Primitives.....	63
7.4.5.3.1	connectionParamSetExecuteRequestIndication.....	63
7.4.5.3.2	connectionParamSetExecuteResponseConfirm (successful case).....	63
7.4.5.3.3	connectionParamSetExecuteResponseConfirm (unsuccessful case).....	64
7.4.5.4	M2M Service Connection Parameter Delivery Procedure Pre-Conditions	64
7.4.5.5	MAS Filtering of Received connectionParamSetExecuteRequestIndication Primitives.....	64
7.4.5.6	M2M Service Connection Parameter Delivery Sequence of Events	64
7.5	IVal security attributes in connection establishment.....	68
8	M2M Secure Communication over mld.....	68
8.1	Access Network Based Security.....	68
8.2	Channel Security	68
8.2.1	Supported Channel Security Methods	68
8.2.1.1	Negotiation to use a Channel Security Method.....	69
8.2.1.2	Supported TLS/DTLS Versions and TLS Cipher Suites for Channel Security Methods.....	69
8.2.1.3	Details of the DTLS/TLS Handshake	69
8.2.1.3.1	Applicability to DTLS and TLS	69
8.2.1.3.2	TLS ClientHello.server_name Field Details For Channel Security Methods.....	70
8.2.1.3.3	TLS ServerKeyExchange.psk_identity_hint Field Details For Channel Security Methods	70
8.2.1.3.4	TLS ClientKeyExchange.psk_identity and PSK Derivation for Channel Security Methods	70
8.3	Object Security.....	71
8.3.1	Securing CoAP-based mld.....	71
8.3.2	Securing XML-based mld	71
9	Resources	71
10	SCL Primitives	72
10.1	Introduction	72
10.2	General aspects.....	72
10.2.1	SCL primitives.....	72

10.2.2	Asynchronous and semi-asynchronous processing	73
10.3	Common operations	73
10.3.1	Issuer actions	73
10.3.1.1	Compose RequestIndication primitive	73
10.3.1.2	Send a RequestIndication to the Receiver SCL.....	74
10.3.1.2.1	Determination of the Receiver SCL	74
10.3.1.2.2	Selection of communication channel.....	74
10.3.1.3	Wait for ResponseConfirm primitive	80
10.3.2	Hosting SCL actions	81
10.3.2.1	Check existence of the addressed resource	81
10.3.2.2	Check the syntax of received message	81
10.3.2.3	Check validity of resource representation for CREATE.....	81
10.3.2.4	Check validity of resource representation for UPDATE.....	81
10.3.2.5	Check authorization of the requestingEntity based on accessRightID.....	82
10.3.2.6	Check authorization of the requestingEntity based on selfPermission.....	83
10.3.2.7	Check authorization of the requestingEntity based on default access rights.....	84
10.3.2.8	Announce resource.....	84
10.3.2.8.1	Update of announce on request of application.....	85
10.3.2.8.2	Update of announce on request of local SCL	86
10.3.2.8.3	Create announced Resource.....	87
10.3.2.8.4	Retrieve announced Resource	87
10.3.2.8.5	Update announced Resource	88
10.3.2.8.6	Delete announced Resource.....	88
10.3.2.9	DeAnnounce resource	88
10.3.2.10	Create the resource.....	89
10.3.2.11	Create a collection resource representation	90
10.3.2.12	Create a successful ResponseConfirm	90
10.3.2.13	Create an unsuccessful ResponseConfirm	90
10.3.2.14	Read the addressed resource	90
10.3.2.15	Update the addressed resource	90
10.3.2.16	Delete the addressed resource	91
10.3.2.17	Send ResponseConfirm primitive	91
10.3.2.18	Identify the managed remote entity and the management protocol.....	91
10.3.2.19	Locate the MO information to be managed on the remote entity.....	91
10.3.2.20	Establish a management session with the remote entity.....	92
10.3.2.21	Send the management request(s) to the remote entity corresponding to the received RequestIndication primitive.....	92
10.3.2.22	Identify the managed remote entity and the management protocol.....	93
10.3.2.23	SCL retargeting to an application.....	95
10.3.3	Receiver SCL actions.....	97
10.3.3.1	Re-targeting.....	97
10.4	<sclBase> resource and management procedures	98
10.4.1	<sclBase> resource	98
10.4.2	sclBaseCreate.....	98
10.4.3	sclBaseRetrieve.....	99
10.4.3.1	sclBaseRetrieveRequestIndication	99
10.4.3.2	sclBaseRetrieveResponseConfirm (successful case)	100
10.4.3.3	sclBaseRetrieveResponseConfirm (unsuccessful case).....	100
10.4.4	sclBaseUpdate.....	100
10.4.4.1	sclBaseUpdateRequestIndication	100
10.4.4.2	sclBaseUpdateResponseConfirm (successful case)	101
10.4.4.3	sclBaseUpdateResponseConfirm (unsuccessful case)	101
10.4.5	sclBaseDelete.....	101
10.5	scls resource and management procedures.....	102
10.5.1	scls resource.....	102
10.5.2	sclsCreate.....	102
10.5.3	sclsRetrieve.....	102
10.5.3.1	sclsRetrieveRequestIndication	102
10.5.3.2	sclsRetrieveResponseConfirm (successful case).....	103
10.5.3.3	sclsRetrieveResponseConfirm (unsuccessful case).....	103
10.5.4	sclsUpdate.....	104
10.5.4.1	sclsUpdateRequestIndication	104

10.5.4.2	sclsUpdateResponseConfirm (successful case).....	105
10.5.4.3	sclsUpdateResponseConfirm (unsuccessful case).....	105
10.5.5	sclsDelete.....	105
10.6	<scl> resource and management procedures.....	106
10.6.1	<scl> resource.....	106
10.6.2	sclCreate.....	108
10.6.2.1	sclCreateRequestIndication.....	108
10.6.2.2	sclCreateReponseConfirm(successful case).....	111
10.6.2.3	sclCreateReponseConfirm(unsuccessful case).....	111
10.6.3	sclRetrieve.....	111
10.6.3.1	sclRetrieveRequestIndication.....	111
10.6.3.2	sclRetrieveResponseConfirm (successful case).....	112
10.6.3.3	sclRetrieveResponseConfirm (unsuccessful case).....	112
10.6.4	sclUpdate.....	113
10.6.4.1	sclUpdateRequestIndication.....	113
10.6.4.2	sclUpdateResponseConfirm (successful case).....	114
10.6.4.3	sclUpdateResponseConfirm (unsuccessful case).....	114
10.6.5	sclDelete.....	115
10.6.5.1	sclDeleteRequestIndication.....	115
10.6.5.2	sclDeleteResponseConfirm (successful case).....	116
10.6.5.3	sclDeleteResponseConfirm (unsuccessful case).....	116
10.7	applications resource and management procedures.....	116
10.7.1	applications resource.....	116
10.7.2	applicationsCreate.....	117
10.7.3	applicationsRetrieve.....	117
10.7.3.1	applicationsRetrieveRequestIndication.....	117
10.7.3.2	applicationsRetrieveResponseConfirm (successful case).....	118
10.7.3.3	sclsRetrieveResponseConfirm (unsuccessful case).....	118
10.7.4	applicationsUpdate.....	118
10.7.4.1	applicationsUpdateRequestIndication.....	118
10.7.4.2	applicationsUpdateResponseConfirm (successful case).....	119
10.7.4.3	applicationsUpdateResponseConfirm (unsuccessful case).....	119
10.7.5	applicationsDelete.....	119
10.8	<application> resource and management procedures.....	120
10.8.1	<application> resource.....	120
10.8.2	applicationCreate.....	120
10.8.2.1	applicationCreateRequestIndication.....	120
10.8.2.2	applicationCreateResponseConfirm (successful case).....	121
10.8.2.3	applicationCreateResponseConfirm (unsuccessful case).....	122
10.8.3	applicationRetrieve.....	122
10.8.3.1	applicationRetrieveRequestIndication.....	122
10.8.3.2	applicationRetrieveResponseConfirm (successful case).....	123
10.8.3.3	applicationRetrieveResponseConfirm (unsuccessful case).....	123
10.8.4	applicationUpdate.....	123
10.8.4.1	applicationUpdateRequestIndication.....	123
10.8.4.2	applicationUpdateResponseConfirm (successful case).....	125
10.8.4.3	applicationUpdateResponseConfirm (unsuccessful case).....	125
10.8.5	applicationDelete.....	125
10.8.5.1	applicationDeleteRequestIndication.....	125
10.8.5.2	applicationDeleteResponseConfirm (successful case).....	126
10.8.5.3	applicationDeleteResponseConfirm (unsuccessful case).....	126
10.9	<applicationAnnc> resource and management procedures.....	127
10.9.1	<applicationAnnc> resource.....	127
10.9.2	applicationAnncCreate.....	127
10.9.2.1	applicationAnncCreateRequestIndication.....	127
10.9.2.2	applicationAnncCreateResponseConfirm (successful case).....	128
10.9.2.3	applicationAnncCreateResponseConfirm (unsuccessful case).....	128
10.9.3	applicationAnncRetrieve.....	128
10.9.3.1	applicationAnncRetrieveRequestIndication.....	128
10.9.3.2	applicationAnncRetrieveResponseConfirm (successful case).....	129
10.9.3.3	applicationAnncRetrieveResponseConfirm (unsuccessful case).....	129
10.9.4	applicationAnncUpdate.....	129

10.9.4.1	applicationAnncUpdateRequestIndication	129
10.9.4.2	applicationAnncUpdateResponseConfirm (successful case)	130
10.9.4.3	applicationAnncUpdateResponseConfirm (unsuccessful case)	130
10.9.5	applicationAnncDelete.....	130
10.9.5.1	applicationAnncDeleteRequestIndication	130
10.9.5.2	applicationAnncDeleteResponseConfirm (successful case)	131
10.9.5.3	applicationAnncDeleteResponseConfirm (unsuccessful case).....	131
10.10	accessRights resource and management procedures	131
10.10.1	accessRights resource	131
10.10.2	accessRightsCreate	131
10.10.3	accessRightsRetrieve	132
10.10.3.1	accessRightsRetrieveRequestIndication.....	132
10.10.3.2	accessRightsRetrieveResponseConfirm (successful case)	133
10.10.3.3	accessRightsRetrieveResponseConfirm (unsuccessful case)	133
10.10.4	accessRightsUpdate	133
10.10.4.1	accessRightsUpdateRequestIndication.....	133
10.10.4.2	accessRightsUpdateResponseConfirm (successful case)	134
10.10.4.3	accessRightsUpdateResponseConfirm (unsuccessful case)	134
10.10.5	accessRightsDelete	134
10.11	accessRight Resource and Management Procedures	135
10.11.1	accessRight resource	135
10.11.2	accessRightCreate.....	135
10.11.2.1	accessRightCreateRequestIndication	135
10.11.2.2	accessRightCreateResponseConfirm (successful case).....	136
10.11.2.3	accessRightCreateResponseConfirm (unsuccessful case).....	136
10.11.3	accessRightRetrieve.....	137
10.11.3.1	accessRightRetrieveRequestIndication	137
10.11.3.2	accessRightRetrieveResponseConfirm (successful case).....	138
10.11.3.3	accessRightRetrieveResponseConfirm (unsuccessful case).....	138
10.11.4	accessRightUpdate	138
10.11.4.1	accessRightUpdateRequestIndication	138
10.11.4.2	accessRightUpdateResponseConfirm (successful case).....	139
10.11.4.3	accessRightUpdateResponseConfirm (unsuccessful case).....	139
10.11.5	accessRightDelete.....	140
10.11.5.1	accessRightDeleteRequestIndication	140
10.11.5.2	accessRightDeleteResponseConfirm (successful case).....	141
10.11.5.3	accessRightDeleteResponseConfirm (unsuccessful case).....	141
10.12	<accessRightAnnc> resource and management procedures	141
10.12.1	<accessRightAnnc> resource	141
10.12.2	accessRightAnncCreate	141
10.12.2.1	accessRightAnncCreateRequestIndication.....	141
10.12.2.2	accessRightAnncCreateResponseConfirm (successful case)	142
10.12.2.3	accessRightAnncCreateResponseConfirm (unsuccessful case)	142
10.12.3	accessRightAnncRetrieve	143
10.12.3.1	accessRightAnncRetrieveRequestIndication.....	143
10.12.3.2	accessRightAnncRetrieveResponseConfirm (successful case)	143
10.12.3.3	accessRightAnncRetrieveResponseConfirm (unsuccessful case)	144
10.12.4	accessRightAnncUpdate	144
10.12.4.1	accessRightAnncUpdateRequestIndication.....	144
10.12.4.2	accessRightAnncUpdateResponseConfirm (successful case)	145
10.12.4.3	accessRightAnncUpdateResponseConfirm (unsuccessful case)	145
10.12.5	accessRightAnncDelete	145
10.12.5.1	accessRightAnncDeleteRequestIndication.....	145
10.12.5.2	accessRightAnncDeleteResponseConfirm (successful case)	146
10.12.5.3	accessRightAnncDeleteResponseConfirm (unsuccessful case)	146
10.13	containers resource and management procedures.....	146
10.13.1	containers resource	146
10.13.2	containersCreate	146
10.13.3	containersRetrieve	147
10.13.3.1	containersRetrieveRequestIndication.....	147
10.13.3.2	containersRetrieveResponseConfirm (successful case)	148
10.13.3.3	containersRetrieveResponseConfirm (unsuccessful case)	148

10.13.4	containersUpdate	148
10.13.4.1	containersUpdateRequestIndication.....	148
10.13.4.2	containersUpdateResponseConfirm (successful case)	149
10.13.4.3	containersUpdateResponseConfirm (unsuccessful case)	149
10.13.5	containersDelete	150
10.14	<container> resource and management procedures.....	150
10.14.1	<container> resource	150
10.14.2	containerCreate	150
10.14.2.1	containerCreateRequestIndication	150
10.14.2.2	containerCreateResponseConfirm (successful case).....	151
10.14.2.3	containerCreateResponseConfirm (unsuccessful case).....	152
10.14.3	containerRetrieve	152
10.14.3.1	containerRetrieveRequestIndication	152
10.14.3.2	containerRetrieveResponseConfirm (successful case).....	153
10.14.3.3	containerRetrieveResponseConfirm (unsuccessful case).....	153
10.14.4	containerUpdate	153
10.14.4.1	containerUpdateRequestIndication	153
10.14.4.2	containerUpdateResponseConfirm (successful case).....	154
10.14.4.3	containerUpdateResponseConfirm (unsuccessful case).....	154
10.14.5	containerDelete	155
10.14.5.1	containerDeleteRequestIndication	155
10.14.5.2	containerDeleteResponseConfirm(successful case).....	155
10.14.5.3	containerDeleteResponseConfirm (unsuccessful case).....	156
10.15	<containerAnnc> resource and management procedures.....	156
10.15.1	<containerAnnc> resource.....	156
10.15.2	containerAnncCreate	156
10.15.2.1	containerAnncCreateRequestIndication.....	156
10.15.2.2	containerAnncCreateResponseConfirm (successful case).....	157
10.15.2.3	containerAnncCreateResponseConfirm (unsuccessful case)	157
10.15.3	containerAnncRetrieve	157
10.15.3.1	containerAnncRetrieveRequestIndication.....	157
10.15.3.2	containerAnncRetrieveResponseConfirm (successful case)	158
10.15.3.3	containerAnncRetrieveResponseConfirm (unsuccessful case)	158
10.15.4	containerAnncUpdate	158
10.15.4.1	containerAnncUpdateRequestIndication.....	158
10.15.4.2	containerAnncUpdateResponseConfirm (successful case)	159
10.15.4.3	containerAnncUpdateResponseConfirm (unsuccessful case)	159
10.15.5	containerAnncDelete	159
10.15.5.1	containerAnncDeleteRequestIndication.....	159
10.15.5.2	containerAnncDeleteResponseConfirm (successful case)	160
10.15.5.3	containerAnncDeleteResponseConfirm (unsuccessful case)	160
10.16	locationContainer resources and management procedures.....	161
10.16.1	<locationContainer> resource.....	161
10.16.2	locationContainerCreate	161
10.16.2.1	locationContainerCreateRequestIndication.....	161
10.16.2.2	locationContainerCreateResponseConfirm (successful case)	162
10.16.2.3	locationContainerCreateResponseConfirm (unsuccessful case)	163
10.16.3	locationContainerRetrieve	163
10.16.3.1	locationContainerRetrieveRequestIndication.....	163
10.16.3.2	locationContainerRetrieveResponseConfirm (successful case)	164
10.16.3.3	locationContainerRetrieveResponseConfirm (unsuccessful case)	164
10.16.4	locationContainerUpdate	164
10.16.4.1	locationContainerUpdateRequestIndication.....	164
10.16.4.2	locationContainerUpdateResponseConfirm (successful case)	165
10.16.4.3	locationContainerUpdateResponseConfirm (unsuccessful case)	165
10.16.5	locationContainerDelete	166
10.16.5.1	locationContainerDeleteRequestIndication.....	166
10.16.5.2	locationContainerDeleteResponseConfirm (successful case)	166
10.16.5.3	locationContainerDeleteResponseConfirm (unsuccessful case)	167
10.17	<locationcontainerAnnc> resource and management procedures.....	167
10.17.1	<locationContainerAnnc> resource	167
10.17.2	locationContainerAnncCreate.....	167

10.17.2.1	locationContainerAnnCreateRequestIndication	167
10.17.2.2	locationContainerAnnCreateResponseConfirm (successful case).....	168
10.17.2.3	locationContainerAnnCreateResponseConfirm (unsuccessful case).....	168
10.17.3	locationContainerAnnRetrieve.....	168
10.17.3.1	locationContainerAnnRetrieveRequestIndication	168
10.17.3.2	locationContainerAnnRetrieveResponseConfirm (successful case).....	169
10.17.3.3	locationContainerAnnRetrieveResponseConfirm (unsuccessful case).....	169
10.17.4	locationContainerAnnUpdate.....	169
10.17.4.1	locationContainerAnnUpdateRequestIndication	169
10.17.4.2	locationContainerAnnUpdateResponseConfirm (successful case).....	170
10.17.4.3	locationContainerAnnUpdateResponseConfirm (unsuccessful case).....	170
10.17.5	locationContainerAnnDelete.....	170
10.17.5.1	locationContainerAnnDeleteRequestIndication	170
10.17.5.2	locationContainerAnnDeleteResponseConfirm (successful case).....	171
10.17.5.3	locationContainerAnnDeleteResponseConfirm (unsuccessful case).....	171
10.18	contentInstances resource and management procedures	172
10.18.1	contentInstances resource	172
10.18.2	contentInstancesCreate	172
10.18.3	contentInstancesRetrieve	172
10.18.3.1	contentInstancesRetrieveRequestIndication.....	172
10.18.3.2	contentInstancesRetrieveResponseConfirm (successful case)	175
10.18.3.3	contentInstancesRetrieveResponseConfirm (unsuccessful case)	175
10.18.4	contentInstancesUpdate	175
10.18.5	contentInstancesDelete	175
10.19	<contentInstance> resource and management procedures	176
10.19.1	<contentInstance> resource	176
10.19.2	contentInstanceCreate.....	176
10.19.2.1	contentInstanceCreateRequestIndication	176
10.19.2.2	contentInstanceCreateResponseConfirm (successful case).....	178
10.19.2.3	contentInstanceCreateResponseConfirm (unsuccessful case).....	178
10.19.3	contentInstanceRetrieve	178
10.19.3.1	contentInstanceRetrieveRequestIndication	178
10.19.3.2	contentInstanceRetrieveResponseConfirm (successful case).....	180
10.19.3.3	contentInstanceRetrieveResponseConfirm (unsuccessful case).....	180
10.19.4	contentInstanceUpdate.....	180
10.19.5	contentInstanceDelete	180
10.19.5.1	contentInstanceDeleteRequestIndication	180
10.19.5.2	contentInstanceDeleteResponseConfirm(successful case).....	182
10.19.5.3	contentInstanceDeleteResponseConfirm (unsuccessful case).....	182
10.20	groups resource and management procedures	182
10.20.1	groups resource	182
10.20.2	groupsCreate	182
10.20.3	groupsRetrieve	182
10.20.3.1	groupsRetrieveRequestIndication	182
10.20.3.2	groupsRetrieveResponseConfirm (successful case).....	183
10.20.3.3	groupsRetrieveResponseConfirm (unsuccessful case)	184
10.20.4	groupsUpdate	184
10.20.4.1	groupsUpdateRequestIndication	184
10.20.4.2	groupsUpdateResponseConfirm (successful case).....	185
10.20.4.3	groupsUpdateResponseConfirm (unsuccessful case).....	185
10.20.5	groupsDelete	185
10.21	<group> resource and management procedures	185
10.21.1	<group> resource	185
10.21.2	groupCreate.....	186
10.21.2.1	groupCreateRequestIndication	186
10.21.2.2	groupCreateResponseConfirm (successful case)	187
10.21.2.3	groupCreateResponseConfirm (unsuccessful case)	187
10.21.3	groupRetrieve	188
10.21.3.1	groupRetrieveRequestIndication	188
10.21.3.2	groupRetrieveResponseConfirm (successful case)	189
10.21.3.3	groupRetrieveResponseConfirm (unsuccessful case)	189
10.21.4	groupUpdate	189

10.21.4.1	groupUpdateRequestIndication	189
10.21.4.2	groupUpdateResponseConfirm (successful case)	190
10.21.4.3	GroupUpdateResponseConfirm (unsuccessful case)	191
10.21.5	groupDelete	191
10.21.5.1	groupDeleteRequestIndication	191
10.21.5.2	groupDeleteResponseConfirm (successful case)	192
10.21.5.3	groupDeleteResponseConfirm (unsuccessful case)	192
10.22	<groupAnnC> resource and management procedures	192
10.22.1	<groupAnnC> resource	192
10.22.2	groupAnnCCreate	192
10.22.2.1	groupAnnCCreateRequestIndication	192
10.22.2.2	groupAnnCCreateResponseConfirm (successful case)	193
10.22.2.3	groupAnnCCreateResponseConfirm (unsuccessful case)	193
10.22.3	groupAnnCRetrieve	193
10.22.3.1	groupAnnCRetrieveRequestIndication	193
10.22.3.2	groupAnnCRetrieveResponseConfirm (successful case)	194
10.22.3.3	groupAnnCRetrieveResponseConfirm (unsuccessful case)	194
10.22.4	groupAnnCUpdate	195
10.22.4.1	groupAnnCUpdateRequestIndication	195
10.22.4.2	groupAnnCUpdateResponseConfirm (successful case)	195
10.22.4.3	groupAnnCUpdateResponseConfirm (unsuccessful case)	195
10.22.5	groupAnnCDelete	196
10.22.5.1	groupAnnCDeleteRequestIndication	196
10.22.5.2	groupAnnCDeleteResponseConfirm (successful case)	196
10.22.5.3	groupAnnCDeleteResponseConfirm (unsuccessful case)	196
10.23	membersContent resource and management procedures	197
10.23.1	membersContent resource	197
10.23.2	membersContentCreate	197
10.23.2.1	membersContentCreateRequestIndication	197
10.23.2.2	membersContentCreateResponseConfirm (successful case)	199
10.23.2.3	membersContentCreateResponseConfirm (unsuccessful case)	199
10.23.3	membersContentRetrieve	200
10.23.3.1	membersContentRetrieveRequestIndication	200
10.23.3.2	membersContentRetrieveResponseConfirm (successful case)	201
10.23.3.3	membersContentRetrieveResponseConfirm (unsuccessful case)	202
10.23.4	membersContentUpdate	202
10.23.4.1	membersContentUpdateRequestIndication	202
10.23.4.2	membersContentUpdateResponseConfirm (successful case)	204
10.23.4.3	memberContentUpdateResponseConfirm (unsuccessful case)	204
10.23.5	membersContentDelete	205
10.23.5.1	membersContentDeleteRequestIndication	205
10.23.5.2	membersContentDeleteResponseConfirm (successful case)	206
10.23.5.3	membersContentDeleteResponseConfirm (unsuccessful case)	207
10.24	subscriptions resource and management procedures	207
10.24.1	subscriptions resource	207
10.24.2	subscriptionsCreate	207
10.24.3	subscriptionsRetrieve	207
10.24.3.1	subscriptionsRetrieveRequestIndication	207
10.24.3.2	subscriptionsRetrieveResponseConfirm (successful case)	208
10.24.3.3	subscriptionsRetrieveResponseConfirm (unsuccessful case)	208
10.24.4	subscriptionsUpdate	208
10.24.5	subscriptionsDelete	209
10.25	<subscription> resource and management procedures	209
10.25.1	<subscription> resource	209
10.25.2	subscriptionCreate	209
10.25.2.1	subscriptionCreateRequestIndication	209
10.25.2.2	subscriptionCreateResponseConfirm (successful case)	211
10.25.2.3	subscriptionCreateResponseConfirm (unsuccessful case)	211
10.25.3	subscriptionRetrieve	211
10.25.3.1	subscriptionRetrieveRequestIndication	211
10.25.3.2	subscriptionRetrieveResponseConfirm (successful case)	212
10.25.3.3	subscriptionRetrieveResponseConfirm (unsuccessful case)	212

10.25.4	subscriptionUpdate	212
10.25.4.1	subscriptionUpdateRequestIndication.....	212
10.25.4.2	subscriptionUpdateResponseConfirm (successful case)	214
10.25.4.3	subscriptionUpdateResponseConfirm (unsuccessful case)	214
10.25.5	subscriptionDelete	214
10.25.5.1	subscriptionDeleteRequestIndication.....	214
10.25.5.2	subscriptionDeleteResponseConfirm (successful case)	215
10.25.5.3	subscriptionDeleteResponseConfirm (unsuccessful case)	215
10.25.6	Notify representation	216
10.25.7	subscriptionNotify	216
10.25.7.1	subscriptionNotifyRequestIndication (normal case)	216
10.25.7.2	subscriptionNotifyResponseConfirm (response to normal case)	218
10.25.7.3	subscriptionNotifyRequestIndication (error case).....	218
10.25.7.4	subscriptionNotifyResponseConfirm (response to error case).....	219
10.26	m2mPoCs resource and management procedures	220
10.26.1	m2mPoCs resource	220
10.26.2	m2mPocsCreate	220
10.26.3	m2mPocsRetrieve	220
10.26.3.1	m2mPocsRetrieveRequestIndication	220
10.26.3.2	m2mPocsRetrieveResponseConfirm (successful case).....	221
10.26.3.3	m2mPocsRetrieveResponseConfirm (unsuccessful case).....	221
10.26.4	m2mPocsUpdate.....	221
10.26.5	m2mPocsDelete	222
10.27	m2mPoc Resource and Management Procedures	222
10.27.1	m2mPoc resource.....	222
10.27.2	m2mPocCreate.....	222
10.27.2.1	m2mPocCreateRequestIndication.....	222
10.27.2.2	m2mPocCreateResponseConfirm (successful case).....	224
10.27.2.3	m2mPocCreateResponseConfirm (unsuccessful case).....	224
10.27.3	m2mPocRetrieve.....	224
10.27.3.1	m2mPocRetrieveRequestIndication	224
10.27.3.2	m2mPocRetrieveResponseConfirm (successful case).....	225
10.27.3.3	m2mPocRetrieveResponseConfirm (unsuccessful case).....	225
10.27.4	m2mPocUpdate.....	225
10.27.4.1	m2mPocUpdateRequestIndication	225
10.27.4.2	m2mPocUpdateResponseConfirm (successful case)	226
10.27.4.3	m2mPocRetrieveResponseConfirm (unsuccessful case).....	227
10.27.5	m2mPocDelete.....	227
10.27.5.1	m2mPocDeleteRequestIndication	227
10.27.5.2	m2mPocDeleteResponseConfirm (successful case).....	228
10.27.5.3	m2mPocDeleteResponseConfirm (unsuccessful case).....	228
10.28	mgmtObjs resources and management procedures.....	229
10.28.1	mgmtObjs resource	229
10.28.2	mgmtObjsCreate	229
10.28.3	mgmtObjsRetrieve	229
10.28.3.1	mgmtObjsRetrieveRequestIndication	229
10.28.3.2	mgmtObjsRetrieveResponseConfirm (successful case).....	230
10.28.3.3	mgmtObjsRetrieveResponseConfirm (unsuccessful case).....	230
10.28.4	mgmtObjsUpdate.....	231
10.28.4.1	mgmtObjsUpdateRequestIndication	231
10.28.4.2	mgmtObjsUpdateResponseConfirm (successful case).....	232
10.28.4.3	mgmtObjsUpdateResponseConfirm (unsuccessful case).....	232
10.28.5	mgmtObjsDelete	232
10.29	<mgmtObj> resources and management procedures.....	232
10.29.1	<mgmtObj> resource	232
10.29.2	mgmtObjCreate.....	233
10.29.2.1	mgmtObjCreateRequestIndication	233
10.29.2.2	mgmtObjCreateResponseConfirm (successful case)	235
10.29.2.3	mgmtObjCreateResponseConfirm (unsuccessful case).....	235
10.29.3	mgmtObjRetrieve	235
10.29.3.1	mgmtObjRetrieveRequestIndication	235
10.29.3.2	mgmtObjRetrieveResponseConfirm (successful case)	236

10.29.3.3	mgmtObjRetrieveResponseConfirm (unsuccessful case)	236
10.29.4	mgmtObjUpdate	237
10.29.4.1	mgmtObjUpdateRequestIndication	237
10.29.4.2	mgmtObjUpdateResponseConfirm (successful case)	238
10.29.4.3	mgmtObjUpdateResponseConfirm (unsuccessful case)	238
10.29.5	mgmtObjDelete	238
10.29.5.1	mgmtObjDeleteRequestIndication	238
10.29.5.2	mgmtObjDeleteResponseConfirm (successful case)	239
10.29.5.3	mgmtObjDeleteResponseConfirm (unsuccessful case)	239
10.29.6	mgmtObjExecute	240
10.29.6.1	mgmtObjExecuteRequestIndication	240
10.29.6.2	mgmtObjExecuteResponseConfirm (successful case)	241
10.29.6.3	mgmtObjExecuteResponseConfirm (unsuccessful case)	241
10.30	<parameters> resources and management procedures	241
10.30.1	<parameters> resource	241
10.30.2	parametersCreate	242
10.30.2.1	parametersCreateRequestIndication	242
10.30.2.2	parametersCreateResponseConfirm (successful case)	243
10.30.2.3	ParametersCreateResponseConfirm (unsuccessful case)	243
10.30.3	parametersRetrieve	244
10.30.3.1	parametersRetrieveRequestIndication	244
10.30.3.2	parametersRetrieveResponseConfirm (successful case)	245
10.30.3.3	parametersRetrieveResponseConfirm (unsuccessful case)	245
10.30.4	parametersUpdate	245
10.30.4.1	parametersUpdateRequestIndication	245
10.30.4.2	parametersUpdateResponseConfirm (successful case)	246
10.30.4.3	parametersUpdateResponseConfirm (unsuccessful case)	246
10.30.5	parametersDelete	247
10.30.5.1	parametersDeleteRequestIndication	247
10.30.5.2	parametersDeleteResponseConfirm (successful case)	248
10.30.5.3	parametersDeleteResponseConfirm (unsuccessful case)	248
10.30.6	parametersExecute	248
10.30.6.1	parametersExecuteRequestIndication	248
10.30.6.2	parametersExecuteResponseConfirm (successful case)	249
10.30.6.3	parametersExecuteResponseConfirm (unsuccessful case)	249
10.31	<mgmtCmd> resource and management procedures	250
10.31.1	<mgmtCmd> resource	250
10.31.2	mgmtCmdCreate	250
10.31.2.1	mgmtCmdCreateRequestIndication	250
10.31.2.2	mgmtCmdCreateResponseConfirm (successful case)	251
10.31.2.3	mgmtCmdCreateResponseConfirm (unsuccessful case)	251
10.31.3	mgmtCmdRetrieve	252
10.31.3.1	mgmtCmdRetrieveRequestIndication	252
10.31.3.2	mgmtCmdRetrieveResponseConfirm (successful case)	252
10.31.3.3	mgmtCmdRetrieveResponseConfirm (unsuccessful case)	253
10.31.4	mgmtCmdUpdate	253
10.31.4.1	mgmtCmdUpdateRequestIndication	253
10.31.4.2	mgmtCmdUpdateResponseConfirm (successful case)	254
10.31.4.3	mgmtCmdUpdateResponseConfirm (unsuccessful case)	254
10.31.5	mgmtCmdDelete	254
10.31.5.1	mgmtCmdDeleteRequestIndication	254
10.31.5.2	mgmtCmdDeleteResponseConfirm (successful case)	255
10.31.5.3	mgmtCmdDeleteResponseConfirm (unsuccessful case)	255
10.31.6	mgmtCmdExecute	256
10.31.6.1	mgmtCmdExecuteRequestIndication	256
10.31.6.2	mgmtCmdExecuteResponseConfirm (successful case)	257
10.31.6.3	mgmtCmdExecuteResponseConfirm (unsuccessful case)	257
10.32	execInstances resource and management procedures	257
10.32.1	execInstances resource	257
10.32.2	execInstancesCreate	257
10.32.3	execInstancesRetrieve	258
10.32.3.1	execInstancesRetrieveRequestIndication	258

10.32.3.2	execInstancesRetrieveResponseConfirm (successful case).....	258
10.32.3.3	execInstancesRetrieveResponseConfirm (unsuccessful case).....	259
10.32.4	execInstancesUpdate.....	259
10.32.5	execInstancesDelete.....	259
10.33	<execInstance> resource and management procedures.....	259
10.33.1	<execInstance> resource.....	259
10.33.2	execInstanceCreate.....	260
10.33.3	execInstanceRetrieve.....	260
10.33.3.1	execInstanceRetrieveRequestIndication.....	260
10.33.3.2	execInstanceRetrieveResponseConfirm (successful case).....	261
10.33.3.3	execInstanceRetrieveResponseConfirm (unsuccessful case).....	261
10.33.4	execInstanceUpdate.....	261
10.33.5	execInstanceDelete.....	261
10.33.5.1	execInstanceDeleteRequestIndication.....	261
10.33.5.2	execInstanceDeleteResponseConfirm (successful case).....	262
10.33.5.3	execInstanceDeleteResponseConfirm (unsuccessful case).....	262
10.33.6	execInstanceExecute.....	263
10.33.6.1	execInstanceExecuteRequestIndication.....	263
10.33.6.2	execInstanceExecuteResponseConfirm (successful case).....	264
10.33.6.3	execInstanceExecuteResponseConfirm (unsuccessful case).....	264
10.34	attachedDevices resource and management procedures.....	264
10.34.1	attachedDevices resource.....	264
10.34.2	attachedDevicesCreate.....	264
10.34.3	attachedDevicesRetrieve.....	265
10.34.3.1	attachedDevicesRetrieveRequestIndication.....	265
10.34.3.2	attachedDevicesRetrieveResponseConfirm (successful case).....	266
10.34.3.3	attachedDevicesRetrieveResponseConfirm (unsuccessful case).....	266
10.34.4	attachedDevicesUpdate.....	266
10.34.4.1	attachedDevicesUpdateRequestIndication.....	266
10.34.4.2	attachedDevicesUpdateResponseConfirm (successful case).....	267
10.34.4.3	attachedDevicesUpdateResponseConfirm (unsuccessful case).....	267
10.34.5	attachedDevicesDelete.....	267
10.35	attachedDevice resources and management procedures.....	268
10.35.1	attachedDevice resource.....	268
10.35.2	attachedDeviceCreate.....	268
10.35.2.1	attachedDeviceCreateRequestIndication.....	268
10.35.2.2	attachedDeviceCreateResponseConfirm (successful case).....	269
10.35.2.3	attachedDeviceCreateResponseConfirm (unsuccessful case).....	269
10.35.3	attachedDeviceRetrieve.....	270
10.35.3.1	attachedDeviceRetrieveRequestIndication.....	270
10.35.3.2	attachedDeviceRetrieveResponseConfirm (successful case).....	270
10.35.3.3	attachedDeviceRetrieveResponseConfirm (unsuccessful case).....	271
10.35.4	attachedDeviceUpdate.....	271
10.35.4.1	attachedDeviceUpdateRequestIndication.....	271
10.35.4.2	attachedDeviceUpdateResponseConfirm (successful case).....	272
10.35.4.3	attachedDeviceUpdateResponseConfirm (unsuccessful case).....	272
10.35.5	attachedDeviceDelete.....	272
10.35.5.1	attachedDeviceDeleteRequestIndication.....	272
10.35.5.2	attachedDeviceDeleteResponseConfirm (successful case).....	273
10.35.5.3	attachedDeviceDeleteResponseConfirm (unsuccessful case).....	273
10.36	notificationChannels resource and management procedures.....	274
10.36.1	notificationChannels resource.....	274
10.36.2	notificationChannelsCreate.....	274
10.36.3	notificationChannelsRetrieve.....	274
10.36.3.1	notificationChannelsRetrieveRequestIndication.....	274
10.36.3.2	notificationChannelsRetrieveResponseConfirm (successful case).....	275
10.36.3.3	notificationChannelsRetrieveResponseConfirm (unsuccessful case).....	275
10.36.4	notificationChannelsUpdate.....	275
10.36.5	notificationChannelsDelete.....	275
10.37	<notificationChannel> resource and management procedures.....	276
10.37.1	<notificationChannel> resource.....	276
10.37.2	notificationChannelCreate.....	276