



SLOVENSKI STANDARD

SIST EN 14908-6:2015

01-marec-2015

Nadomešča:
SIST EN 14908-6:2011

Odprta izmenjava podatkov v avtomatizaciji stavb in izvršnih elementov ter pri upravljanju stavb - Protokol regulacijske mreže - 6. del: Uporaba elementov

Open Data Communication in Building Automation, Controls and Building Management - Control Network Protocol - Part 6: Application elements

Firmenneutrale Datenkommunikation für die Gebäudeautomation und Gebäudemanagement - Gebäude Netzwerk Protokoll - Teil 6: Anwendungselemente

Réseau ouvert de communication de données pour l'automatisation, la régulation et la gestion technique du bâtiment - Protocole de réseau pour le bâtiment - Partie 6: Éléments d'application

Ta slovenski standard je istoveten z: EN 14908-6:2014

ICS:

35.240.99	Uporabniške rešitve IT na drugih področjih	IT applications in other fields
97.120	Avtomatske krmilne naprave za dom	Automatic controls for household use

SIST EN 14908-6:2015

en,fr,de

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 14908-6:2015

<https://standards.iteh.ai/catalog/standards/sist/025ee417-863e-4e4a-b151-6fd4f74e593c/sist-en-14908-6-2015>

EUROPEAN STANDARD

EN 14908-6

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2014

ICS 35.240.99; 91.140.01; 97.120

Supersedes EN 14908-6:2010

English Version

Open Data Communication in Building Automation, Controls and Building Management - Control Network Protocol - Part 6: Application elements

Réseau ouvert de communication de données pour l'automatisation, la régulation et la gestion technique du bâtiment - Protocole de réseau pour le bâtiment - Partie 6 : Éléments pour l'application

Firmenneutrale Datenkommunikation für die Gebäudeautomation und Gebäudemanagement - Gebäude Netzwerk Protokoll - Teil 6: Anwendungselemente

This European Standard was approved by CEN on 18 October 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

	Page
Foreword.....	16
Introduction	17
1 Scope	18
2 Normative references	18
3 Terms and definitions	18
4 Standard network-variable type – SNVT	26
4.1 Introduction	26
4.2 SNVT_amp	26
4.3 SNVT_amp_mil.....	26
4.4 SNVT_angle	26
4.5 SNVT_angle_vel	27
4.6 SNVT_btu_kilo.....	27
4.7 SNVT_btu_mega	27
4.8 SNVT_char_ascii.....	27
4.9 SNVT_count.....	27
4.10 SNVT_count_inc	27
4.11 SNVT_date_day	28
4.12 SNVT_elec_kwh	28
4.13 SNVT_elec_whr.....	28
4.14 SNVT_flow	28
4.15 SNVT_flow_mil.....	28
4.16 SNVT_length.....	28
4.17 SNVT_length_kilo	29
4.18 SNVT_length_micr	29
4.19 SNVT_length_mil	29
4.20 SNVT_lev_cont.....	29
4.21 SNVT_mass	29
4.22 SNVT_mass_kilo	29
4.23 SNVT_mass_mega.....	30
4.24 SNVT_mass_mil.....	30
4.25 SNVT_power.....	30
4.26 SNVT_power_kilo.....	30
4.27 SNVT_ppm.....	30
4.28 SNVT_press.....	30
4.29 SNVT_res	31
4.30 SNVT_res_kilo.....	31
4.31 SNVT_sound_db	31
4.32 SNVT_speed.....	31
4.33 SNVT_speed_mil.....	31
4.34 SNVT_str_asc.....	32
4.35 SNVT_str_int	32
4.36 SNVT_telcom.....	32
4.37 SNVT_temp.....	32
4.38 SNVT_vol	33
4.39 SNVT_vol_kilo	33
4.40 SNVT_vol_mil.....	33
4.41 SNVT_volt.....	33
4.42 SNVT_volt_dbmv	33
4.43 SNVT_volt_kilo.....	33
4.44 SNVT_volt_mil.....	34
4.45 SNVT_amp_f.....	34

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 14908-6:2015

<https://standards.iteh.ai/catalog/standards/sist/025ee417-863e-4e4a-b151-6fd4f74e593c/sist-en-14908-6-2015>

4.46	SNVT_angle_f	34
4.47	SNVT_angle_vel_f	34
4.48	SNVT_count_f	34
4.49	SNVT_count_inc_f	35
4.50	SNVT_flow_f	35
4.51	SNVT_length_f	35
4.52	SNVT_lev_cont_f	35
4.53	SNVT_mass_f	35
4.54	SNVT_power_f	36
4.55	SNVT_ppm_f	36
4.56	SNVT_press_f	36
4.57	SNVT_res_f	36
4.58	SNVT_sound_db_f	37
4.59	SNVT_speed_f	37
4.60	SNVT_temp_f	37
4.61	SNVT_time_f	37
4.62	SNVT_vol_f	38
4.63	SNVT_volt_f	38
4.64	SNVT_btu_f	38
4.65	SNVT_elec_whr_f	38
4.66	SNVT_config_src	38
4.67	SNVT_color	39
4.68	SNVT_grammage	39
4.69	SNVT_grammage_f	39
4.70	SNVT_file_req	39
4.71	SNVT_file_status	41
4.72	SNVT_freq_f	43
4.73	SNVT_freq_hz	43
4.74	SNVT_freq_kilohz	43
4.75	SNVT_freq_milhz	43
4.76	SNVT_lux	43
4.77	SNVT_lev_percent	43
4.78	SNVT_multiplier	44
4.79	SNVT_state	44
4.80	SNVT_time_stamp	45
4.81	SNVT_zerospans	46
4.82	SNVT_magcard	46
4.83	SNVT_elapsed_tm	49
4.84	SNVT_alarm	50
4.85	SNVT_currency	51
4.86	SNVT_file_pos	52
4.87	SNVT_muldiv	52
4.88	SNVT_obj_request	52
4.89	SNVT_obj_status	53
4.90	SNVT_preset	55
4.91	SNVT_switch	56
4.92	SNVT_trans_table	56
4.93	SNVT_override	57
4.94	SNVT_pwr_fact	57
4.95	SNVT_pwr_fact_f	57
4.96	SNVT_density	57
4.97	SNVT_density_f	58
4.98	SNVT_rpm	58
4.99	SNVT_hvac_emerg	58
4.100	SNVT_angle_deg	58
4.101	SNVT_temp_p	58
4.102	SNVT_temp_setpt	58
4.103	SNVT_time_sec	59
4.104	SNVT_hvac_mode	59

STANDARD PREVIEW
(standards.itech.ai)

SIST EN 14908-6:2015

standards.itech.ai/catalog/standards/sist/025ee417-863e-4e4a-b151-6f14f74e593c/sist-en-14908-6-2015

EN 14908-6:2014 (E)

4.105	SNVT_occupancy.....	59
4.106	SNVT_area.....	59
4.107	SNVT_hvac_overid.....	60
4.108	SNVT_hvac_status.....	60
4.109	SNVT_press_p.....	61
4.110	SNVT_address.....	61
4.111	SNVT_scene.....	61
4.112	SNVT_scene_cfg.....	62
4.113	SNVT_setting.....	62
4.114	SNVT_evap_state.....	63
4.115	SNVT_therm_mode.....	63
4.116	SNVT_defr_mode.....	63
4.117	SNVT_defr_term.....	63
4.118	SNVT_defr_state.....	63
4.119	SNVT_time_min.....	64
4.120	SNVT_time_hour.....	64
4.121	SNVT_ph.....	64
4.122	SNVT_ph_f.....	64
4.123	SNVT_chlr_status.....	64
4.124	SNVT_tod_event.....	65
4.125	SNVT_smo_obscur.....	66
4.126	SNVT_fire_test.....	66
4.127	SNVT_temp_ror.....	66
4.128	SNVT_fire_init.....	66
4.129	SNVT_fire_indcte.....	66
4.130	SNVT_time_zone.....	67
4.131	SNVT_earth_pos.....	69
4.132	SNVT_reg_val.....	70
4.133	SNVT_reg_val_ts.....	70
4.134	SNVT_volt_ac.....	71
4.135	SNVT_amp_ac.....	71
4.136	SNVT_turbidity.....	72
4.137	SNVT_turbidity_f.....	72
4.138	SNVT_hvac_type.....	72
4.139	SNVT_elec_kwh_l.....	72
4.140	SNVT_temp_diff_p.....	72
4.141	SNVT_ctrl_req.....	73
4.142	SNVT_ctrl_resp.....	73
4.143	SNVT_ptz.....	74
4.144	SNVT_privacyzone.....	75
4.145	SNVT_pos_ctrl.....	75
4.146	SNVT_enthalpy.....	76
4.147	SNVT_gfci_status.....	76
4.148	SNVT_motor_state.....	76
4.149	SNVT_pumpset_mn.....	77
4.150	SNVT_ex_control.....	78
4.151	SNVT_pumpset_sn.....	78
4.152	SNVT_pump_sensor.....	80
4.153	SNVT_abs_humid.....	81
4.154	SNVT_flow_p.....	81
4.155	SNVT_dev_c_mode.....	81
4.156	SNVT_valve_mode.....	81
4.157	SNVT_alarm_2.....	82
4.158	SNVT_state_64.....	82
4.159	SNVT_nv_type.....	87
4.160	SNVT_ent_opmode.....	88
4.161	SNVT_ent_state.....	88
4.162	SNVT_ent_status.....	89
4.163	SNVT_flow_dir.....	91

iTech STANDARD PREVIEW
(standards.itech.ai)

SIST EN 14908-6:2015

[https://standards.itech.ai/catalog/standards/sist/025ee417-863e-4e4a-b151-](https://standards.itech.ai/catalog/standards/sist/025ee417-863e-4e4a-b151-6f14f74e593c/sist-en-14908-6-2015)

[6f14f74e593c/sist-en-14908-6-2015](https://standards.itech.ai/catalog/standards/sist/025ee417-863e-4e4a-b151-6f14f74e593c/sist-en-14908-6-2015)

4.164	SNVT_hvac_satsts	91
4.165	SNVT_dev_status	92
4.166	SNVT_dev_fault	95
4.167	SNVT_dev_maint	98
4.168	SNVT_date_event	100
4.169	SNVT_sched_val.....	100
4.170	SNVT_sec_state.....	100
4.171	SNVT_sec_status	101
4.172	SNVT_sblnd_state	102
4.173	SNVT_rac_ctrl	102
4.174	SNVT_rac_req.....	104
4.175	SNVT_count_32	106
4.176	SNVT_clothes_w_c.....	106
4.177	SNVT_clothes_w_m	109
4.178	SNVT_clothes_w_s.....	109
4.179	SNVT_clothes_w_a.....	112
4.180	SNVT_multiplier_s	115
4.181	SNVT_switch_2.....	115
4.182	SNVT_color_2	117
4.183	SNVT_log_status	118
4.184	SNVT_time_stamp_p.....	119
4.185	SNVT_log_fx_request	120
4.186	SNVT_log_fx_status.....	120
4.187	SNVT_log_request.....	121
4.188	SNVT_enthalpy_d.....	121
4.189	SNVT_amp_ac_mil.....	121
4.190	SNVT_time_hour_p	121
4.191	SNVT_lamp_status	122
4.192	SNVT_environment	129
4.193	SNVT_geo_loc	130
4.194	SNVT_program_status	131
4.195	SNVT_load_offsets	131
4.196	SNVT_Wm2_p	132
4.197	SNVT_safe_1.....	132
4.198	SNVT_safe_2.....	134
4.199	SNVT_safe_4.....	136
4.200	SNVT_safe_8.....	138
4.201	SNVT_time_val_2.....	140
4.202	SNVT_time_offset.....	141
4.203	SNVT_sched_exc.....	141
4.204	SNVT_sched_status	142
4.205	SNVT_mass_flow.....	142
4.206	SNVT_mass_flow_f	142
5	Standard configuration-property type – SCPT	143
5.1	Introduction.....	143
5.2	SCPTactFbDly.....	143
5.3	SCPTalmClrT1	143
5.4	SCPTalmClrT2	144
5.5	SCPTalmIhbt	144
5.6	SCPTalmSetT1.....	144
5.7	SCPTalmSetT2.....	144
5.8	SCPTdefOutput.....	144
5.9	SCPTdriveT	144
5.10	SCPTHighLimit1	145
5.11	SCPTHighLimit2.....	145
5.12	SCPTHystHigh1.....	145
5.13	SCPTHystHigh2.....	145
5.14	SCPTHystLow1	145
5.15	SCPTHystLow2	145

EN 14908-6:2014 (E)

5.16	SCPTinFbDly	146
5.17	SCPTinvrtOut	146
5.18	SCPTlocation.....	146
5.19	SCPTlowLimit1.....	146
5.20	SCPTlowLimit2.....	146
5.21	SCPTmaxRnge	146
5.22	SCPTmaxRcvT	147
5.23	SCPTmaxSndT	147
5.24	SCPTminRnge	147
5.25	SCPTminSndT	147
5.26	SCPTnwrkCnfg.....	147
5.27	SCPToffset.....	147
5.28	SCPTsndDelta	148
5.29	SCPTtrnsTbIX.....	148
5.30	SCPTtrnsTbIY.....	148
5.31	SCPToffDely	148
5.32	SCPTgain	148
5.33	SCPTovrBehave	148
5.34	SCPTovrValue	149
5.35	SCPTbypassTime.....	149
5.36	SCPTmanOvrTime	149
5.37	SCPTHumSetpt.....	149
5.38	SCPTmaxFlowHeat	149
5.39	SCPTfireInitType	149
5.40	SCPTsmokeNomSens	150
5.41	SCPTsmokeDayAlrmLim.....	150
5.42	SCPTactuatorType.....	150
5.43	SCPTlimitCO2.....	150
5.44	SCPTminDeltaAngl	150
5.45	SCPTdirection	150
5.46	SCPTdriveTime	151
5.47	SCPTductArea	151
5.48	SCPTminDeltaFlow	151
5.49	SCPTmaxRcvTime	151
5.50	SCPTmaxSendTime	151
5.51	SCPTmaxSetpoint.....	151
5.52	SCPTmaxFlow	152
5.53	SCPTminSendTime.....	152
5.54	SCPTminSetpoint.....	152
5.55	SCPTminFlow.....	152
5.56	SCPTminFlowHeat	152
5.57	SCPTminFlowStby	152
5.58	SCPTnomAirFlow.....	153
5.59	SCPTnomAngle.....	153
5.60	SCPTnumValves	153
5.61	SCPTsetPnts	153
5.62	SCPToemType.....	153
5.63	SCPTminDeltaRH	153
5.64	SCPTminDeltaCO2.....	154
5.65	SCPTminDeltaTemp.....	154
5.66	SCPTsensConstTmp	154
5.67	SCPTgainVAV.....	154
5.68	SCPTsensConstVAV	154
5.69	SCPToffsetCO2	154
5.70	SCPToffsetRH	155
5.71	SCPToffsetTemp.....	155
5.72	SCPTdefltBehave	155
5.73	SCPTpwrUpDelay.....	155
5.74	SCPTpwrUpState	155

ITeH STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 14908-6:2015

[https://standards.iteh.ai/catalog/standards/sist/025ee417-863e-4e4a-b151-](https://standards.iteh.ai/catalog/standards/sist/025ee417-863e-4e4a-b151-6f14f74e593c/sist-en-14908-6-2015)

[6f14f74e593c/sist-en-14908-6-2015](https://standards.iteh.ai/catalog/standards/sist/025ee417-863e-4e4a-b151-6f14f74e593c/sist-en-14908-6-2015)

5.75	SCPTvacMode	155
5.76	SCPTcoolSetpt.....	156
5.77	SCPTcoolLowerSP	156
5.78	SCPTcoolUpperSP	156
5.79	SCPTheatSetpt.....	156
5.80	SCPTheatLowerSP	156
5.81	SCPTheatUpperSP	156
5.82	SCPTlimitChlrCap.....	157
5.83	SCPTluxSetpoint	157
5.84	SCPTstep.....	157
5.85	SCPTonOffHysteresis	157
5.86	SCPTclOffDelay	157
5.87	SCPTclOnDelay	157
5.88	SCPTpowerupState	158
5.89	SCPTminDeltaLevel.....	158
5.90	SCPTreflection	158
5.91	SCPTfieldCalib	158
5.92	SCPTholdTime	158
5.93	SCPTstepValue	158
5.94	SCPTmaxOut.....	159
5.95	SCPTsceneNmbr	159
5.96	SCPTfadeTime	159
5.97	SCPTdelayTime	159
5.98	SCPTmasterSlave.....	159
5.99	SCPTupdateRate	159
5.100	SCPTsummerTime.....	160
5.101	SCPTwinterTime.....	160
5.102	SCPTmanualAllowed.....	160
5.103	SCPTdefWeekMask	160
5.104	SCPTdayDateIndex.....	161
5.105	SCPTtimeEvent	162
5.106	SCPTmodeHrtBt	162
5.107	SCPTdefrostMode	162
5.108	SCPTmaxDefrstTime	162
5.109	SCPTdrainDelay.....	163
5.110	SCPTinjDelay	163
5.111	SCPTmaxDefrstTemp.....	163
5.112	SCPTstrtpDelay	163
5.113	SCPTtermTimeTemp	163
5.114	SCPTpumpDownDelay.....	163
5.115	SCPTsuperHtReflnit	164
5.116	SCPTstrtpOpen.....	164
5.117	SCPTsuperHtRefMin	164
5.118	SCPTrefrigGlide.....	164
5.119	SCPTsuperHtRefMax.....	164
5.120	SCPTrefrigType	165
5.121	SCPTthermMode.....	165
5.122	SCPTdayNightCntrl	165
5.123	SCPTdiffNight	166
5.124	SCPThighLimTemp	166
5.125	SCPThighLimDly	166
5.126	SCPTcutOutValue.....	166
5.127	SCPTairTemp1Day	166
5.128	SCPTsmokeNightAlrmLim.....	166
5.129	SCPTlowLimTemp	167
5.130	SCPTlowLimDly	167
5.131	SCPTdiffValue.....	167
5.132	SCPTairTemp1Night.....	167
5.133	SCPTairTemp1Alrm.....	167

STANDARD PREVIEW
(standards.itech.ai)

SIST EN 14908-6:2015

standards.itech.ai/catalog/standards/sist/025ee417-863e-4e4a-b151-

6fd4f74e593c/sist-en-14908-6-2015

EN 14908-6:2014 (E)

5.134	SCPThighLimDefrDly	167
5.135	SCPTdeltaNight.....	167
5.136	SCPTrunHrInit	168
5.137	SCPTrunHrAlarm	168
5.138	SCPTenergyCntInit	168
5.139	SCPTsmokeDayPreAlrmLim	168
5.140	SCPTdebounce	168
5.141	SCPTsmokeNightPreAlrmLim	169
5.142	SCPTzoneNum	169
5.143	SCPTthermAlrmROR	169
5.144	SCPTvisOutput.....	169
5.145	SCPTaudOutput	169
5.146	SCPTflashFreq	169
5.147	SCPTinstallDate	170
5.148	SCPTmaintDate	170
5.149	SCPTmanfDate	170
5.150	SCPTfireTxt1	170
5.151	SCPTfireTxt2	170
5.152	SCPTfireTxt3	170
5.153	SCPTthermThreshold.....	171
5.154	SCPTfireIndicate	171
5.155	SCPTtimeZone	171
5.156	SCPTprimeVal	171
5.157	SCPTsecondVal	171
5.158	SCPTsceneOffset.....	171
5.159	SCPTnomRPM.....	172
5.160	SCPTnomFreq.....	172
5.161	SCPTrampUpTm	172
5.162	SCPTrampDownTm	172
5.163	SCPTdefScale.....	172
5.164	SCPTregName.....	172
5.165	SCPTbaseValue.....	173
5.166	SCPTdevMajVer.....	173
5.167	SCPTdevMinVer	173
5.168	SCPTobjMajVer	173
5.169	SCPTobjMinVer	173
5.170	SCPTthvacType.....	173
5.171	SCPTtimeout	174
5.172	SCPTcontrolPriority.....	174
5.173	SCPTdeviceGroupID.....	174
5.174	SCPTmaxPrivacyZones.....	174
5.175	SCPTmaxCameraPrepositions	174
5.176	SCPTdefaultPanTiltZoomSpeeds	174
5.177	SCPTdefaultAutoPanSpeed	175
5.178	SCPTautoAnswer.....	175
5.179	SCPTdialString.....	175
5.180	SCPTserialNumber	175
5.181	SCPTnormalRotationalSpeed.....	175
5.182	SCPTstandbyRotationalSpeed	175
5.183	SCPTpartNumber	176
5.184	SCPTdischargeAirCoolingSetpoint	176
5.185	SCPTdischargeAirHeatingSetpoint.....	176
5.186	SCPTmaxSupplyFanCapacity.....	176
5.187	SCPTminSupplyFanCapacity	176
5.188	SCPTmaxReturnExhaustFanCapacity	176
5.189	SCPTminReturnExhaustFanCapacity.....	177
5.190	SCPTductStaticPressureSetpoint	177
5.191	SCPTmaxDuctStaticPressureSetpoint	177
5.192	SCPTminDuctStaticPressureSetpoint	177

iTech STANDARD PREVIEW
(standards.itech.ai)

SIST EN 14908-6:2015

[https://standards.itech.ai/catalog/standards/sist/025ee417-863e-4e4a-b151-](https://standards.itech.ai/catalog/standards/sist/025ee417-863e-4e4a-b151-6f14f74e593c/sist-en-14908-6-2015)

[6f14f74e593c/sist-en-14908-6-2015](https://standards.itech.ai/catalog/standards/sist/025ee417-863e-4e4a-b151-6f14f74e593c/sist-en-14908-6-2015)

5.193	SCPTductStaticPressureLimit	177
5.194	SCPTbuildingStaticPressureSetpoint	177
5.195	SCPTreturnFanStaticPressureSetpoint	178
5.196	SCPTfanDifferentialSetpoint	178
5.197	SCPTmixedAirLowLimitSetpoint	178
5.198	SCPTmixedAirTempSetpoint	178
5.199	SCPTminOutdoorAirFlowSetpoint.....	178
5.200	SCPToutdoorAirTempSetpoint	178
5.201	SCPToutdoorAirEnthalpySetpoint.....	179
5.202	SCPTdiffTempSetpoint	179
5.203	SCPTexhaustEnablePosition	179
5.204	SCPTspaceHumSetpoint	179
5.205	SCPTdischargeAirDewpointSetpoint	179
5.206	SCPTmaxDischargeAirCoolingSetpoint	179
5.207	SCPTminDischargeAirCoolingSetpoint	180
5.208	SCPTmaxDischargeAirHeatingSetpoint.....	180
5.209	SCPTminDischargeAirHeatingSetpoint	180
5.210	SCPTcoolingLockout	180
5.211	SCPTheatingLockout	180
5.212	SCPTcoolingResetEnable.....	180
5.213	SCPTheatingResetEnable.....	181
5.214	SCPTsetpoint	181
5.215	SCPTtemperatureHysteresis	181
5.216	SCPTcontrolTemperatureWeighting	181
5.217	SCPTpwmPeriod.....	181
5.218	SCPTdefrostInternalSchedule.....	181
5.219	SCPTdefrostStart.....	182
5.220	SCPTdefrostCycles	182
5.221	SCPTminDefrostTime.....	182
5.222	SCPTmaxDefrostTime.....	182
5.223	SCPTdefrostFanDelay.....	182
5.224	SCPTdefrostRecoveryTime.....	182
5.225	SCPTdefrostHold.....	183
5.226	SCPTdefrostDetect.....	183
5.227	SCPTscheduleInternal	183
5.228	SCPTtempOffset	183
5.229	SCPTaudibleLevel	183
5.230	SCPTscrollSpeed.....	183
5.231	SCPTbrightness.....	184
5.232	SCPTorientation	184
5.233	SCPTinstalledLevel	184
5.234	SCPTpumpCharacteristic	184
5.235	SCPTminPressureSetpoint.....	185
5.236	SCPTmaxPressureSetpoint.....	185
5.237	SCPTminFlowSetpoint.....	185
5.238	SCPTmaxFlowSetpoint	185
5.239	SCPTdeviceControlMode.....	185
5.240	SCPTminRemotePressureSetpoint	185
5.241	SCPTmaxRemotePressureSetpoint.....	186
5.242	SCPTminRemoteFlowSetpoint.....	186
5.243	SCPTmaxRemoteFlowSetpoint.....	186
5.244	SCPTminRemoteTempSetpoint	186
5.245	SCPTmaxRemoteTempSetpoint	186
5.246	SCPTcontrolSignal	187
5.247	SCPTnightPurgePosition.....	187
5.248	SCPTfreeCoolPosition	187
5.249	SCPTvalveFlowCharacteristic.....	187
5.250	SCPTvalveOperatingMode.....	188
5.251	SCPTemergencyPosition.....	188

ITeH STANDARD PREVIEW

(standards.iteh.ai)

SIST EN 14908-6:2015

standards.iteh.ai/catalog/standards/sist/025ee417-863e-4e4a-b151-6f14f74e593c/sist-en-14908-6-2015

EN 14908-6:2014 (E)

5.252	SCPTblockProtectionTime	188
5.253	SCPTminStroke	188
5.254	SCPTmaxStroke	188
5.255	SCPTnvType	188
5.256	SCPTmaxNVLength	189
5.257	SCPTnvDynamicAssignment	189
5.258	SCPTsafExtCnfg	189
5.259	SCPTemergCnfg	190
5.260	SCPTsluiceCnfg	190
5.261	SCPTfanOperation	190
5.262	SCPTminFlowUnit	190
5.263	SCPTmaxFlowUnit	190
5.264	SCPTminFlowHeatStby	190
5.265	SCPTminFlowUnitStby	191
5.266	SCPToffsetFlow	191
5.267	SCPTareaDuctHeat	191
5.268	SCPTnomAirFlowHeat	191
5.269	SCPTgainVAVHeat	191
5.270	SCPTnumDampers	191
5.271	SCPTminFlowUnitHeat	192
5.272	SCPTsaturationDelay	192
5.273	SCPTeffectivePeriod	192
5.274	SCPTscheduleDates	193
5.275	SCPTschedule	194
5.276	SCPTscheduleTimeValue	195
5.277	SCPTvalueDefinition	195
5.278	SCPTvalueName	196
5.279	SCPTweeklySchedule	196
5.280	SCPTscheduleName	196
5.281	SCPTvalveStroke	197
5.282	SCPTvalveNominalSize	197
5.283	SCPTvalveKvs	197
5.284	SCPTvalveType	197
5.285	SCPTactuatorCharacteristic	197
5.286	SCPTtrnsTbIX2	197
5.287	SCPTtrnsTbIY2	198
5.288	SCPTcombFlowCharacteristic	198
5.289	SCPTtrnsTbIX3	198
5.290	SCPTtrnsTbIY3	198
5.291	SCPTrunTimeAlarm	198
5.292	SCPTtimePeriod	199
5.293	SCPTpulseValue	199
5.294	SCPTnumDigits	200
5.295	SCPTnvPriority	200
5.296	SCPTdefaultSetting	200
5.297	SCPTlowLimit1Enable	200
5.298	SCPTlowLimit2Enable	200
5.299	SCPTclockCalibration	201
5.300	SCPTneuronId	201
5.301	SCPThighLimit1Enable	201
5.302	SCPThighLimit2Enable	201
5.303	SCPTahamApplianceModel	201
5.304	SCPTdefInput	202
5.305	SCPTname1	202
5.306	SCPTscene	202
5.307	SCPTsceneTiming	203
5.308	SCPTname2	203
5.309	SCPTname3	204
5.310	SCPTbuttonPressAction	204

iTech STANDARD PREVIEW
(standards.itech.ai)

SIST EN 14908-6:2015

[https://standards.itech.ai/catalog/standards/sist/025ee417-863e-4e4a-b151-](https://standards.itech.ai/catalog/standards/sist/025ee417-863e-4e4a-b151-6f14f74e593c/sist-en-14908-6-2015)

[6f14f74e593c/sist-en-14908-6-2015](https://standards.itech.ai/catalog/standards/sist/025ee417-863e-4e4a-b151-6f14f74e593c/sist-en-14908-6-2015)

5.311	SCPTbuttonColor	205
5.312	SCPTbuttonRepeatInterval	206
5.313	SCPTbuttonHoldAction.....	206
5.314	SCPTpwrSendOnDelta	207
5.315	SCPTsceneName	207
5.316	SCPTmaxPower	207
5.317	SCPTifaceDesc	207
5.318	SCPTmonInterval.....	208
5.319	SCPTlinkPowerDetectEnable	208
5.320	SCPTscanTime	208
5.321	SCPTdevListDesc.....	208
5.322	SCPTdevListEntry	208
5.323	SCPTlogCapacity.....	209
5.324	SCPTlogNotificationThreshold	209
5.325	SCPTlogSize	210
5.326	SCPTlogType	210
5.327	SCPTfanInEnable.....	210
5.328	SCPTlogTimestampEnable.....	210
5.329	SCPTlogHighLimit	210
5.330	SCPTlogLowLimit.....	211
5.331	SCPTmaxFanIn	211
5.332	SCPTlogMinDeltaTime	211
5.333	SCPTlogMinDeltaValue	211
5.334	SCPTpollRate.....	212
5.335	SCPTsourceAddress.....	212
5.336	SCPTlogRecord	212
5.337	SCPTlogFileHeader	214
5.338	SCPTlogAlarmThreshold.....	215
5.339	SCPTlogRequest	215
5.340	SCPTlogResponse	216
5.341	SCPTlightingGroupEnable	216
5.342	SCPTsceneColor.....	217
5.343	SCPTbkupSchedule	217
5.344	SCPTOLCLimits.....	217
5.345	SCPTlampPower.....	218
5.346	SCPTdeviceOutSelection.....	219
5.347	SCPTenableStatusMsg	219
5.348	SCPTmaxLevelVolt.....	222
5.349	SCPTgeoLocation.....	222
5.350	SCPTprogName	222
5.351	SCPTprogRevision	223
5.352	SCPTprogSelect	223
5.353	SCPTprogSourceLocation.....	223
5.354	SCPTprogFileIndexes	224
5.355	SCPTprogCmdHistory.....	224
5.356	SCPTprogStateHistory.....	224
5.357	SCPTnsdsFblIndex.....	225
5.358	SCPTcurrentSenseEnable	225
5.359	SCPTmeasurementInterval.....	225
5.360	SCPTlightingGroupMembership.....	225
5.361	SCPTloadControlOffset	226
5.362	SCPTprogErrorHistory.....	226
5.363	SCPTnvUsage	226
5.364	SCPTscheduleSunday	227
5.365	SCPTscheduleMonday.....	227
5.366	SCPTscheduleTuesday.....	227
5.367	SCPTscheduleWednesday	228
5.368	SCPTscheduleThursday	228
5.369	SCPTscheduleFriday.....	228

STANDARD PREVIEW
(standards.itech.ai)

SIST EN 14908-6:2015
standards.itech.ai/catalog/standards/sist/025ee417-863e-4e4a-b151-6fd4f74e593c/sist-en-14908-6-2015

EN 14908-6:2014 (E)

5.370	SCPTscheduleSaturday	229
5.371	SCPToccupancyBehavior	229
5.372	SCPTtimeSource	230
5.373	SCPTscheduleException	230
5.374	SCPTscheduleHoliday	230
5.375	SCPTrandomizationInterval	230
5.376	SCPTsunriseTime	231
5.377	SCPTsunsetTime	231
5.378	SCPTschedulerOptions	231
5.379	SCPToccupancyThresholds	232
6	Standard Enumeration Type	233
6.1	Introduction	233
6.2	days_of_week_t	233
6.3	discrete_levels_t	233
6.4	telcom_states_t	234
6.5	config_source_t	235
6.6	file_request_t	235
6.7	file_status_t	235
6.8	alarm_type_t	236
6.9	priority_level_t	237
6.10	currency_t	238
6.11	object_request_t	240
6.12	learn_mode_t	241
6.13	override_t	241
6.14	emerg_t	241
6.15	hvac_t	242
6.16	occup_t	243
6.17	hvac_overid_t	243
6.18	scene_t	245
6.19	scene_config_t	246
6.20	setting_t	246
6.21	evap_t	246
6.22	therm_mode_t	247
6.23	defrost_mode_t	247
6.24	defrost_term_t	247
6.25	defrost_state_t	248
6.26	chiller_t	248
6.27	fire_test_t	248
6.28	fire_initiator_t	248
6.29	fire_indicator_t	249
6.30	calendar_type_t	250
6.31	reg_val_unit_t	250
6.32	hvac_hvt_t	251
6.33	control_resp_t	252
6.34	pan_dir_t	252
6.35	tilt_dir_t	253
6.36	zoom_t	253
6.37	privacyzone_t	253
6.38	cam_func_t	253
6.39	cam_act_t	254
6.40	gfci_status_t	254
6.41	motor_state_t	254
6.42	boolean_t	255
6.43	ex_control_t	255
6.44	unit_temp_t	255
6.45	device_c_mode_t	255
6.46	valve_mode_t	256
6.47	nv_type_category_t	257
6.48	ent_opmode_cmd_t	257

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 14908-6:2015

<https://standards.iteh.ai/catalog/standards/sist/025cc417-863c-4e4a-b191-61d4174c593c/sist-en-14908-6-2015>

6.49	ent_cmd_t.....	258
6.50	flow_direction_t.....	259
6.51	device_select_t.....	259
6.52	event_mode_type_t.....	259
6.53	master_slave_t.....	260
6.54	fan_operation_t.....	260
6.55	days_of_month_t.....	260
6.56	months_t.....	264
6.57	sec_status_t.....	265
6.58	sec_state_t.....	266
6.59	interval_of_month_t.....	267
6.60	sbInnd_cmd_source_t.....	268
6.61	sbInnd_error_t.....	269
6.62	rail_audio_sensor_type_t.....	270
6.63	rail_audio_type_t.....	271
6.64	appl_cwc_t.....	272
6.65	appl_cws_t.....	272
6.66	appl_cwp_t.....	272
6.67	appl_rin_t.....	273
6.68	aham_appl_t.....	273
6.69	button_action_t.....	274
6.70	char_encoding_t.....	275
6.71	switch_state_t.....	276
6.72	color_encoding_t.....	278
6.73	log_status_t.....	278
6.74	log_type_t.....	278
6.75	timestamp_t.....	278
6.76	log_record_t.....	279
6.77	point_status_t.....	279
6.78	message_code_t.....	279
6.79	log_access_req_t.....	280
6.80	log_response_code_t.....	280
6.81	address_type_t.....	280
6.82	olc_select_t.....	280
6.83	program_state_t.....	281
6.84	file_type_t.....	281
6.85	program_status_error_t.....	282
6.86	time_source_t.....	283
6.87	scheduler_status_t.....	283
7	Standard functional profiles.....	283
7.1	General.....	283
7.2	Functional Profile List.....	284
7.3	SFPTnodeObject (0).....	284
7.4	SFPTopenLoopSensor (1).....	287
7.5	SFPTclosedLoopSensor (2).....	290
7.6	SFPTopenLoopActuator (3).....	293
7.7	SFPTclosedLoopActuator (4).....	295
7.8	SFPTcalendar (6).....	298
7.9	SFPTscheduler (7).....	299
7.10	SFPTisiMonitorPoint (8).....	301
7.11	SFPTdataLogger (9).....	302
7.12	SFPTschedulerSimple (17).....	305
7.13	SFPTchannelMonitor (132).....	306
7.14	SFPTdeviceMonitor (136).....	312
7.15	SFPTchannelContinuityMonitor (137).....	314
7.16	SFPTstaticProgrammable (410).....	314
7.17	SFPTanalogInput (520).....	316
7.18	SFPTanalogOutput (521).....	316
7.19	SFPTlightSensor (1010).....	316

iTech STANDARD PREVIEW
(standards.itech.ai)

SIST EN 14908-6:2015
<https://standards.itech.ai/catalog/standards/sist/025ee417-863e-4e4a-b151-6f14f74e593c/sist-en-14908-6-2015>