

SLOVENSKI STANDARD SIST EN 300 330-2 V1.6.1:2015

01-julij-2015

Elektromagnetna združljivost in zadeve v zvezi z radijskim spektrom (ERM) -Naprave kratkega dosega (SRD) - Radijska oprema v frekvenčnem območju od 9 kHz do 25 MHz in sistemi z indukcijsko zanko v frekvenčnem območju od 9 kHz do 30 MHz - 2. del: Harmonizirani EN, ki zajema bistvene zahteve člena 3.2 direktive R&TTE

Electromagnetic compatibility and Radio spectrum Matters (ERM) - Short Range Devices (SRD) - Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz - Part 2: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive

<u>SIST EN 300 330-2 V1.6.1:2015</u> https://standards.iteh.ai/catalog/standards/sist/b6f777a9-0b20-4a4c-915a-5c4e89e9e542/sist-en-300-330-2-v1-6-1-2015

Ta slovenski standard je istoveten z:

EN 300 330-2 V1.6.1

ICS:

33.060.20	Sprejemna in oddajna oprema	Receiving and transmitting equipment
33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general

SIST EN 300 330-2 V1.6.1:2015

en

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 300 330-2 V1.6.1:2015</u> https://standards.iteh.ai/catalog/standards/sist/b6f777a9-0b20-4a4c-915a-5c4e89e9e542/sist-en-300-330-2-v1-6-1-2015 SIST EN 300 330-2 V1.6.1:2015

ETSI EN 300 330-2 V1.6.1 (2015-03)



Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Part 2: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive

Reference REN/ERM-TG28-0437

Keywords radio, RFID, SRD, testing

ETSI

650 Route des Lucioles F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C Association à but non lucratif enregistrée à la Sous-Préfecture de Grasse (06) N° 7803/88

(standards.iteh.ai)

<u>SIST EN 300 330-2 V1.6.1:2015</u> https://standards.iteh.ai/catalog/standards/sist/b6f777a9-0b20-4a4c-915a-5c4e89e9e5**Important**, **Dotige**-v1-6-1-2015

> The present document can be downloaded from: <u>http://www.etsi.org/standards-search</u>

The present document may be made available in electronic versions and/or in print. The content of any electronic and/or print versions of the present document shall not be modified without the prior written authorization of ETSI. In case of any existing or perceived difference in contents between such versions and/or in print, the only prevailing document is the print of the Portable Document Format (PDF) version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at http://portal.etsi.org/tb/status/status.asp

If you find errors in the present document, please send your comment to one of the following services: https://portal.etsi.org/People/CommiteeSupportStaff.aspx

Copyright Notification

No part may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm except as authorized by written permission of ETSI. The content of the PDF version shall not be modified without the written authorization of ETSI.

The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2015. All rights reserved.

DECT[™], PLUGTESTS[™], UMTS[™] and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members. **3GPP[™]** and LTE[™] are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.

GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intelle	Intellectual Property Rights4			
Forew	Foreword4			
Modal	verbs terminology		4	
Introdu	uction		5	
1	Scope		6	
2 2.1 2.2	Normative references		7	
3 3.1 3.2 3.3	Definitions Symbols	d abbreviations	8 8	
4 4.1 4.1.1 4.2 4.2.1	Environmental conditi Environmental pro Conformance requirem	specificationsons file ments	8 8 8	
$\begin{array}{c} 4.2.1.1 \\ 4.2.1.2 \\ 4.2.1.3 \\ 4.2.1.4 \end{array}$	Limits for trans Limits for the r Transmitter spu	e of operating frequencies mitters in the range from 9 kHz to 30 MHz ermitted range of modulation bandwidth	8 8 9	
4.2.2 4.2.2.1 4.2.2.2 4.2.2.3	Receiver requirem Adjacent chan Blocking or de Receiver spurie	ents	9 9	
5 5.1 5.2 5.2.1	Testing for compliance Environmental conditi Essential radio test sui	standards.iteh.ai/catalog/standards/sist/b6f777a9-0b20-4a4c-915a- withstechnical-requirements330.2.v1-6-1-2015 ons for testing tes	9 9 9	
5.2.1 5.2.1.1 5.2.1.2 5.2.1.3 5.2.1.4	Permitted range Permitted range Emission limits	ites e of operating frequencies e of the modulation bandwidth for transmitters in the range from 9 kHz to 30 MHz prious and out-of-band emissions	9 9 9	
5.2.1.4 5.2.2 5.2.2.1 5.2.2.2 5.2.2.3	Receiver test suites Adjacent chanr Blocking or des	sel selectivity (receiver category 1 only) sensitation (receiver categories 1 or 2 only)	9 9 9	
5.3		s and measurement uncertainty HS Requirements and conformance Test specifications Table (HS-RTT)	10	
Annex	B (informative):	Void		
Annex	C (informative):	Bibliography	14	
Histor	у		15	

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (http://ipr.etsi.org).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonized European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

For non EU countries the present document may be used for regulatory (Type Approval) purposes.

The present document has been produced by ETSI in response to mandate M/284 issued from the European Commission under Directive 98/34/EC [i.1] as amended by Directive 98/48/EC [i.7].

The title and reference to the present document are intended to be included in the publication in the Official Journal of the European Union of titles and references of Harmonized Standard under the Directive 1999/5/EC [i.2].

See article 5.1 of Directive 1999/5/EC [i2] for information on presumption of conformity and Harmonized Standards or parts thereof the references of which have been published in the Official Journal of the European Union.

The requirements relevant to Directive 1999/5/EC [12] are summarized in annex A.

The present document is part 2 of a multi-part deliverable covering Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz, as identified below:

Part 1: "Technical characteristics and test methods";

Part 2: "Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive".

National transposition dates			
Date of adoption of this EN:	20 February 2015		
Date of latest announcement of this EN (doa):	31 May 2015		
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 November 2015		
Date of withdrawal of any conflicting National Standard (dow):	30 November 2016		

Modal verbs terminology

In the present document "shall", "shall not", "should", "should not", "may", "need not", "will", "will not", "can" and "cannot" are to be interpreted as described in clause 3.2 of the ETSI Drafting Rules (Verbal forms for the expression of provisions).

"must" and "must not" are NOT allowed in ETSI deliverables except when used in direct citation.

Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the R&TTE Directive [i.2]. The modular structure is shown in ETSI EG 201 399 [i.3].

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN 300 330-2 V1.6.1:2015</u> https://standards.iteh.ai/catalog/standards/sist/b6f777a9-0b20-4a4c-915a-5c4e89e9e542/sist-en-300-330-2-v1-6-1-2015

1 Scope

The present document applies to Short Range Devices (SRDs) transmitters and receivers as described in the scope of ETSI EN 300 330-1 [1].

The present document covers transmitters intended to operate in the frequency range as defined in the Commission Decision 2006/771/EC [i.4] on harmonization of the radio spectrum for use by short-range devices as amended by Commission Decision 2013/752/EU of 11 December 2013 [i.6] and the CEPT/ERC/REC 70-03 [i.5].

The document applies to:

- 1) Generic Short range Devices including transmitters operating in the range from 9 kHz to 25 MHz; and
- inductive loop transmitters operating from 9 kHz to 30 MHz including Radio Frequency Identification (RFID) and EAS equipments operating in LF and HF ranges and for radio equipment including wireless power transfer (WPT) function in the same frequency range;
- 3) receivers of systems as defined by bullets 1 and 2;
- 4) these radio equipment types are capable of operating in the permitted frequency bands within the 9 kHz to 30 MHz range as specified in table 1:
 - either with a Radio Frequency (RF) output connection and dedicated antenna or with an integral antenna;
 - for all types of modulation;
 - with or without speech.

Table 1 shows a list of the frequency bands as designated to Short Range Devices by some European Commission Decisions and the CEPT/ERC/REC 70-03 [i,5] as known at the date of publication of the present document.

Table 1: Frequency bands designated to Short Range Devices within 9 kHz to 30 MHz

SIST EN 200 230-2 V1 6 1 2015				
the soll of	Frequency Bands/frequencies	Applications		
Transmit and Receive	andards. Iten khz to 90 kHz	Inductive devices, Generic use		
Transmit and Receive	⁵⁰⁴ 90'kHzto'ff9 kHź ⁰⁰⁻³³⁰⁻²	Inductive devices, Generic use		
Transmit and Receive	119 kHz to 140 kHz	Inductive devices, Generic use		
Transmit and Receive	140 kHz to 148,5 kHz	Inductive devices, Generic use		
Transmit and Receive	148,5 kHz to 5 MHz	Inductive devices, Generic use		
Transmit and Receive	400 kHz to 600 kHz	RFID only		
Transmit and Receive	5 kHz to 30 MHz	Inductive devices, Generic use		
Transmit and Receive	3 155 kHz to 3 400 kHz	Inductive devices, Generic use		
Transmit and Receive	4 234 kHz	Inductive devices, Railway applications		
Transmit and Receive	4 516 kHz	Inductive devices, Railway applications		
Transmit and Receive	6 765 kHz to 6 795 kHz	Inductive devices, Generic use		
Transmit and Receive	7 400 kHz to 8 800 kHz	Inductive devices, Generic use		
Transmit and Receive	10 200 kHz to 11 000 kHz	Inductive devices, Generic use		
Transmit and Receive	11 810 kHz to 15 310 kHz	RFID only		
Transmit and Receive	12,5 MHz to 20 MHz	Inductive devices, Wireless healthcare		
Transmit and Receive	13,553 MHz to 13,567 MHz	Inductive devices, Generic use		
Transmit and Receive	26,957 MHz to 27,283 MHz	Inductive devices, Generic use		
Transmit and Receive	27,095 MHz	Inductive devices, Railway applications		

- NOTE 1: It should be noted that table 1 represents the most widely implemented position within the European Union and the CEPT countries, but it should not be assumed that all designated bands are available in all countries.
- NOTE 2: In addition, it should be noted that other frequency bands may be available in a country within the frequency range 9 kHz to 30 MHz covered by the present document.

NOTE 3: On non-harmonized parameters, national administrations may impose certain conditions such as the type of modulation, frequency, channel/frequency separations, maximum transmitter radiated power, duty cycle, and the inclusion of an automatic transmitter shut-off facility, as a condition for the issue of an Individual Rights for use of spectrum or General Authorization, or as a condition for use under "licence exemption" as it is in most cases for Short Range Devices.

The present document covers fixed stations, mobile stations and portable stations.

The present document is intended to cover the provisions of article 3.2 of Directive 1999/5/EC [i.2] (R&TTE Directive), which states that "... radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference".

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of article 3 of the R&TTE Directive [i.2] may apply to equipment within the scope of the present document.

NOTE 4: A list of such ENs is included on the web site http://www.newapproach.org.

2 References

2.1 Normative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <u>http://docbox.etsi.org/Reference</u>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

SIST EN 300 330-2 V1.6.1:2015

The following referenced documents are necessary for the application of the present document.

5c4e89e9e542/sist-en-300-330-2-v1-6-1-2015
[1] ETSI EN 300 330-1 (V1.8.1) (12-2014): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Short Range Devices (SRD); Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz; Part 1: Technical characteristics and test methods".

2.2 Informative references

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations.
- [i.2] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).
- [i.3] ETSI EG 201 399 (V2.1.1): "Electromagnetic compatibility and Radio spectrum Matters (ERM); A guide to the production of candidate Harmonized Standards for application under the R&TTE Directive".