



SLOVENSKI STANDARD
SIST ISO 8873-1:2015
01-marec-2015

**Penjeni polimerni materiali - Brizgana poliuretanska pena za toplotno izolacijo - 1.
del: Specifikacije materiala**

Rigid cellular plastics - Spray-applied polyurethane foam for thermal insulation - Part 1:
Material specifications

iTeh STANDARD PREVIEW

Plastiques alvéolaires rigides - Mousse de polyuréthane projetée pour l'isolation
thermique - Partie 1: Spécifications des matériaux

[SIST ISO 8873-1:2015](https://standards.iteh.ai/catalog/standards/sist/90bd91b-52e2-413c-a538-a5140a113d60/sist-iso-8873-1-2015)

Ta slovenski standard je istoveten z: ISO 8873-1:2006

ICS:

83.100 Penjeni polimeri Cellular materials

SIST ISO 8873-1:2015 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ISO 8873-1:2015

<https://standards.iteh.ai/catalog/standards/sist/90bdf91b-52e2-413c-a538-a5146a113d60/sist-iso-8873-1-2015>

INTERNATIONAL
STANDARD

ISO
8873-1

First edition
2006-12-15

**Rigid cellular plastics — Spray-applied
polyurethane foam for thermal
insulation —**

**Part 1:
Material specifications**

iTeh STANDARD PREVIEW
*Plastiques alvéolaires rigides — Mousse de polyuréthane projetée
pour l'isolation thermique —
(standards.iteh.ai)
Partie 1: Spécifications des matériaux*

[SIST ISO 8873-1:2015](https://standards.iteh.ai/catalog/standards/sist/90bdf91b-52e2-413c-a538-a5146a113d60/sist-iso-8873-1-2015)

[https://standards.iteh.ai/catalog/standards/sist/90bdf91b-52e2-413c-a538-
a5146a113d60/sist-iso-8873-1-2015](https://standards.iteh.ai/catalog/standards/sist/90bdf91b-52e2-413c-a538-a5146a113d60/sist-iso-8873-1-2015)



Reference number
ISO 8873-1:2006(E)

© ISO 2006

ISO 8873-1:2006(E)

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ISO 8873-1:2015](https://standards.iteh.ai/catalog/standards/sist/90bd191b-52e2-413c-a538-a5146a113d60/sist-iso-8873-1-2015)

<https://standards.iteh.ai/catalog/standards/sist/90bd191b-52e2-413c-a538-a5146a113d60/sist-iso-8873-1-2015>

© ISO 2006

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents	Page
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Requirements	3
4.1 General requirements	3
4.2 Categories	3
5 Sampling	4
5.1 General	4
5.2 Preparation of sample panels	4
5.3 Conditioning of sample panels	4
5.4 Preparation of specimens	4
6 Test methods	5
6.1 Air permeance	5
6.2 Apparent core density	5
6.3 Compressive strength	5
6.4 Dimensional stability	5
6.5 Surface burning characteristics	5
6.6 Open-cell content: Volume	5
6.7 Initial thermal resistance	5
6.8 Long-term thermal resistance (LTTR)	6
6.9 Tensile strength	6
6.10 Substrate adhesion	7
6.11 Volatile organic emissions	7
6.12 Water absorption	7
6.13 Water vapour permeability	7
7 Reporting requirements	7
8 Marking, labelling and packaging	8
8.1 Packaging	8
8.2 Marking and/or labelling	8
9 Manufacturer's documentation	8

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 8873-1 was prepared by Technical Committee ISO/TC 61, *Plastics*, Subcommittee SC 10, *Cellular plastics*.

This first edition of ISO 8873-1, together with ISO 8873-2 and ISO 8873-3, cancels and replaces ISO 8873:1987, which has been technically revised.

ISO 8873 consists of the following parts, under the general title *Rigid cellular plastics — Spray-applied polyurethane foam for thermal insulation*:

- *Part 1: Material specifications*
- *Part 2: Application*
- *Part 3: Test methods*

SIST ISO 8873-1:2015

<https://standards.iteh.ai/catalog/standards/sist/90bd91b-52e2-413c-a538-a5146a113d60/sist-iso-8873-1-2015>

Introduction

ISO 8873 defines the requirements for rigid cellular plastic spray polyurethane foam when used as a thermal insulation in buildings and non-buildings.

This part of ISO 8873 specifies requirements for the physical properties of rigid cellular plastic spray polyurethane foam and lists the test methods to be used.

The designer has the responsibility for confirming that the physical properties provided by material manufactured to this part of ISO 8873 will conform to the requirements for a specific application.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST ISO 8873-1:2015](https://standards.iteh.ai/catalog/standards/sist/90bd191b-52e2-413c-a538-a5146a113d60/sist-iso-8873-1-2015)

<https://standards.iteh.ai/catalog/standards/sist/90bd191b-52e2-413c-a538-a5146a113d60/sist-iso-8873-1-2015>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST ISO 8873-1:2015

<https://standards.iteh.ai/catalog/standards/sist/90bdf91b-52e2-413c-a538-a5146a113d60/sist-iso-8873-1-2015>

Rigid cellular plastics — Spray-applied polyurethane foam for thermal insulation —

Part 1: Material specifications

WARNING — Persons using this document should be familiar with normal laboratory practice, if applicable. This document does not purport to address all of the safety concerns, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices and to ensure compliance with any regulatory requirements.

1 Scope

This part of ISO 8873 specifies minimum requirements and test methods for spray-applied polyurethane rigid cellular plastic, used as a thermal insulation for both building, whether applied on a building site or in a prefabrication (manufacturing) facility, and non-building applications. The material is also known as *in-situ* thermal insulation.

The spray-applied polyurethane rigid cellular plastic thermal insulation is not to be used when the continuous service temperature of the substrate is outside the range of -60 °C to $+80\text{ °C}$.

<https://standards.iteh.ai/catalog/standards/sist/90bdf91b-52e2-413c-a538->

The test methods used to determine the material properties provide a means of comparing different cellular plastic thermal insulations. They are intended for use in specifications, product evaluations and quality control. They are not intended to predict end-use product performance.

Spray-applied polyurethane rigid cellular plastics are to be applied (installed) in accordance with the manufacturer's instructions and the requirements of ISO 8873-2. Applications, requirements for applications and limitations of use are included in ISO 8873-2.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 291, *Plastics — Standard atmospheres for conditioning and testing*

ISO 844, *Rigid cellular plastics — Determination of compression properties*

ISO 845, *Cellular plastics and rubbers — Determination of apparent density*

ISO 1663, *Rigid cellular plastics — Determination of water vapour transmission properties*

ISO 1926, *Rigid cellular plastics — Determination of tensile properties*

ISO 2796, *Cellular plastics, rigid — Test for dimensional stability*

ISO 2896, *Rigid cellular plastics — Determination of water absorption*