



SLOVENSKI STANDARD
SIST EN 300 019-2-4 V2.3.1:2013
01-oktober-2013

Okoljski inženiring (EE) - Okoljski pogoji in preskusi vplivov okolja na telekomunikacijsko opremo - 2-4. del: Specifikacija preskusov vplivov okolja - Fiksna uporaba na lokacijah, ki niso zaščitene pred vremenskimi vplivi

Environmental Engineering (EE) - Environmental conditions and environmental tests for telecommunications equipment - Part 2-4: Specification of environmental tests - Stationary use at non-weatherprotected locations

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 300 019-2-4 V2.3.1:2013](https://standards.iteh.ai/catalog/standards/sist/a197b739-1957-4d94-b9a5-9bdc160c6db5/sist-en-300-019-2-4-v2-3-1-2013)
<https://standards.iteh.ai/catalog/standards/sist/a197b739-1957-4d94-b9a5-9bdc160c6db5/sist-en-300-019-2-4-v2-3-1-2013>

Ta slovenski standard je istoveten z: EN 300 019-2-4 Version 2.3.1

ICS:

19.040	Preskušanje v zvezi z okoljem	Environmental testing
33.050.01	Telekomunikacijska terminalna oprema na splošno	Telecommunication terminal equipment in general

SIST EN 300 019-2-4 V2.3.1:2013 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 300 019-2-4 V2.3.1:2013](https://standards.iteh.ai/catalog/standards/sist/a197b739-1957-4d94-b9a5-9bdc160c6db5/sist-en-300-019-2-4-v2-3-1-2013)

<https://standards.iteh.ai/catalog/standards/sist/a197b739-1957-4d94-b9a5-9bdc160c6db5/sist-en-300-019-2-4-v2-3-1-2013>

ETSI EN 300 019-2-4 V2.3.1 (2013-08)



**Environmental Engineering (EE);
Environmental conditions and environmental tests
for telecommunications equipment;
Part 2-4: Specification of environmental tests;
Stationary use at non-weather-protected locations**

SIST EN 300 019-2-4 V2.3.1:2013
http://standards.globalspec.com/stdn/ETSI/SIST/300019-2-4-Part-2-4-Stationary-use-at-non-weather-protected-locations
9bdc160c6db5/sist-en-300-019-2-4-v2-3-1-2013

Reference

REN/EE-01049

Keywords

environment, testing

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 300 019-2-4 V2.3.1:2013

<https://standards.iteh.ai/catalog/standards/sist/a197b739-1957-4d94-b9a5-9bdc160c6d17/sist-en-300-019-2-4-v2-3-1-2013>

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2013.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	4
Foreword.....	4
1 Scope	5
2 References	5
2.1 Normative references	5
2.2 Informative references.....	6
3 Environmental test specifications.....	6
3.1 Specification T 4.1: Non-weatherprotected locations, climatic tests.....	7
3.2 Specification T 4.1E: Non-weatherprotected locations - extended, climatic tests.....	9
3.3 Specification T 4.2L: Non-weatherprotected locations – extremely cold, climatic tests.....	11
3.4 Specification T 4.2H: Non-weatherprotected locations – extremely warm dry, climatic tests.....	13
3.5 Specification T 4.1, 4.1E, 4.2L and 4.2H: Non-weatherprotected locations - mechanical tests.....	15
4 Earthquake test specification.....	16
4.1 Vibration response investigation	16
4.2 Test conditioning.....	16
5 Notes to tables	18
5.1 General note	18
5.2 Notes to tables 1 to 6.....	19
Annex A (informative): Bibliography.....	21
History	22

[SIST EN 300 019-2-4 V2.3.1:2013](https://standards.iteh.ai/catalog/standards/sist/a197b739-1957-4d94-b9a5-9bdc160c6db5/sist-en-300-019-2-4-v2-3-1-2013)
<https://standards.iteh.ai/catalog/standards/sist/a197b739-1957-4d94-b9a5-9bdc160c6db5/sist-en-300-019-2-4-v2-3-1-2013>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This European Standard (EN) has been produced by ETSI Technical Committee Environmental Engineering (EE).

The present document is part 2, sub-part 4 of a multi-part deliverable. Full details of the entire series can be found in part 2, sub-part 0 [i.1].

National transposition dates	
Date of adoption of this EN:	23 August 2013
Date of latest announcement of this EN (doa):	30 November 2013
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 May 2014
Date of withdrawal of any conflicting National Standard (dow):	31 May 2014

1 Scope

The present document specifies test methods and severities for verification of the required resistibility of equipment according to the relevant environmental class.

The tests defined in the present document apply to stationary use of equipment at non-weatherprotected locations covering the environmental conditions stated in EN 300 019-1-4 [1].

2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication, ETSI cannot guarantee their long term validity.

2.1 Normative references

The following referenced documents are necessary for the application of the present document.

- [1] ETSI EN 300 019-1-4: "Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 1-4: Classification of environmental conditions; Stationary use at non-weatherprotected locations".
- [2] IEC 60068-2-1 (03-2007): "Environmental testing, Part 2-1: Tests - Test A: Cold".
- [3] Void.
- [4] IEC 60721-3-4: "Classification of environmental conditions - Part 3: Classification of groups of environmental parameters and their severities - Section 4: Stationary use at non-weatherprotected locations".
- [5] ANSI T1.0600329 (2008): "Network Equipment - Earthquake Resistance Standard".
- [6] Void.
- [7] IEC 60068-2-2 (07-2007): "Environmental testing, Part 2-2: Tests - Test B: Dry heat".
- [8] IEC 60068-2-14 (01-2009): "Environmental testing - Part 2-14: Tests - Test N: Change of temperature".
- [9] IEC 60068-2-30 (08-2005): "Environmental testing - Part 2-30: Tests - Test Db: Damp heat, cyclic (12 h + 12 h cycle)".
- [10] IEC 60068-2-64 (04-2008): "Environmental testing - Part 2-64: Tests - Test Fh: Vibration, broadband random and guidance".
- [11] IEC 60068-2-27 (02-2008): "Environmental testing - Part 2-27: Tests - Test Ea and guidance: Shock".
- [12] IEC 60068-2-6 (12-2007): "Environmental testing - Part 2-6: Tests - Test Fc: Vibration (sinusoidal)".
- [13] IEC 60068-2-57 (11-1999): "Environmental testing - Part 2-57: Tests - Test Ff: Vibration - Time-history method".
- [14] Void.

- [15] IEC 60068-2-18 (10-2000): "Environmental testing - Part 2-18: Tests - Test R and guidance: Water".
- [16] IEC 60068-2-78 (08-2001): "Environmental testing - Part 2-78: Tests - Test Cab: Damp heat, steady state".

2.2 Informative references

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] ETSI EN 300 019-2-0: "Environmental Engineering (EE); Environmental conditions and environmental tests for telecommunications equipment; Part 2-0: Specification of environmental tests; Introduction".
- [i.2] IEC 60068-2-68 (8-1994): "Environmental testing - Part 2: Tests - Test L: Dust and sand".

3 Environmental test specifications

The detailed descriptions of the environmental conditions are given in clauses 4 and 5 of EN 300 019-1-4 [1].

EN 300 019-2-0 [i.1] forms a general overview of part 2 of this multipart deliverable.

The equipment under test is assumed to be in its operational state throughout the test conditions described in the present document unless otherwise stated. The required performance before, during and after the test need to be specified in the product specification. Input and load conditions of the equipment shall be chosen to obtain full utilization of the equipment under test. The heat dissipation shall be maximized, except for the steady state, low temperature test, where it shall be minimized.

[SIST EN 300 019-2-4 V2.3.1:2013](https://standards.iteh.ai/catalog/standards/sist/a197b739-1957-4d94-b9a5-9bdc160c6db5/sist-en-300-019-2-4-v2-3-1-2013)

<https://standards.iteh.ai/catalog/standards/sist/a197b739-1957-4d94-b9a5-9bdc160c6db5/sist-en-300-019-2-4-v2-3-1-2013>

3.1 Specification T 4.1: Non-weatherprotected locations, climatic tests

This specification applies to most of Europe as described in EN 300 019-1-4 [1] (see table 1).

Table 1: Test specification T 4.1: Stationary use at non-weatherprotected locations - climatic tests

Environmental parameter			Environmental Class 4.1	Environmental test specification T 4.1: Stationary use, Non-weatherprotected locations				
Type	Parameter	Detail parameter	Characteristic severity	Test severity	Duration	Reference	Method	Notes
Air temperature	Low	(°C)	-33	-33 or -45	16 h	IEC 60068-2-1 [2]	Ab/Ad: Cold	1
	High	(°C)	+40	+40 or +55	16 h	IEC 60068-2-2 [7]	Bb/Bd: Dry heat	2
	Change	(°C) (°C/min)	0,5	-10/+40 0,5	2 cycles t ₁ = 3 h	IEC 60068-2-14 [8]	Nb: Change of temperature	3
Humidity	Relative	Low (%)	15	none				8
		high (%)	100	93	10 d	IEC 60068-2-78 [16]	Cab: Damp heat steady state	4
		condensation (°C)	yes	+30				
	Absolute	Low (g/m ³)	0,26	90-100	2 cycles	IEC 60068-2-30 [9]	Db: Damp heat, cyclic Variant 1	
		high (g/m ³)	25	+30				6
Air	Pressure	Low (kPa)	70	none				7
		high (kPa)	106	none				7
	Speed	(m/s)	50	none				8
Water	Rain	Intensity	6 mm/min	0,01 m ³ /min 90 kPa	3 min/m ² or 15 min	IEC 60068-2-18 [15]	Rb: Impacting water Method 1	9
		low temperature (°C)	+5	none				
	Other sources		splashing water					10
Radiation	Icing & frosting		yes	none				8
	Solar Heat	(W/m ²)	120					11
		(W/m ²)	negligible					

Environmental parameter			Environmental Class 4.1	Environmental test specification T 4.1: Stationary use, Non-weatherprotected locations				
Type	Parameter	Detail parameter	Characteristic severity	Test severity	Duration	Reference	Method	Notes
Chemically active substances	Sulphur	SO ₂ (mg/m ³)	0,3/1,0	none				12
		H ₂ S (mg/m ³)	0,1/0,5	none				12
	Chlorine	salt mist	sea and road salt	none				12
		Cl (mg/m ³)	0,1/0,3	none				12
		HCl (mg/m ³)	0,1/0,5	none				12
	Nitrogen	NO _x (mg/m ³)	0,5/1,0	none				12
		NH ₃ (mg/m ³)	1,0/3,0	none				12
		Hydrogen fluoride HF (mg/m ³)	0,01/0,03	none				12
	Ozone O ₃ (mg/m ³)	0,05/0,1	none				12	
Mechanically active substances	Dust	sedimentation (mg/(m ² h))	20					13
		suspension (mg/m ³)	5					13
	Sand (mg/m ³)	300					13	
Flora and fauna	Micro organisms	mould, fungus, etc.	none					14
	Rodents, insects	rodents, etc.	none					14

NOTE 1: none = verification is required only in special cases.

NOTE 2: n = number of note, see clause 5.

<https://standards.iteh.ai/catalog/standards/sist/a197b739-1957-4d94-b9a5-9bdc160c6db5/sist-en-300-019-2-4-v2-3-1-2013>

SIST EN 300 019-2-4 V2.3.1:2013

IT'eh STANDARD PREVIEW
 (standards.iteh.ai)

3.2 Specification T 4.1E: Non-weatherprotected locations - extended, climatic tests

This specification covers most of Europe as described in EN 300 019-1-4 [1] (see table 2).

Table 2: Test specification T 4.1E: Stationary use at non-weatherprotected locations, extended - climatic tests

Environmental parameter			Environmental Class 4.1E	Environmental test specification T 4.1E: Stationary use Non-weatherprotected locations - extended					
Type	Parameter	Detail parameter	Characteristic severity	Test severity	Duration	Reference	Method	Notes	
Air temperature	Low	(°C)	-45	-45 or -55	16 h	IEC 60068-2-1 [2]	Ab/Ad: Cold	1	
	High	(°C)	+45	+45 or +60	16 h	IEC 60068-2-2 [7]	Bb/Bd: Dry heat	2	
	Change	(°C) (°C/min)	0,5	-10/+45 0,5	2 cycles t1 = 3 h	IEC 60068-2-14 [8]	Nb: Change of temperature	3	
Humidity	Relative	low (%)	8	none				8	
		high (%)	100	93	10 d	IEC 60068-2-78 [16]	Cab: Damp heat steady state	4	
		condensation (°C)	yes	+30	2 cycles	IEC 60068-2-30 [9]	Db: Damp heat cyclic Variant 1	5	
	Absolute	low (g/m ³)	0,03	90-100 +30					6
		high (g/m ³)	30						
Air	Pressure	low (kPa)	70	none				7	
		high (kPa)	106	none				7	
	Speed	(m/s)	50	none				8	
Water	Rain	intensity	15 mm/min	0,01 m ³ /min 90 kPa	6 min/m ² or 30 min	IEC 60068-2-18 [15]	Rb: Impacting water, method 1	9	
		low temperature (°C)	+5	none					
	Other sources Icing & frosting		splashing water yes	none				10 8	
Radiation	Solar	(W/m ²)	1 120					11	
	Heat	(W/m ²)	negligible						

https://standards.iteh.ai/catalog/standards/sist/1300019-2-4-v2.3.1-2013
 https://standards.iteh.ai/catalog/standards/sist/1300019-2-4-v2.3.1-2013
 https://standards.iteh.ai/catalog/standards/sist/1300019-2-4-v2.3.1-2013

ITEH STANDARD PREVIEW
 (standards.iteh.ai)