
Elektromagnetna združljivost in zadeve v zvezi z radijskim spektrom (ERM) - Radiotelefonska oprema za območje VHF za splošne komunikacije in pripadajoča oprema za digitalni selektivni klic (DSC) razreda D - 2. del: Harmonizirani EN, ki zajema bistvene zahteve člena 3.2 direktive R&TTE

Electromagnetic compatibility and Radio spectrum Matters (ERM) - VHF radiotelephone equipment for general communications and associated equipment for Class D Digital Selective Calling (DSC) - Part 2: Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive

(standards.iteh.ai)

[SIST EN 301 025-2 V1.5.1:2013](https://standards.iteh.ai/catalog/standards/sist/04d51089-3723-4d61-a30c-c38e74706671/sist-en-301-025-2-v1-5-1-2013)

<https://standards.iteh.ai/catalog/standards/sist/04d51089-3723-4d61-a30c-c38e74706671/sist-en-301-025-2-v1-5-1-2013>

Ta slovenski standard je istoveten z: EN 301 025-2 Version 1.5.1

ICS:

33.060.99	Druga oprema za radijske komunikacije	Other equipment for radiocommunications
33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general

SIST EN 301 025-2 V1.5.1:2013 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 301 025-2 V1.5.1:2013

<https://standards.iteh.ai/catalog/standards/sist/04d51089-3723-4d61-a30c-c38e74706671/sist-en-301-025-2-v1-5-1-2013>

ETSI EN 301 025-2 V1.5.1 (2013-09)



Harmonized European Standard

**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
VHF radiotelephone (equipment for general communications
and associated equipment for Class "D"
Digital Selective Calling (DSC);
Part 2: Harmonized EN covering the essential requirements
of article 3.2 of the R&TTE Directive**

Reference

REN/ERM-TG26-101-2

Keywords

DSC, maritime, radio, traffic, VHF

ETSI

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 301 025-2 V1.5.1:2013

<https://standards.iteh.ai/catalog/standards/sist/04d51089-3723-4d61-a30c-c38e74706674/SIST-EN-301-025-v1-5-1-2013>

Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2013.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	6
Foreword.....	6
Introduction	6
1 Scope	7
2 References	7
2.1 Normative references	7
2.2 Informative references.....	7
3 Definitions and abbreviations.....	8
3.1 Definitions	8
3.2 Abbreviations	8
4 Technical requirements specifications	8
4.1 Environmental profile.....	8
4.2 Conformance requirements	9
4.2.1 Transmitter frequency error	9
4.2.1.1 Definition	9
4.2.1.2 Limits	9
4.2.1.3 Conformance.....	9
4.2.2 Transmitter adjacent channel power	9
4.2.2.1 Definition	9
4.2.2.2 Limits	9
4.2.2.3 Conformance.....	9
4.2.3 Transmitter conducted spurious emissions conveyed to the antenna.....	9
4.2.3.1 Definition	9
4.2.3.2 Limit.....	9
4.2.3.3 Conformance.....	9
4.2.4 Transmitter cabinet radiation and conducted spurious emissions other than those conveyed to the antenna.....	9
4.2.4.1 Definitions.....	9
4.2.4.2 Limits	10
4.2.4.3 Conformance.....	10
4.2.5 Transient frequency behaviour of the transmitter	10
4.2.5.1 Definitions.....	10
4.2.5.2 Limits	10
4.2.5.3 Conformance.....	10
4.2.6 Transmitter carrier power	10
4.2.6.1 Definition	10
4.2.6.2 Limit.....	10
4.2.6.3 Conformance.....	10
4.2.7 Transmitter frequency deviation	10
4.2.7.1 Definition	10
4.2.7.2 Limit.....	10
4.2.7.3 Conformance.....	10
4.2.8 DSC frequency error (demodulated DSC signal).....	10
4.2.8.1 Definition	10
4.2.8.2 Limit.....	11
4.2.8.3 Conformance.....	11
4.2.9 DSC modulation index.....	11
4.2.9.1 Definition	11
4.2.9.2 Limit.....	11
4.2.9.3 Conformance.....	11
4.2.10 DSC modulation rate	11
4.2.10.1 Definition	11
4.2.10.2 Limit.....	11

4.2.10.3	Conformance	11
4.2.11	Receiver maximum usable sensitivity	11
4.2.11.1	Definition	11
4.2.11.2	Limits	11
4.2.11.3	Conformance	11
4.2.12	Receiver co-channel rejection	11
4.2.12.1	Definition	11
4.2.12.2	Limit	12
4.2.12.3	Conformance	12
4.2.13	Receiver adjacent channel selectivity	12
4.2.13.1	Definition	12
4.2.13.2	Limits	12
4.2.13.3	Conformance	12
4.2.14	Receiver spurious response rejection	12
4.2.14.1	Definition	12
4.2.14.2	Limit	12
4.2.14.3	Conformance	12
4.2.15	Receiver intermodulation response	12
4.2.15.1	Definition	12
4.2.15.2	Limit	12
4.2.15.3	Conformance	12
4.2.16	Receiver blocking or desensitization	13
4.2.16.1	Definition	13
4.2.16.2	Limit	13
4.2.16.3	Conformance	13
4.2.17	Receiver spurious emissions at the antenna	13
4.2.17.1	Definition	13
4.2.17.2	Limit	13
4.2.17.3	Conformance	13
4.2.18	Receiver cabinet radiated spurious emissions	13
4.2.18.1	Definition	13
4.2.18.2	Limit	13
4.2.18.3	Conformance	13
4.2.19	DSC receiver maximum usable sensitivity	13
4.2.19.1	Definition	13
4.2.19.2	Limits	13
4.2.19.3	Conformance	14
4.2.20	DSC receiver co-channel rejection	14
4.2.20.1	Definition	14
4.2.20.2	Limits	14
4.2.20.3	Conformance	14
4.2.21	DSC receiver spurious response and blocking immunity	14
4.2.21.1	Definition	14
4.2.21.2	Limits	14
4.2.21.3	Conformance	14
5	Testing for compliance with technical requirements	14
5.1	Test conditions, power supply and ambient temperatures	14
5.2	Interpretation of the measurement results	14
5.3	Essential radio test suites	15
5.3.1	Transmitter frequency error	15
5.3.2	Transmitter adjacent channel power	15
5.3.3	Transmitter conducted spurious emissions conveyed to the antenna	15
5.3.4	Transmitter cabinet radiation and conducted spurious emissions other than those conveyed to the antenna	15
5.3.5	Transient behaviour of the transmitter	15
5.3.6	Transmitter carrier power	15
5.3.7	Transmitter frequency deviation	16
5.3.8	DSC frequency error (demodulated DSC signal)	16
5.3.9	DSC modulation index	16
5.3.10	DSC modulation rate	16
5.4	Other test suites	16

5.4.1	General.....	16
5.4.2	Receiver maximum usable sensitivity	16
5.4.3	Receiver co-channel rejection.....	16
5.4.4	Receiver adjacent channel selectivity	16
5.4.5	Receiver spurious response rejection.....	16
5.4.6	Receiver intermodulation response.....	16
5.4.7	Receiver blocking or desensitization	17
5.4.8	Receiver spurious emissions at the antenna.....	17
5.4.9	Receiver cabinet radiated spurious emissions.....	17
5.4.10	DSC receiver maximum usable sensitivity	17
5.4.11	DSC receiver co-channel rejection	17
5.4.12	DSC receiver spurious response and blocking immunity	17
Annex A (normative):	HS Requirements and conformance Test specifications Table (HS-RTT).....	18
History		20

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 301 025-2 V1.5.1:2013](https://standards.iteh.ai/catalog/standards/sist/04d51089-3723-4d61-a30c-c38e74706671/sist-en-301-025-2-v1-5-1-2013)

<https://standards.iteh.ai/catalog/standards/sist/04d51089-3723-4d61-a30c-c38e74706671/sist-en-301-025-2-v1-5-1-2013>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonized European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been produced by ETSI in response to mandate M/284 from the European Commission issued under Directive 98/34/EC [i.2] as amended by Directive 98/48/EC [i.5].

The title and reference to the present document are intended to be included in the publication in the Official Journal of the European Union of titles and references of Harmonized Standard under the Directive 1999/5/EC [i.1].

See article 5.1 of Directive 1999/5/EC [i.1] for information on presumption of conformity and Harmonised Standards or parts thereof the references of which have been published in the Official Journal of the European Union.

The requirements relevant to Directive 1999/5/EC [i.1] are summarised in annex A.

The present document is part 2 of a multi-part deliverable covering the VHF radiotelephone equipment for general communications and associated equipment for Class "D" Digital Selective Calling (DSC), as identified below:

- Part 1: "Technical characteristics and methods of measurement";
- Part 2: "Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive";**
- Part 3: "Harmonized EN covering the essential requirements of article 3.3(e) of the R&TTE Directive".

National transposition dates

Date of adoption of this EN:	23 September 2013
Date of latest announcement of this EN (doa):	31 December 2013
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 June 2014
Date of withdrawal of any conflicting National Standard (dow):	30 June 2015

Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the R&TTE Directive [i.1]. The modular structure is shown in EG 201 399 [i.4].

1 Scope

The present document covers the minimum requirements for general communication for shipborne fixed installations using a VHF radiotelephone operating in certain frequency bands allocated to the maritime mobile service using either 25 kHz or 25 kHz and 12,5 kHz channels with associated equipment for DSC - class D.

The present document is intended to cover the provisions of Directive 1999/5/EC [i.1] (R&TTE Directive) article 3.2, which states that "... *radio equipment shall be so constructed that it effectively uses the spectrum allocated to terrestrial/space radio communications and orbital resources so as to avoid harmful interference*".

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of article 3 of the R&TTE Directive [i.1] may apply to equipment within the scope of the present document.

2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

2.1 Normative references

The following referenced documents are necessary for the application of the present document.

- [1] ETSI EN 301 025-1 (V1.5.2) (05-2013): "Electromagnetic compatibility and Radio spectrum Matters (ERM); VHF radiotelephone equipment for general communications and associated equipment for Class "D" Digital Selective Calling (DSC); Part 1: Technical characteristics and methods of measurement".
- [2] ETSI TR 100 028 (all parts) (V1.4.1) (12-2001): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics".

2.2 Informative references

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).
- [i.2] Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations.
- [i.3] EC decision 2004/71/EC of 4 September 2003 on essential requirements relating to marine radio communication equipment which is intended to be used on non-SOLAS vessels and to participate in the Global Maritime Distress and Safety System (GMDSS).
- [i.4] ETSI EG 201 399: "Electromagnetic compatibility and Radio spectrum Matters (ERM); A guide to the production of Harmonized Standards for application under the R&TTE Directive".

- [i.5] Directive 98/48/EC of the European Parliament and of the Council of 20 July 1998 amending Directive 98/34/EC laying down a procedure for the provision of information in the field of technical standards and regulations.

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in the R&TTE Directive [i.1] and the following apply:

carrier frequency: frequency to which the transmitter or receiver is tuned

class D: class D equipment is intended to provide minimum facilities for VHF DSC distress, urgency and safety as well as routine calling and reception, not necessarily in full accordance with IMO GMDSS carriage requirements for VHF installations

environmental profile: range of environmental conditions under which equipment within the scope of the present document is required to comply with the provisions of the present document

frequency deviation: difference between the instantaneous frequency of the modulated RF signal and the carrier frequency

G2B: phase-modulation with digital information, with a sub-carrier for DSC operation

G3E: phase-modulation (frequency modulation with a pre-emphasis of 6 dB/octave) for speech

modulation index: ratio between the frequency deviation and the frequency of the modulation signal

supplier: entity referred to in the R&TTE Directive [i.1] responsible for the placing on the market of an equipment within the scope of the Directive

[SIST EN 301 025-2 V1.5.1:2013](https://standards.iteh.ai/catalog/standards/sist/04d51089-3723-4d61-a30c-38e74706671/sist-en-301-025-2-v1-5-1-2013)

[https://standards.iteh.ai/catalog/standards/sist/04d51089-3723-4d61-a30c-](https://standards.iteh.ai/catalog/standards/sist/04d51089-3723-4d61-a30c-38e74706671/sist-en-301-025-2-v1-5-1-2013)

[38e74706671/sist-en-301-025-2-v1-5-1-2013](https://standards.iteh.ai/catalog/standards/sist/04d51089-3723-4d61-a30c-38e74706671/sist-en-301-025-2-v1-5-1-2013)

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

DSC	Digital Selective Calling
IMO	International Maritime Organization
R&TTE	Radio and Telecommunications Terminal Equipment
RF	Radio Frequency
SINAD	Signal, Noise And Distortion
SOLAS	Safety Of Life And Sea
VHF	Very High Frequency

4 Technical requirements specifications

4.1 Environmental profile

Tests defined in the present document shall be carried out at representative points within the boundary limits of the declared operational environmental profile which, as a minimum, shall be that specified in the test conditions contained in the present document.

As technical performance varies subject to environmental conditions, tests shall be carried out under a sufficient variety of environmental conditions as specified in the present document to give confidence of compliance for the affected technical requirements. These environmental conditions represent those required by article 2 of EC decision 2004/71/EC [i.3] (which shall also be within the boundary limits of the declared operational environmental profile).

4.2 Conformance requirements

4.2.1 Transmitter frequency error

4.2.1.1 Definition

The frequency error is defined in EN 301 025-1 [1], clause 8.1.1.

4.2.1.2 Limits

The transmitter frequency error limit shall be as stated in EN 301 025-1 [1], clause 8.1.3.

4.2.1.3 Conformance

Conformance tests as defined in clause 5.3.1 shall be carried out.

4.2.2 Transmitter adjacent channel power

4.2.2.1 Definition

The adjacent channel power is defined in EN 301 025-1 [1], clause 8.7.1.

4.2.2.2 Limits

The transmitter adjacent channel power limit shall be as stated in EN 301 025-1 [1], clause 8.7.3.

4.2.2.3 Conformance

Conformance tests as defined in clause 5.3.2 shall be carried out.

4.2.3 Transmitter conducted spurious emissions conveyed to the antenna

4.2.3.1 Definition

Conducted spurious emissions conveyed to the antenna are defined in EN 301 025-1 [1], clause 8.8.1.

4.2.3.2 Limit

The transmitter conducted spurious emissions conveyed to the antenna limit shall be as stated in EN 301 025-1 [1], clause 8.8.3.

4.2.3.3 Conformance

Conformance tests as defined in clause 5.3.3 shall be carried out.

4.2.4 Transmitter cabinet radiation and conducted spurious emissions other than those conveyed to the antenna

4.2.4.1 Definitions

Cabinet radiation and conducted spurious emissions other than those conveyed to the antenna are defined in EN 301 025-1 [1], clause 8.9.1.