
Elektromagnetna združljivost in zadeve v zvezi z radijskim spektrom (ERM) - Radiotelefonska oprema za območje VHF za splošne komunikacije in pripadajoča oprema za digitalni selektivni klic (DSC) razreda D - 3. del: Harmonizirani EN, ki zajema bistvene zahteve člena 3.3(e) direktive R&TTE

Electromagnetic compatibility and Radio spectrum Matters (ERM) - VHF radiotelephone equipment for general communications and associated equipment for Class D Digital Selective Calling (DSC) - Part 3: Harmonized EN covering the essential requirements of article 3.3(e) of the R&TTE Directive

(standards.iteh.ai)

[SIST EN 301 025-3 V1.5.1:2013](https://standards.iteh.ai/catalog/standards/sist/0a233382-a8e9-4ccd-9ea0-ddfd13439152/sist-en-301-025-3-v1-5-1-2013)

<https://standards.iteh.ai/catalog/standards/sist/0a233382-a8e9-4ccd-9ea0-ddfd13439152/sist-en-301-025-3-v1-5-1-2013>

Ta slovenski standard je istoveten z: EN 301 025-3 Version 1.5.1

ICS:

33.060.99	Druga oprema za radijske komunikacije	Other equipment for radiocommunications
33.100.01	Elektromagnetna združljivost na splošno	Electromagnetic compatibility in general

SIST EN 301 025-3 V1.5.1:2013 **en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 301 025-3 V1.5.1:2013](https://standards.iteh.ai/catalog/standards/sist/0a233382-a8e9-4ccd-9ea0-ddfd13439152/sist-en-301-025-3-v1-5-1-2013)

<https://standards.iteh.ai/catalog/standards/sist/0a233382-a8e9-4ccd-9ea0-ddfd13439152/sist-en-301-025-3-v1-5-1-2013>

ETSI EN 301 025-3 V1.5.1 (2013-09)



Harmonized European Standard

**Electromagnetic compatibility
and Radio spectrum Matters (ERM);
VHF radiotelephone (equipment for general communications
and associated equipment for Class "D"
Digital Selective Calling (DSC);
Part 3: Harmonized EN covering the essential requirements
of article 3.3(e) of the R&TTE Directive**

Reference

REN/ERM-TG26-101-3

Keywords

DSC, maritime, radio, traffic, VHF**ETSI**

650 Route des Lucioles
F-06921 Sophia Antipolis Cedex - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C
Association à but non lucratif enregistrée à la
Sous-Préfecture de Grasse (06) N° 7803/88

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 301 025-3 V1.5.1:2013

<https://standards.iteh.ai/catalog/standards/sist/0a233382-a8e9-4ccd-9ea0-ddf113439172/sist-301-025-3-v1-5-1-2013>
Important notice

Individual copies of the present document can be downloaded from:

<http://www.etsi.org>

The present document may be made available in more than one electronic version or in print. In any case of existing or perceived difference in contents between such versions, the reference version is the Portable Document Format (PDF). In case of dispute, the reference shall be the printing on ETSI printers of the PDF version kept on a specific network drive within ETSI Secretariat.

Users of the present document should be aware that the document may be subject to revision or change of status. Information on the current status of this and other ETSI documents is available at

<http://portal.etsi.org/tb/status/status.asp>

If you find errors in the present document, please send your comment to one of the following services:

http://portal.etsi.org/chaicor/ETSI_support.asp

Copyright Notification

No part may be reproduced except as authorized by written permission.
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 2013.
All rights reserved.

DECT™, **PLUGTESTS™**, **UMTS™** and the ETSI logo are Trade Marks of ETSI registered for the benefit of its Members.
3GPP™ and **LTE™** are Trade Marks of ETSI registered for the benefit of its Members and of the 3GPP Organizational Partners.
GSM® and the GSM logo are Trade Marks registered and owned by the GSM Association.

Contents

Intellectual Property Rights	7
Foreword.....	7
Introduction	7
1 Scope	8
2 References	8
2.1 Normative references	8
2.2 Informative references	8
3 Definitions and abbreviations.....	9
3.1 Definitions	9
3.2 Abbreviations	9
4 Technical requirements specifications	9
4.1 Environmental profile.....	9
4.2 General, operational and technical requirements.....	10
4.2.1 General and operational requirements	10
4.2.1.1 Requirements	10
4.2.1.2 Conformance.....	10
4.2.2 Technical requirements	10
4.2.2.1 Requirements	10
4.2.2.2 Conformance.....	10
4.3 Environmental requirements	10
4.3.1 Vibration test	10
4.3.1.1 Definition	10
4.3.1.2 Requirement	10
4.3.1.3 Conformance.....	10
4.3.2 Temperature tests	10
4.3.2.1 Definition	10
4.3.2.2 Dry heat.....	11
4.3.2.2.1 Definition.....	11
4.3.2.2.2 Requirement	11
4.3.2.2.3 Conformance	11
4.3.2.3 Damp heat	11
4.3.2.3.1 Definition.....	11
4.3.2.3.2 Requirement	11
4.3.2.3.3 Conformance	11
4.3.2.4 Low temperature	11
4.3.2.4.1 Definition.....	11
4.3.2.4.2 Requirement	11
4.3.2.4.3 Conformance	11
4.4 Conformance requirements	11
4.4.1 Sensitivity of the modulator, including microphone.....	11
4.4.1.1 Definition	11
4.4.1.2 Limit.....	11
4.4.1.3 Conformance.....	12
4.4.2 Audio frequency response	12
4.4.2.1 Definition	12
4.4.2.2 Limit.....	12
4.4.2.3 Conformance.....	12
4.4.3 Audio frequency harmonic distortion of the emission	12
4.4.3.1 Definition	12
4.4.3.2 Limit.....	12
4.4.3.3 Conformance.....	12
4.4.4 Residual modulation of the transmitter	12
4.4.4.1 Definition	12

4.4.4.2	Limit.....	12
4.4.4.3	Conformance.....	12
4.4.5	Frequency error (demodulated DSC signal).....	12
4.4.5.1	Definition.....	12
4.4.5.2	Limit.....	12
4.4.5.3	Conformance.....	13
4.4.6	Modulation index for DSC.....	13
4.4.6.1	Definition.....	13
4.4.6.2	Limit.....	13
4.4.6.3	Conformance.....	13
4.4.7	Modulation rate for DSC.....	13
4.4.7.1	Definition.....	13
4.4.7.2	Limit.....	13
4.4.7.3	Conformance.....	13
4.4.8	Void.....	13
4.4.9	Harmonic distortion and rated audio-frequency output power.....	13
4.4.9.1	Definition.....	13
4.4.9.2	Limit.....	13
4.4.9.3	Conformance.....	13
4.4.10	Receiver audio frequency response.....	13
4.4.10.1	Definition.....	13
4.4.10.2	Limit.....	14
4.4.10.3	Conformance.....	14
4.4.11	Receiver residual noise level.....	14
4.4.11.1	Definition.....	14
4.4.11.2	Limit.....	14
4.4.11.3	Conformance.....	14
4.4.12	Squelch operation.....	14
4.4.12.1	Definition.....	14
4.4.12.2	Limit.....	14
4.4.12.3	Conformance.....	14
4.4.13	Squelch hysteresis.....	14
4.4.13.1	Definition.....	14
4.4.13.2	Limit.....	14
4.4.13.3	Conformance.....	14
4.4.14	Dynamic range.....	14
4.4.14.1	Definition.....	14
4.4.14.2	Limit.....	15
4.4.14.3	Conformance.....	15
4.5	DSC Signalling.....	15
4.5.1	Display.....	15
4.5.2	Watchkeeping receiver.....	15
4.5.3	Individual DSC calls.....	15
4.5.4	All ships calls.....	15
4.5.5	DSC call functionality.....	15
4.5.6	DSC message composition.....	15
4.5.7	Prioritized wait.....	15
4.5.8	Alarms.....	15
4.5.9	Standby.....	15
4.5.10	Sending distress automated requirements.....	15
4.5.11	Display.....	15
4.5.12	Distress button sub procedure.....	16
4.5.13	Transmission of the alert attempt.....	16
4.5.14	Updating position.....	16
4.5.15	Handling received DSC messages.....	16
4.5.16	Alarms.....	16
4.5.17	Determining subsequent communications.....	16
4.5.18	Automated tuning.....	16
4.5.19	Cancelling the distress alert.....	16
4.5.20	Acknowledgements.....	16
4.5.21	Termination.....	16
4.5.22	Warnings.....	16

ITeH STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 301 025-3 V1.5.1:2013

<https://standards.iteh.ai/catalog/standards/sist/0a233382-a8e9-4ccd-9ea0-ddfd13439152/sist-en-301-025-3-v1-5-1-2013>

4.5.23	Tasks – receiving distress	16
4.5.24	Display – receiving distress	17
4.5.25	Handling received DSC messages – receiving distress.....	17
4.5.26	Alarms – receiving distress.....	17
4.5.27	Determining subsequent communications – receiving distress.....	17
4.5.28	Automated tuning – receiving distress.....	17
4.5.29	Acknowledgements – receiving distress	17
4.5.30	Termination – receiving distress	17
4.5.31	Warnings – receiving distress	17
4.5.32	Tasks – sending non distress.....	17
4.5.33	Display – sending non distress.....	17
4.5.34	Handling received DSC messages – sending non distress	17
4.5.35	Alarms – sending non distress	17
4.5.36	Automated tuning – sending non distress	17
4.5.37	Delayed acknowledgements – sending non distress	18
4.5.38	Termination – sending non distress	18
4.5.39	Warnings – sending non distress.....	18
4.5.40	Tasks – receiving non distress	18
4.5.41	Display – receiving non distress	18
4.5.42	Handling received DSC messages – receiving non distress.....	18
4.5.43	Alarms – receiving non distress.....	18
4.5.44	Automated tuning – receiving non distress.....	18
4.5.45	Acknowledgements – receiving non distress	18
4.5.46	Termination – receiving non distress	18
4.5.47	Warnings – receiving non distress	18
4.5.48	Communication automated procedure	18
4.5.49	Tasks – communication	18
4.5.50	Display – communication	19
4.5.51	Handling received DSC messages – communication.....	19
4.5.52	Tuning of the receiver and transmitter – communication	19
4.5.53	Termination – communication.....	19
4.5.54	Tasks of handling incoming calls while engaged.....	19
4.5.55	Termination of automated procedures.....	19
4.5.56	Actions after termination of an automated procedure.....	19
4.5.57	Putting automated procedures on hold.....	19
4.5.58	Controlling non-terminated automated procedures on hold.....	19
5	Testing for compliance with technical requirements.....	19
5.1	Test conditions, power supply and ambient temperatures	19
5.2	Interpretation of the measurement results	19
5.3	Essential radio test suites.....	20
5.3.1	Environmental tests.....	20
5.3.1.1	Introduction	20
5.3.1.2	Procedure	20
5.3.1.3	Performance check	20
5.3.1.4	Vibration test.....	20
5.3.1.4.1	Definition.....	20
5.3.1.4.2	Limit	20
5.3.1.4.3	Conformance	20
5.3.1.5	Temperature tests	21
5.3.1.5.1	Dry heat	21
5.3.1.5.2	Damp heat.....	21
5.3.1.5.3	Low temperature.....	21
5.3.2	Conformance tests	21
5.3.2.1	Sensitivity of the modulator, including microphone	21
5.3.2.2	Audio frequency response	21
5.3.2.3	Audio frequency harmonic distortion of the emission	22
5.3.2.4	Residual modulation of the transmitter	22
5.3.2.5	Frequency error (demodulated DSC signal).....	22
5.3.2.6	Modulation index for DSC.....	22
5.3.2.7	Modulation rate for DSC.....	22
5.4	Other test suites - Radio	22

5.4.1	General.....	22
5.4.2	Harmonic distortion and rated audio-frequency output power	22
5.4.3	Receiver audio frequency response	22
5.4.4	Receiver residual noise level	22
5.4.5	Squelch operation	22
5.4.6	Squelch hysteresis.....	22
5.4.7	Dynamic range.....	23
Annex A (normative):	HS Requirements and conformance Test specifications Table (HS-RTT).....	24
History		28

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 301 025-3 V1.5.1:2013](https://standards.iteh.ai/catalog/standards/sist/0a233382-a8e9-4ccd-9ea0-ddfd13439152/sist-en-301-025-3-v1-5-1-2013)

<https://standards.iteh.ai/catalog/standards/sist/0a233382-a8e9-4ccd-9ea0-ddfd13439152/sist-en-301-025-3-v1-5-1-2013>

Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in ETSI SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://ipr.etsi.org>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in ETSI SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

Foreword

This Harmonized European Standard (EN) has been produced by ETSI Technical Committee Electromagnetic compatibility and Radio spectrum Matters (ERM).

The present document has been produced by ETSI in response to mandate M/357 from the European Commission issued under Directive 98/34/EC [i.4] as amended by Directive 98/48/EC [i.7].

The title and reference to the present document are intended to be included in the publication in the Official Journal of the European Union of titles and references of Harmonized Standard under the Directive 1999/5/EC [i.1].

See article 5.1 of Directive 1999/5/EC [i.1] for information on presumption of conformity and Harmonized Standards or parts thereof the references of which have been published in the Official Journal of the European Union.

The requirements relevant to Directive 1999/5/EC [i.1] are summarised in annex A.

The present document is part 3 of a multi-part deliverable covering the VHF radiotelephone equipment for general communications and associated equipment for Class "D" Digital Selective Calling (DSC), as identified below:

- Part 1: "Technical characteristics and methods of measurement";
- Part 2: "Harmonized EN covering the essential requirements of article 3.2 of the R&TTE Directive";
- Part 3: "Harmonized EN covering the essential requirements of article 3.3(e) of the R&TTE Directive".**

National transposition dates

Date of adoption of this EN:	23 September 2013
Date of latest announcement of this EN (doa):	31 December 2013
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	30 June 2014
Date of withdrawal of any conflicting National Standard (dow):	30 June 2015

Introduction

The present document is part of a set of standards developed by ETSI and is designed to fit in a modular structure to cover all radio and telecommunications terminal equipment within the scope of the R&TTE Directive [i.1]. The modular structure is shown in EG 201 399 [i.6].

1 Scope

The present document covers the minimum requirements for general communication for shipborne fixed installations using a VHF radiotelephone operating in certain frequency bands allocated to the maritime mobile service using 25 kHz or 25 kHz and 12,5 kHz channels with associated equipment for DSC - class D.

The present document is intended to cover the provisions of Directive 1999/5/EC [i.1] (R&TTE Directive) article 3.3(e), which states that: "... *radio equipment within the scope of the present document shall be so constructed that it supports certain features ensuring access to emergency services*".

In addition to the present document, other ENs that specify technical requirements in respect of essential requirements under other parts of article 3 of the R&TTE Directive [i.1] will apply to equipment within the scope of the present document.

NOTE: A list of such ENs is included on the web site <http://www.newapproach.org/>.

2 References

References are either specific (identified by date of publication and/or edition number or version number) or non-specific. For specific references, only the cited version applies. For non-specific references, the latest version of the reference document (including any amendments) applies.

Referenced documents which are not found to be publicly available in the expected location might be found at <http://docbox.etsi.org/Reference>.

NOTE: While any hyperlinks included in this clause were valid at the time of publication ETSI cannot guarantee their long term validity.

2.1 Normative references

The following referenced documents are necessary for the application of the present document.

- [1] ETSI EN 301 025-1 (V1.5.2) (05-2013): "Electromagnetic compatibility and Radio spectrum Matters (ERM); VHF radiotelephone equipment for general communications and associated equipment for Class "D" Digital Selective Calling (DSC); Part 1: Technical characteristics and methods of measurement".
- [2] ETSI TR 100 028 (all parts) (V1.4.1) (12-2001): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Uncertainties in the measurement of mobile radio equipment characteristics".
- [3] ETSI EN 300 338-3 (V1.1.1) (02-2010): "Electromagnetic compatibility and Radio spectrum Matters (ERM); Technical characteristics and methods of measurement for equipment for generation, transmission and reception of Digital Selective Calling (DSC) in the maritime MF, MF/HF and/or VHF mobile service; Part 3: Class D DSC".

2.2 Informative references

The following referenced documents are not necessary for the application of the present document but they assist the user with regard to a particular subject area.

- [i.1] Directive 1999/5/EC of the European Parliament and of the Council of 9 March 1999 on radio equipment and telecommunications terminal equipment and the mutual recognition of their conformity (R&TTE Directive).
- [i.2] Void.

- [i.3] EC Decision 2004/71/EC of 4 September 2003 on essential requirements relating to marine radio communication equipment which is intended to be used on non-SOLAS vessels and to participate in the Global Maritime Distress and Safety System (GMDSS).
- [i.4] Directive 98/34/EC of the European Parliament and of the Council of 22 June 1998 laying down a procedure for the provision of information in the field of technical standards and regulations.
- [i.5] Void.
- [i.6] ETSI EG 201 399: "Electromagnetic compatibility and Radio spectrum Matters (ERM); A guide to the production of Harmonized Standards for application under the R&TTE Directive".
- [i.7] Directive 98/48/EC of the European Parliament and of the Council of 20 July 1998 amending Directive 98/34/EC laying down a procedure for the provision of information in the field of technical standards and regulations.

3 Definitions and abbreviations

3.1 Definitions

For the purposes of the present document, the terms and definitions given in the R&TTE Directive [i.1] and the following apply:

class D: class D equipment is intended to provide minimum facilities for VHF DSC distress, urgency and safety as well as routine calling and reception, not necessarily in full accordance with IMO GMDSS carriage requirements for VHF installations

environmental profile: range of environmental conditions under which equipment within the scope of the present document is required to comply with the provisions of the present document

G2B: phase-modulation with digital information, with a sub-carrier for DSC operation

G3E: phase-modulation (Frequency modulation with a pre-emphasis of 6 dB/octave) for speech

modulation index: ratio between the frequency deviation and the frequency of the modulation signal

3.2 Abbreviations

For the purposes of the present document, the following abbreviations apply:

DSC	Digital Selective Calling
IMO	International Maritime Organization
R&TTE	Radio and Telecommunications Terminal Equipment
RF	Radio Frequency
SINAD	SIgnal, NOise And DIstortion
SOLAS	Safety Of Life And Sea
VHF	Very High Frequency

4 Technical requirements specifications

4.1 Environmental profile

Tests defined in the present document shall be carried out at representative points within the boundary limits of the declared operational environmental profile which, as a minimum, shall be that specified in the test conditions contained in the present document.

As technical performance varies subject to environmental conditions, tests shall be carried out under a sufficient variety of environmental conditions as specified in the present document to give confidence of compliance for the affected technical requirements. These environmental conditions represent those required by article 2 of EC decision 2004/71/EC [i.3] (which shall also be within the boundary limits of the declared operational environmental profile).

4.2 General, operational and technical requirements

4.2.1 General and operational requirements

4.2.1.1 Requirements

The general and operational requirements are defined in EN 301 025-1 [1], clause 4.

4.2.1.2 Conformance

The manufacturer shall declare that compliance to these requirements is achieved and shall provide relevant documentation.

4.2.2 Technical requirements

4.2.2.1 Requirements

The technical requirements are defined in EN 301 025-1 [1], clause 5.

4.2.2.2 Conformance

The manufacturer shall declare that compliance to these requirements is achieved and shall provide relevant documentation.

iTeh STANDARD PREVIEW
(standards.iteh.ai)
[SIST EN 301 025-3 V1.5.1:2013](https://standards.iteh.ai/catalog/standards/sist/0a233382-a8e9-4ccd-9ea0-ddf113439152/sist-en-301-025-3-v1-5-1-2013)
<https://standards.iteh.ai/catalog/standards/sist/0a233382-a8e9-4ccd-9ea0-ddf113439152/sist-en-301-025-3-v1-5-1-2013>

4.3 Environmental requirements

4.3.1 Vibration test

4.3.1.1 Definition

This test is defined in EN 301 025-1 [1], clause 7.4.1.

4.3.1.2 Requirement

The equipment shall meet the requirements of the performance check defined in EN 301 025-1 [1], clause 7.3.

There shall be no harmful deterioration of the equipment visible.

4.3.1.3 Conformance

Relevant environment tests as defined in clause 5.3.1.4 shall be carried out.

4.3.2 Temperature tests

4.3.2.1 Definition

This series of tests is defined in EN 301 025-1 [1], clause 7.5.1.