



**SLOVENSKI STANDARD**  
**SIST EN 301 062-1 V1.2.2:2005**

**01-april-2005**

8 [[ ]HJbc`ca fYy`Y`n`]bH[ f]fUb]a ]glcf]h] Ua ]f]G8 BLË`G][ bU]nUW]U`yH`+`È`DcXdcfU  
Ud`\_`UW]Ua`bUj ]XYnbY[ UnUgYVbY[ Uca fYy`UfU DBL`n`]bZ`fa UW]g`\_]a ]`lc`\_c] ]  
g][ bU]nUW]g`\_Y[ Ug]ghYa U%fDDG%`k] `fYZfYb b]`lc`\_]`E`nUgYVbY[ Uca fYy`UÈ`%  
XY.`GdYWZ`\_UW]Udfcfc`\_c`U@f]dcfc ]`]`#H !H`E`"+\* )`%]b`E`" - -`%žgdfYa Yb`Yb]`Q

Integrated Services Digital Network (ISDN); Signalling System No.7; Support of Virtual Private Network (VPN) applications with Private network Q reference point Signalling System number 1 (PSS1) information flows; Part 1: Protocol specification [ITU-T Recommendations Q.765.1 and Q.699.1, modified]

[SIST EN 301 062-1 V1.2.2:2005](https://standards.iteh.ai/catalog/standards/sist/b3744b67-7356-4665-8223-5a3bd4c485d5/sist-en-301-062-1-v1-2-2-2005)

<https://standards.iteh.ai/catalog/standards/sist/b3744b67-7356-4665-8223-5a3bd4c485d5/sist-en-301-062-1-v1-2-2-2005>

**Ta slovenski standard je istoveten z: EN 301 062-1 Version 1.2.2**

**ICS:**

33.080	Digitalno omrežje z integriranimi storitvami (ISDN)	Integrated Services Digital Network (ISDN)
--------	---	--

**SIST EN 301 062-1 V1.2.2:2005** en

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

SIST EN 301 062-1 V1.2.2:2005

<https://standards.iteh.ai/catalog/standards/sist/b3744b67-7356-4665-8223-5a3bd4c485d5/sist-en-301-062-1-v1-2-2-2005>

# EN 301 062-1 V1.2.2 (1998-07)

*European Standard (Telecommunications series)*

**Integrated Services Digital Network (ISDN);  
Signalling System No.7;  
Support of Virtual Private Network (VPN) applications  
with Private network Q reference point  
Signalling System number 1 (PSS1) information flows;  
Part 1: Protocol specification**

[ITU-T Recommendations Q.765.1 and Q.699.1, modified]

**iTeh STANDARD PREVIEW**  
**(standards.iteh.ai)**

[SIST EN 301 062-1 V1.2.2:2005](https://standards.iteh.ai/catalog/standards/sist/b3744b67-7356-4665-8223-5a3bd4c485d5/sist-en-301-062-1-v1-2-2-2005)

<https://standards.iteh.ai/catalog/standards/sist/b3744b67-7356-4665-8223-5a3bd4c485d5/sist-en-301-062-1-v1-2-2-2005>



---

**Reference**

DEN/SPS-01032-1 (9u090ipc.PDF)

---

**Keywords**

ISDN, SS7, ISUP, VPN, PINX, PSS1, DSS1

**ETSI**

---

**Postal address**

F-06921, Sophia Antipolis Cedex - FRANCE

---

**Office address**

650 Route des Lucioles - Sophia Antipolis  
Valbonne - FRANCE

Tel.: +33 4 92 94 42 00 Fax: +33 4 93 65 47 16

Siret N° 348 623 562 00017 - NAF 742 C

Association à but non lucratif enregistrée à la  
Sous-Préfecture de Grasse (06) N° 7803/88

---

**Internet**

secretariat@etsi.fr

<http://www.etsi.fr>

<http://www.etsi.org>

---

**Copyright Notification**

No part may be reproduced except as authorized by written permission.  
The copyright and the foregoing restriction extend to reproduction in all media.

© European Telecommunications Standards Institute 1998.  
All rights reserved.

## Intellectual Property Rights

IPRs essential or potentially essential to the present document may have been declared to ETSI. The information pertaining to these essential IPRs, if any, is publicly available for **ETSI members and non-members**, and can be found in SR 000 314: "*Intellectual Property Rights (IPRs); Essential, or potentially Essential, IPRs notified to ETSI in respect of ETSI standards*", which is available **free of charge** from the ETSI Secretariat. Latest updates are available on the ETSI Web server (<http://www.etsi.fr/ipr> or <http://www.etsi.org/ipr>).

Pursuant to the ETSI IPR Policy, no investigation, including IPR searches, has been carried out by ETSI. No guarantee can be given as to the existence of other IPRs not referenced in SR 000 314 (or the updates on the ETSI Web server) which are, or may be, or may become, essential to the present document.

## Foreword

This European Standard (Telecommunications series) has been produced by ETSI Technical Committee Signalling Protocols and Switching (SPS).

National transposition dates	
Date of adoption of this EN:	17 April 1998
Date of latest announcement of this EN (doa):	31 July 1998
Date of latest publication of new National Standard or endorsement of this EN (dop/e):	31 January 1999
Date of withdrawal of any conflicting National Standard (dow):	31 January 1999

[SIST EN 301 062-1 V1.2.2:2005](https://standards.iteh.ai/catalog/standards/sist/b3744b67-7356-4665-8223-5a3bd4c485d5/sist-en-301-062-1-v1-2-2-2005)

<https://standards.iteh.ai/catalog/standards/sist/b3744b67-7356-4665-8223-5a3bd4c485d5/sist-en-301-062-1-v1-2-2-2005>

## Endorsement notice

The text of draft ITU-T Recommendations Q.765.1 and Q.699.1 was approved by ETSI as an EN with agreed modifications as given below.

Intellectual Property Rights.....	3
Foreword .....	3
Endorsement notice .....	3
Scope and References clauses .....	5
Scope 5	
Normative references .....	5
Throughout .....	the text of ITU-T Recommendations Q.765.1 and Q.699.1
Modifications.....	to ITU-T Recommendation Q.765.1
Modifications.....	to ITU-T Recommendation Q.699.1
<b>Annex A (normative): Modifications to ITU-T Recommendation Q.765.1.....</b>	<b>8</b>
A.1 Modifications to be included in this EN if not adopted by ITU-T.....	8
Clause 4, Abbreviations:.....	8
Clause 5, Recommendation structure.....	8
Subclause 6.2.2, General model.....	8
Subclause 7.2.1, Introduction.....	9
A.2 Modifications to be removed from this EN on publication .....	9
Subclause 7.2.3.2.4, Acknowledgement from peer application (overlap sending).....	9

Subclause 7.2.6, Primitive contents .....	9
Subclause 11.8, ASN.1 module .....	9
Subclause 14.1, Private network specific information to be carried within the Application Transport Parameter .....	9
Subclause 14.2, NNI specific Information to be transported in the Application Transport Parameter .....	10
<b>Annex B (normative):        Modifications to ITU-T Recommendation Q.699.1 .....</b>	<b>11</b>
B.1    Modifications to be included in this EN if not adopted by ITU-T.....	11
Clause    4, Abbreviations.....	11
Subclause 5.3.1, Sending of the Initial address message (IAM) .....	11
Subclause 5.3.1, Table 2/Q.699.1 .....	12
Subclause 6.1.1, Table 25/Q.699.1 .....	12
Subclause 6.1.2, Table 26/Q.699.1 .....	12
B.2    Modifications to be removed from this EN on publication .....	12
History .....	13
not yet been adopted by ITU-T prior to the submission for Vote of the present document. This endorsement is based upon the drafts of those Recommendations which accompany the present document, located in an archive file named 9u090ipc.lzh.	

## iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 301 062-1 V1.2.2:2005

<https://standards.iteh.ai/catalog/standards/sist/b3744b67-7356-4665-8223-5a3bd4c485d5/sist-en-301-062-1-v1-2-2-2005>

## Scope and References clauses

Delete the clauses "Scope", "References" from ITU-T Recommendations Q.765.1 and Q.699.1 and replace with the following two clauses (Scope and Normative references):

### Scope

The present document describes the extensions required for the support of Virtual Private Network (VPN) applications over the public Network Node Interface (NNI). This application makes use of the Application Transport Mechanism (APM) described in EN 301 069-1 for bearer related signalling, and the Transaction Capability (TC) for signalling involving no bearer. The present document specifies the respective users (i.e. APM-user, TC-user) to support the PSS1 information flows continuity in VPN applications (Transparent transfer of PSS1 information flows between PINX entities). The public NNI provides transparency to the services of the private network.

The private network functionality is defined by ISO in its series of standards for Private Integrated Services Network (PISN). In addition, the concept of a "Relay node" is introduced by the present document.

The present document provides for a number of network options. These are summarized in table 1.

**Table 1: Network options**

<u>Option</u>	<u>Values</u>	<u>Remarks</u>
Support of GFP functionality at transit PINX nodes (subclause 6.2.5)	Full support	
	Partial support	Not applicable in the international network (note 1)
Support of GFP functionality at gateway PINX nodes (subclause 6.2.6)	Full support	
	No support	(note 1)
Continuation of calls with no application association (subclause 6.2.6)	Supported	(note 2)
	Not supported	(note 3)
Relocation of gateway function (subclause 6.2.6)	Supported	
	Not supported	
NOTE 1: Use of these options might result in certain private network supplementary services behaving in an unexpected manner or not working at all.		
NOTE 2: In this case VPN calls has to be routed using a mechanism which can correctly route the call to the terminating access without use of the VPN procedures specified in the present document.		
NOTE 3: In this case, it is required that the VPN procedures are only used on calls which are routed to addresses which are known to support the VPN application via signalling which supports the APM, otherwise the call will be released.		

In addition, this EN describes the interworking between Signalling System Number 7 (ISDN) and extended DSS1 for the support of VPN applications with PSS1 information flows. For the interworking in this EN related to ISUP, these replace that specified in ETS 300 899 whereas all other interworking of PSS1 information flows is according to that specified in ETS 300 899.

The interworking described here provides a sub-set of all possible interworking scenarios and is therefore intended to describe only the relevant mapping of information flows between the two interfaces being described.

### Normative references

References may be made to:

- a) specific versions of publications (identified by date of publication, edition number, version number, etc.), in which case, subsequent revisions to the referenced document do not apply; or

- b) all versions up to and including the identified version (identified by "up to and including" before the version identity); or
- c) all versions subsequent to and including the identified version (identified by "onwards" following the version identity); or
- d) publications without mention of a specific version, in which case the latest version applies.

A non-specific reference to an ETS shall also be taken to refer to later versions published as an EN with the same number.

- [1] ISO/IEC 11574: "Information technology -- Telecommunications and information exchange between systems -- Private Integrated Services Network -- Circuit-mode 64 kbit/s bearer services -- Service description, functional capabilities and information flows".
- [2] ISO/IEC 11572 Second edition and Amendments 1 and 2: "Information technology -- Telecommunications and information exchange between systems -- Private Integrated Services Network -- Circuit mode bearer services -- Inter-exchange signalling procedures and protocol".
- [3] ISO/IEC 11582: "Information technology -- Telecommunications and information exchange between systems -- Private Integrated Services Network -- Generic functional protocol for the support of supplementary services -- Inter-exchange signalling procedures and protocol".
- [4] ISO/IEC 11579-1: "Information technology -- Telecommunications and information exchange between systems -- Private integrated services network -- Part 1: Reference configuration for PISN Exchanges (PINX)".
- [5] ISO/IEC 15055: "Information technology -- Telecommunications and information exchange between systems -- Private Integrated Services Network -- Specification, functional model and information flows -- Transit counter additional network feature".
- [6] ISO/IEC 15056: "Information technology -- Telecommunications and information exchange between systems -- Private Integrated Services Network -- Inter-exchange signalling protocol -- Transit counter additional network feature".
- [7] ETS 300 009 (1991): "Integrated Services Digital Network (ISDN); CCITT Signalling System No.7; Signalling Connection Control Part (SCCP) [connectionless service] to support international interconnection".
- [8] EN 300 356-1 (V3.1): "Integrated Services Digital Network (ISDN); Signalling System No. 7; ISDN User Part (ISUP) version 3 for the international interface; Part 1: Basic services [ITU-T Recommendations Q.761 to Q.764 (1997), modified]".
- [9] ETS 300 121 (1993): "Integrated Services Digital Network (ISDN); Application of the ISDN User Part (ISUP) of CCITT Signalling System No.7 for international ISDN interconnections (ISUP version 1)".
- [10] ETS 300 134 (1993): "Integrated Services Digital Network (ISDN); CCITT Signalling System No.7; Transaction Capabilities Application Part (TCAP)".
- [11] EN 301 060-1: "Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1) protocol; Basic call applications; Enhancement at the "b" service entry point for Virtual Private Network (VPN) applications; Part 1: Protocol specification".
- [12] EN 301 061-1: "Integrated Services Digital Network (ISDN); Digital Subscriber Signalling System No. one (DSS1) protocol; Generic functional protocol for the support of supplementary services for Virtual Private Network (VPN) applications; Part 1: Protocol specification".
- [13] EN 301 069-1 (1997): "Integrated Services Digital Network (ISDN); Signalling System No.7; ISDN User Part (ISUP); Application Transport Mechanism (APM); Part 1: Protocol specification".
- [14] ITU-T Recommendation Q.1400 (1993): "Architecture framework for the development of signalling and OA&M protocols using OSI concepts".



- [15] ITU-T Recommendations:  
X.680 (1994): "Information technology - Abstract Syntax Notation One (ASN.1): Specification of basic notation";  
X.681 (1994): "Information Technology - Abstract Syntax Notation One (ASN.1): Information object specification";  
X.682 (1994): "Information technology - Abstract Syntax Notation One (ASN.1): Constraint specification";  
X.683 (1994): "Information technology - Abstract Syntax Notation One (ASN.1): Parameterization of ASN.1 specifications".
- [16] ETS 300 899: "Integrated Services Digital Network (ISDN); Signalling System No. 7; Interworking between ISDN User Part (ISUP) version 2 and Digital Subscriber Signalling System No. one (DSS1) [ITU-T Recommendation Q.699, modified]".

## Throughout the text of ITU-T Recommendations Q.765.1 and Q.699.1

Replace references as shown below.

Reference in ITU-T Recommendations Q.765.1 and Q.699.1	Modified reference
ITU-T Recommendations Q.711 to Q.716	ETS 300 009 [7]
ITU-T Recommendation Q.761	EN 300 356-1 [8]
ITU-T Recommendation Q.762	EN 300 356-1 [8]
ITU-T Recommendation Q.763	EN 300 356-1 [8]
ITU-T Recommendation Q.764	EN 300 356-1 [8]
ITU-T Recommendation Q.767	ETS 300 121 [9]
ITU-T Recommendations Q.771 to Q.775	ETS 300 134 [10]
ITU-T Recommendation Q.931/Annex M	EN 301 060-1 [11]
ITU-T Recommendation Q.932/Annex D	EN 301 061-1 [12]
ITU-T Recommendation Q.765	EN 301 069-1 [13]
ITU-T Recommendation Q.765.1	The present document
ITU-T Recommendation Q.699	ETS 300 899 [16]
Annex T	EN 300 356-1 [8]

Throughout the text of ITU-T Recommendations Q.765.1 and Q.699.1 replace "ISUP '92" by "ISUP v2".

Throughout the text of ITU-T Recommendations Q.765.1 and Q.699.1 replace "ISUP '97" by "ISUP v3".

## Modifications to ITU-T Recommendation Q.765.1

### Annex T (temporary), changes to Q.763

Not supported (see EN 300 356-1 [8]).

## Modifications to ITU-T Recommendation Q.699.1

None.