
**Aeronavtika - Toplotno odporna zlitina FE-PA4901 (X12CrNiCoMoW21-20) -
Toplotno neobdelana (nekovana) - Kovni material - a ali D ≤ 200 mm - 690 MPa ≤
Rm ≤ 880 MPa**

Aerospace series - Heat resisting alloy FE-PA4901 (X12CrNiCoMoW21-20) - As forged -
Forging stock - a or D ≤ 200 mm - 690 MPa ≤ Rm ≤ 880MPa

Luft- und Raumfahrt - Hochwarmfeste Legierung FE-PA4901 (X12CrNiCoMoW21-20) -
Nicht wärmebehandelt - Schmiedevormaterial - a oder D ≤ 200mm - 690 MPa ≤ Rm ≤
880 MPa

Serie aerospatale - Alliage resistant a chaud FE-PA4901 (X12CrNiCoMoW21-20) - Non
traits - Produits destines a la forge - a ou D ≤ 200mm - 690 MPa ≤ Rm ≤ 880 MPa

Ta slovenski standard je istoveten z: EN 4262:2013

ICS:

49.025.05 Železove zlitine na splošno Ferrous alloys in general

SIST EN 4262:2014

en

iTeh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 4262:2014

<https://standards.iteh.ai/catalog/standards/sist/2fdd40b4-56ee-43e5-b04c-952a62864afc/sist-en-4262-2014>

EUROPEAN STANDARD

EN 4262

NORME EUROPÉENNE

EUROPÄISCHE NORM

July 2013

ICS 49.025.01

English Version

Aerospace series - Heat resisting alloy FE-PA4901
(X12CrNiCoMoW21-20) - As forged - Forging stock - a or D \leq
200 mm - $690 \text{ MPa} \leq R_m \leq 880 \text{ MPa}$

Serie spatiale - Alliage résistant a chaud FE-PA4901
(X12CrNiCoMoW21-20) - Non traits - Produits destines a la
forge - a ou D $\leq 200 \text{ mm}$ - $690 \text{ MPa} \leq R_m \leq 880 \text{ MPa}$

Luft- und Raumfahrt - Hochwarmfeste Legierung FE-
PA4901 (X12CrNiCoMoW21-20) - Nicht wärmebehandelt -
Schmiedevormaterial - a oder D $\leq 200 \text{ mm}$ - $690 \text{ MPa} \leq R_m$
 $\leq 880 \text{ MPa}$

This European Standard was approved by CEN on 8 May 2013.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents		Page
Foreword.....		3
Introduction		4
1	Scope	5
2	Normative references	5

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 4262:2014](https://standards.iteh.ai/catalog/standards/sist/2fdd40b4-56ee-43e5-b04c-952a62864afc/sist-en-4262-2014)

<https://standards.iteh.ai/catalog/standards/sist/2fdd40b4-56ee-43e5-b04c-952a62864afc/sist-en-4262-2014>

Foreword

This document (EN 4262:2013) has been prepared by the Aerospace and Defence Industries Association of Europe - Standardization (ASD-STAN).

After enquiries and votes carried out in accordance with the rules of this Association, this Standard has received the approval of the National Associations and the Official Services of the member countries of ASD, prior to its presentation to CEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2014, and conflicting national standards shall be withdrawn at the latest by January 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN 4262:2014](https://standards.iteh.ai/catalog/standards/sist/2fdd40b4-56ee-43e5-b04c-952a62864afc/sist-en-4262-2014)

<https://standards.iteh.ai/catalog/standards/sist/2fdd40b4-56ee-43e5-b04c-952a62864afc/sist-en-4262-2014>

EN 4262:2013 (E)

Introduction

This standard is part of the series of EN metallic material standards for aerospace applications. The general organization of this series is described in EN 4258.

This standard has been prepared in accordance with EN 4500-003.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN 4262:2014](https://standards.iteh.ai/catalog/standards/sist/2fdd40b4-56ee-43e5-b04c-952a62864afc/sist-en-4262-2014)

<https://standards.iteh.ai/catalog/standards/sist/2fdd40b4-56ee-43e5-b04c-952a62864afc/sist-en-4262-2014>

1 Scope

This European Standard specifies the requirements relating to:

Heat resisting alloy FE-PA4901 (X12CrNiCoMoW21-20)
As forged
Forging stock
 a or D 200 mm
 $690 \text{ MPa} < R_m < 880 \text{ MPa}$

for aerospace applications.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 2043, *Aerospace series — Metallic materials — General requirements for semi-finished product qualification (excluding forgings and castings)*¹⁾

EN 2860-2, *Aerospace series — Heat resisting alloys — Forging stock and forgings — Technical specification — Part 2: Forging stock*¹⁾

EN 4258, *Aerospace series — Metallic materials — General organization of standardization — Links between types of EN standards and their use*

EN 4500-003, *Aerospace series — Metallic materials — Rules for drafting and presentation of material standards — Part 003: Specific rules for heat resisting alloys*

[SIST EN 4262:2014](https://standards.iteh.ai/catalog/standards/sist/2fdd40b4-56ee-43e5-b04c-952a62864afc/sist-en-4262-2014)

<https://standards.iteh.ai/catalog/standards/sist/2fdd40b4-56ee-43e5-b04c-952a62864afc/sist-en-4262-2014>

1) Published as ASD-STAN Prestandard at the date of publication of this standard.

EN 4262:2013 (E)

1	Material designation	Heat resisting alloy FE-PA4901 (X12CrNiCoMoW21-20)														
2	Chemical Composition %	Element	C	Si	Mn	P	S	Co	Cr	Cu	Mo	Nb	Ni	N ₂	W	Fe
		min.	0,080	—	1,00	—	—	18,5	20,0	—	2,50	0,75	19,0	0,10	2,00	Base
		max.	0,16	1,00	2,00	0,040	0,030	21,0	22,5	0,50	3,50	1,25	21,0	0,20	3,00	
3	Method of melting	Air melted														
4.1	Form	Forging stock														
4.2	Method of production	—														
4.3	Limit dimension(s)	mm	<i>a</i> or <i>D</i> ≤ 200													
5	Technical specification	EN 2860-2														

6.1	Delivery condition	As forged														
	Heat treatment	—														
6.2	Delivery condition code	U														
7	Use condition	Delivery condition														
	Heat treatment	—														

Characteristics

iTeh STANDARD PREVIEW

8.1	Sample(s)	Cut from forging stock														
8.2	Test piece(s)	—														
8.3	Heat treatment	SIST EN 4262:2014 See line 29														
9	Dimensions concerned	mm	<i>a</i> or <i>D</i> ≤ 200													
10	Thickness of cladding on each face	%	—													
11	Direction of test piece	See EN 2860-2														
12	T	Temperature	θ	°C	Ambient											
13		Proof stress	$R_{p0.2}$	MPa	≥ 305											
14		Strength	R_m	MPa	690 ≤ R_m ≤ 880											
15		Elongation	A	%	≥ 35											
16		Reduction of area	Z	%	—											
17	Hardness	≤ 229 HB														
18	Shear strength	R_c	MPa	—												
19	Bending	k	-	—												
20	Impact strength	—														
21	C	Temperature	θ	°C	815 ^{a)}											
22		Time		h	t_R ≥ 30											
23		Stress	σ_a	MPa	—											
24		Elongation	<i>a</i>	%	—											
25		Rupture stress	σ_R	MPa	125											
26		Elongation at rupture	A	%	≥ 10											
27	Notes (see line 98)	a)														

29	Reference heat treatment	–	Solution treated Nominal temperature according to the manufacturing shedule ± 15 °C/t = 1 h/WQ
44	External defects	–	See EN 2860-2
51	Macrostructure	–	See EN 2860-2
		7	To be defined on the order
61	Internal defects	–	See EN 2860-2
		7	Class 3
<p>iTeh STANDARD PREVIEW (standards.iteh.ai)</p> <p>SIST EN 4262:2014 https://standards.iteh.ai/catalog/standards/sist/2fdd40b4-56ee-43e5-b04c-952a62864afc/sist-en-4262-2014</p>			
95	Marking inspection	–	See EN 2860-2
96	Dimensional inspection	–	See EN 2860-2
98	Notes	–	a) Proportional round test pieces.
99	Typical use	–	—