

**SLOVENSKI STANDARD**  
**kSIST FprEN 15313:2015**

**01-oktober-2015**

---

**Železniške naprave - Zahteve za kolesne dvojice med vožnjo - Vzdrževanje kolesnih dvojic v vgrajenem in razstavljenem stanju**

Railway applications - In-service wheelset operation requirements - In-service and off-vehicle wheelset maintenance

Bahnanwendungen - Im Betrieb befindliche Radsätze - Instandhaltung der Radsätze im eingebauten oder ausgebauten Zustand

Applications ferroviaires - Exploitation des essieux en service - Maintenance des essieux en exploitation ou déposés

**Ta slovenski standard je istoveten z:      FprEN 15313**

---

**ICS:**

45.040      Materiali in deli za železniško tehniko      Materials and components for railway engineering

**kSIST FprEN 15313:2015**      **en,fr,de**



EUROPEAN STANDARD  
NORME EUROPÉENNE  
EUROPÄISCHE NORM

**FINAL DRAFT**  
**FprEN 15313**

July 2015

ICS 45.040

Will supersede EN 15313:2010

English Version

**Railway applications - In-service wheelset operation  
requirements - In-service and off-vehicle wheelset maintenance**

Application ferroviaires - Exploitation des essieux en service  
- Maintenance des essieux en exploitation ou déposés

Bahnanwendungen - Radsätze und Drehgestelle -  
Radsatzinstandhaltung

This draft European Standard is submitted to CEN members for formal vote. It has been drawn up by the Technical Committee CEN/TC 256.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

**Warning :** This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION  
COMITÉ EUROPÉEN DE NORMALISATION  
EUROPÄISCHES KOMITEE FÜR NORMUNG

**CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels**

## Contents

	Page
<b>Foreword</b> .....	<b>6</b>
<b>Introduction</b> .....	<b>7</b>
<b>1 Scope</b> .....	<b>8</b>
<b>2 Normative references</b> .....	<b>9</b>
<b>3 Terms and definitions</b> .....	<b>9</b>
<b>4 Maintenance</b> .....	<b>10</b>
<b>4.1 General</b> .....	10
<b>4.2 Maintenance organization</b> .....	11
<b>4.2.1 Maintenance plan</b> .....	11
<b>4.2.2 Service experience</b> .....	11
<b>4.2.3 Traceability – storage – transportation</b> .....	12
<b>4.3 Equipment and systems</b> .....	13
<b>4.4 Staff certification and competence</b> .....	14
<b>4.5 Maintenance organization plan</b> .....	14
<b>4.6 Qualification of an undertaking for the maintenance of in-service or off-vehicle wheelsets</b> .....	14
<b>5 Definition and illustrations of a boxed wheelset, its associated components and defects</b> .....	<b>15</b>
<b>5.1 Definition and illustrations of a wheelset</b> .....	15
<b>5.1.1 Wheelset</b> .....	15
<b>5.1.2 Axle</b> .....	17
<b>5.1.3 Wheel</b> .....	17
<b>5.1.4 Axle box</b> .....	19
<b>5.2 Functional references of the rail-wheel interface</b> .....	19
<b>5.2.1 Wheelset functional references</b> .....	19
<b>5.2.2 Wheel functional references</b> .....	20
<b>5.3 Definition and illustrations of defects</b> .....	21
<b>6 Requirements and operations</b> .....	<b>21</b>
<b>6.1 General</b> .....	21
<b>6.2 Requirements</b> .....	22
<b>6.2.1 In-service limit dimensions and positions</b> .....	22
<b>6.2.2 Special maintenance action for freight wagon axles according to axle load</b> .....	25
<b>6.2.3 Maintenance decision criteria for in-service wheels for all types of wheel</b> .....	26
<b>6.2.4 Maintenance decision criteria for in-service wheels for specific wheel types</b> .....	29
<b>6.2.5 Damage acceptance limits for axle bodies</b> .....	29
<b>6.2.6 Criteria for axle box (Annex C.5)</b> .....	30
<b>6.2.7 Criteria on boxed wheelsets</b> .....	30
<b>6.2.8 Specific requirements for tyred wheels and resilient wheels</b> .....	31
<b>6.2.9 Limit value for axle wheel seat diameter</b> .....	32
<b>6.3 Reprofiling operation</b> .....	32
<b>6.4 Dimensions and conditions after reprofiling or an operation on the rim</b> .....	33
<b>6.4.1 Front-to-front dimension "a<sub>2</sub>"</b> .....	33
<b>6.4.2 Diameter difference between wheels on the same axle</b> .....	33
<b>6.4.3 Limit values of radial run-out as a function of the maximum operating speed authorized for the vehicle</b> .....	33
<b>6.4.4 Wheel axial run-out as a function of the maximum operating speed authorized for the vehicle</b> .....	33
<b>6.4.5 Parts of the tread that are not re-profiled</b> .....	34
<b>6.4.6 Radial traces and radial defects on the internal side of the rim</b> .....	34
<b>6.5 Operations, examinations and inspections</b> .....	34
<b>6.5.1 General</b> .....	34
<b>6.5.2 Detection of tread defects</b> .....	34

6.5.3	Detection of thermal damage on the wheel rim or tyre .....	35
6.5.4	Detection of wheel tread roll-over .....	35
6.5.5	Detection of damage to chamfered corner and flange .....	35
6.5.6	Detection of damage resulting from identification markings .....	35
6.5.7	Detection of defects on the external and internal face of the rim .....	35
6.5.8	Verification of web integrity .....	35
6.5.9	Verification of hub integrity .....	36
6.5.10	Verification of rim integrity - Detection of deep sub-surface tread defects .....	36
6.5.11	Detection of thermal defects on the web of a wheel used as a braking surface .....	36
6.5.12	Detection of overheating affecting the wheel rim-web transition on monobloc wheels .....	36
6.5.13	Verification of axle surface integrity .....	36
6.5.14	Detection of damage caused by corrosion .....	39
6.5.15	Detection of circumferential defects around the whole circumference .....	39
6.5.16	Detection of circumferential defects in a singular section of the circumference .....	39
6.5.17	Detection of notches and impact damage .....	39
6.5.18	Detection of longitudinal defects on axles .....	39
6.5.19	Detection of damage in interference fit zones .....	39
6.5.20	Verification after rectification .....	39
6.5.21	Verification of residual magnetism .....	39
6.5.22	Lubrication operation .....	39
6.5.23	Checking for axle box defects .....	40
6.5.24	Verification of wheelset electrical resistance after heavy maintenance of boxed wheelsets .....	40
6.6	Requirements for additional maintenance equipment and operations .....	40
7	In-service boxed wheelset maintenance .....	40
7.1	Maintenance plan .....	40
7.2	Wheelset protection during vehicle and bogie cleaning .....	40
8	Off-vehicle wheelset maintenance .....	41
8.1	Maintenance plan .....	41
8.2	Key operations for off-vehicle wheelset maintenance .....	41
8.3	Off-vehicle boxed wheelset cleaning .....	41
8.4	NDT Interval .....	42
9	Action to be taken on any wheelset after an incident in service or when not covered by the maintenance plan .....	42
9.1	Wheelset bearings subject to water ingress .....	42
9.2	Wheelsets having been subjected to a short circuit current (e.g. from falling overhead line equipment, etc.) .....	42
9.3	Detection by a trackside facility of a wheel circularity defect .....	42
9.4	Wheelsets loaded over the allowed limit .....	42
9.5	Hot axle box detection .....	43
9.5.1	General .....	43
9.5.2	Technical procedure .....	43
9.6	Derailment .....	43
9.7	Head-on collision .....	43
9.8	Lubricant leakage or loss from the axle box .....	44
9.9	Brake incident (detection of seized brake or discolouration) .....	44
9.10	Reporting after detection of a wheelset irregularity outside the maintenance plan .....	44
10	Equipment not subject to Directive 2008/57/EC .....	44
11	Summary table of requirements of this standard .....	44
Annex A	(normative) Minimum database content for freight wagon wheelset traceability .....	45
A.1	Data categories for storage time .....	45
A.2	Minimum data to be collected .....	45
A.2.1	Boxed wheelset .....	45
A.2.2	Wheelset axle .....	47
A.2.3	Wheels .....	48
A.2.4	Bearings .....	49
A.2.5	Medium and Heavy Wheelset maintenance .....	49

A.2.6	Vehicle in which the boxed wheelset is mounted (not applicable for bogies with variable gauge) and in-service incidents (since applying traceability system).....	50
A.3	Measures to be applied resulting from lack of traceability .....	50
<b>Annex B</b> (informative) Database content for the tractability of wheelsets of vehicles in the scope of TSI “Rolling stock - Locomotive and passenger rated vehicles” (TSI Loc & Pas).....		52
B.1	Data categories for storage time.....	52
B.2	Minimum data to be collected .....	52
B.2.1	Boxed wheelset.....	52
B.2.2	Axle .....	54
B.2.3	Wheels .....	55
B.2.4	Bearings.....	56
B.2.5	Medium and Heavy Wheelset maintenance .....	56
B.2.6	Vehicle in which the boxed wheelset is mounted (not applicable for bogies with variable gauge) and in-service incidents (since applying traceability system).....	57
B.3	Measures to be applied resulting from lack of traceability .....	58
<b>Annex C</b> (normative) Definition and illustration of defects .....		59
C.1	General.....	59
C.2	Defects for all types of wheel .....	59
C.2.1	Wheel flat .....	59
C.2.2	Metal build-up.....	60
C.2.3	Shelling, cavities.....	61
C.2.4	Scaling .....	61
C.2.5	Tread indentation.....	62
C.2.6	Isolated transverse cracking .....	62
C.2.7	Circularity defect.....	63
C.2.8	Spalling (Thermal effects due to tread braking) .....	65
C.2.9	Rolling contact fatigue .....	65
C.2.10	Thermal cracks.....	66
C.2.11	Wheel tread roll-over .....	68
C.2.12	Damage to chamfered corner .....	68
C.2.13	Wheel tread – grooves and channels (or smooth edged circumferential grooves and sharp edged circumferential fluting) .....	69
C.2.14	False flange .....	70
C.2.15	Damage on the flange .....	72
C.2.16	Sharp-edged radial marks and radial defects on the internal face of the rim (FIJ) .....	73
C.2.17	Damage resulting from identification markings .....	74
C.2.18	Damage from lathe driving tools.....	75
C.2.19	Sharp-edged circumferential defects on the web or wheel centre.....	75
C.2.20	Sharp-edged radial defect on the web .....	76
C.2.21	Wheel web hole defects .....	76
C.2.22	Cracks in the wheel hub.....	77
C.3	Defects specific to wheel types.....	77
C.3.1	Deep sub-surface tread defect on monobloc wheels .....	77
C.3.2	Wheel web defects on monobloc wheels .....	78
C.3.3	Exceptional thermomechanical stressing in tyred wheels .....	80
C.4	Axle defects.....	80
C.4.1	Axle protection defect – Damage on the painting/coating .....	80
C.4.2	Corrosion.....	81
C.4.3	Circumferential defects .....	82
C.4.4	Notches and impact damage .....	84
C.4.5	Longitudinal defects .....	85
C.4.6	Damage in the interference fit zones .....	85
C.5	Axle box defects .....	86
C.6	Wheelset defects.....	87
C.6.1	General.....	87
C.6.2	Wheel distortion .....	87
C.6.3	In service axial or angular movement of a wheel or of one of the other components .....	88
C.6.4	Bent axle .....	89

<b>Annex D (normative) Freight stock .....</b>	<b>90</b>
<b>Annex E (informative) Rim size without roll-over for equipment not subject to Directive 2008/57/EC.....</b>	<b>91</b>
<b>Annex F (normative) Definitions of Type A and B axles.....</b>	<b>92</b>
<b>Annex G (informative) Permissible circularity defects .....</b>	<b>95</b>
<b>Annex H (informative) Tyred wheels and resilient wheels.....</b>	<b>96</b>
H.1 <b>General .....</b>	<b>96</b>
H.2 <b>Marking of tyred wheels and resilient wheels .....</b>	<b>96</b>
H.2.1 <b>General .....</b>	<b>96</b>
H.2.2 <b>Tyre thickness of tyred wheels .....</b>	<b>97</b>
H.3 <b>Defects specific to tyred wheels.....</b>	<b>98</b>
H.4 <b>Verification of the electrical resistance during medium and heavy maintenance .....</b>	<b>99</b>
<b>Annex I (normative) Reference images for axle surface condition limits for off vehicle wheelset maintenance.....</b>	<b>100</b>
I.1 <b>General .....</b>	<b>100</b>
I.2 <b>Local and severe defect.....</b>	<b>100</b>
I.3 <b>Large and heavily corroded areas, strongly and uniformly pitted surface .....</b>	<b>101</b>
I.4 <b>Corrosion defects in abutment area and transition radii .....</b>	<b>102</b>
<b>Annex J (informative) NDT interval .....</b>	<b>103</b>
J.1 <b>General .....</b>	<b>103</b>
J.2 <b>Axle .....</b>	<b>103</b>
J.3 <b>Wheel .....</b>	<b>103</b>
<b>Annex K (informative) Summary of the requirements of this standard for in-service boxed wheelsets.....</b>	<b>104</b>
<b>Annex L (informative) Characteristics of narrow gauge wheelsets.....</b>	<b>106</b>
<b>Annex M (informative) Characteristics of Spanish and Portuguese gauge wheelsets .....</b>	<b>107</b>
<b>Annex N (informative) Characteristics of Finnish and Baltic Country Gauge Wheelsets .....</b>	<b>108</b>
<b>Annex ZA (informative) Relationship between this European Standard and the Essential Requirements of EU Directive 2008/57.....</b>	<b>109</b>
<b>Bibliography.....</b>	<b>112</b>

**FprEN 15313:2012 (E)**

**Foreword**

This document (FprEN 15313:2015) has been prepared by Technical Committee CEN/TC 256 “Railway applications”, the secretariat of which is held by DIN.

This document is currently submitted for Formal Vote.

This document will supersede EN 15313:2010.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive 2008/57/EC

For relationship with EU Directive 2008/57/EC, see informative Annex ZA, which is an integral part of this document.