
Cestna vozila - Komunikacijski vmesnik med vozilom in omrežjem - 3. del: Zahteve za fizikalne in podatkovne povezovalne plasti (ISO 15118-3:2015)

Road vehicles - Vehicle to grid Communication interface - Part 3: Physical and data link layer requirements (ISO 15118-3:2015)

Straßenfahrzeuge - Kommunikationsschnittstelle zwischen Fahrzeug und Ladestation - Teil 3: Anforderungen an physikalische- und Datenverbindungsschnittstelle (ISO 15118-3:2015)

(standards.iteh.ai)

Véhicules routiers - Interface de communication entre véhicule et réseau électrique - Partie 3: Exigences relatives à la couche physique et à la couche liaison de données (ISO 15118-3:2015)

Ta slovenski standard je istoveten z: EN ISO 15118-3:2016

ICS:

35.100.10	Fizični sloj	Physical layer
35.100.20	Podatkovni povezovalni sloj	Data link layer
43.040.15	Avtomobilska informatika. Vgrajeni računalniški sistemi	Car informatics. On board computer systems

SIST EN ISO 15118-3:2016**en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 15118-3:2016](#)

<https://standards.iteh.ai/catalog/standards/sist/461e04e3-f3ec-4c27-b009-392d8ed713ea/sist-en-iso-15118-3-2016>

EUROPEAN STANDARD

EN ISO 15118-3

NORME EUROPÉENNE

EUROPÄISCHE NORM

April 2016

ICS 43.120

English Version

Road vehicles - Vehicle to grid Communication interface - Part 3: Physical and data link layer requirements (ISO 15118-3:2015)

Véhicules routiers - Interface de communication entre
véhicule et réseau électrique - Partie 3: Exigences
relatives à la couche physique et à la couche liaison de
données (ISO 15118-3:2015)

Straßenfahrzeuge - Kommunikationsschnittstelle
zwischen Fahrzeug und Ladestation - Teil 3:
Anforderungen an physikalische- und
Datenverbindungsschnittstelle (ISO 15118-3:2015)

This European Standard was approved by CEN on 21 February 2016.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents	Page
European foreword.....	3

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 15118-3:2016](https://standards.iteh.ai/catalog/standards/sist/461e04e3-f3ec-4c27-b009-392d8ed713ea/sist-en-iso-15118-3-2016)
<https://standards.iteh.ai/catalog/standards/sist/461e04e3-f3ec-4c27-b009-392d8ed713ea/sist-en-iso-15118-3-2016>

European foreword

The text of ISO 15118-3:2015 has been prepared by Technical Committee ISO/TC 22 “Road vehicles” of the International Organization for Standardization (ISO) and has been taken over as EN ISO 15118-3:2016 by Technical Committee CEN/TC 301 “Road vehicles” the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2016, and conflicting national standards shall be withdrawn at the latest by October 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom. (standards.iteh.ai)

Endorsement notice

[https://standards.iteh.ai/catalog/standards/sist/461e04e3-3ec-4c27-b009-](https://standards.iteh.ai/catalog/standards/sist/461e04e3-3ec-4c27-b009-392d8ed713ea/sist-en-iso-15118-3-2016)

[392d8ed713ea/sist-en-iso-15118-3-2016](https://standards.iteh.ai/catalog/standards/sist/461e04e3-3ec-4c27-b009-392d8ed713ea/sist-en-iso-15118-3-2016)

The text of ISO 15118-3:2015 has been approved by CEN as EN ISO 15118-3:2016 without any modification.

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 15118-3:2016](#)

<https://standards.iteh.ai/catalog/standards/sist/461e04e3-f3ec-4c27-b009-392d8ed713ea/sist-en-iso-15118-3-2016>

INTERNATIONAL
STANDARD

ISO
15118-3

First edition
2015-05-15

**Road vehicles — Vehicle to grid
communication interface —**

**Part 3:
Physical and data link layer
requirements**

iTeh STANDARD PREVIEW
(standards.iteh.ai)
*Véhicules routiers — Interface de communication entre véhicule et
réseau électrique —
Partie 3: Exigences relatives à la couche physique et à la couche
liaison de données*

SIST EN ISO 15118-3:2016

<https://standards.iteh.ai/catalog/standards/sist/461e04e3-3ec-4c27-b009-392d8ed713ea/sist-en-iso-15118-3-2016>



Reference number
ISO 15118-3:2015(E)

© ISO 2015

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 15118-3:2016](https://standards.iteh.ai/catalog/standards/sist/461e04e3-3ec-4c27-b009-392d8ed713ea/sist-en-iso-15118-3-2016)

<https://standards.iteh.ai/catalog/standards/sist/461e04e3-3ec-4c27-b009-392d8ed713ea/sist-en-iso-15118-3-2016>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols and abbreviated terms	4
5 Conventions	5
5.1 Definition of OSI based services.....	5
5.2 Requirement structure.....	5
5.3 Normative references convention.....	5
6 System architecture	6
6.1 Communication layers overview.....	6
6.2 Definition of high-level communication and basic signalling.....	7
6.2.1 Basic signalling.....	7
6.2.2 High-level communication.....	7
6.3 Identification requirements.....	8
6.4 System requirements.....	8
6.4.1 Overview.....	8
6.4.2 EVSE.....	8
6.4.3 EV.....	9
6.5 Configuration of a low-layer communication module.....	10
7 Connection coordination	10
7.1 General.....	10
7.2 Overview.....	10
7.3 Plug-in phase.....	17
7.3.1 EVSE side.....	17
7.3.2 EV side.....	17
7.4 Initialization phase.....	17
7.5 Loss of communication.....	18
7.5.1 EVSE side.....	18
7.5.2 EV side.....	18
7.6 Sleep mode and wake-up.....	19
7.6.1 Entering the sleep mode.....	19
7.6.2 Wake-up.....	19
7.6.3 During a charge pause.....	20
7.7 Plug-out phase.....	20
8 Timings and constants	21
9 Matching EV — EVSE process	22
9.1 Overview.....	22
9.2 Initialization of matching process.....	24
9.3 Discovery of the connected low-layer communication module.....	24
9.4 Validation of matching decision.....	25
9.5 Set-up a logical network.....	27
9.6 Leave the logical network.....	27
9.7 Error handling.....	27
10 EMC requirements	27
11 Signal coupling	27
12 Layer 2 interfaces	28
12.1 Overview.....	28

ISO 15118-3:2015(E)

12.2	Data SAP.....	28
12.3	Data link control SAP to layer 3.....	28
Annex A	(normative) HomePlug Green PHY on control pilot line.....	30
Annex B	(informative) IEEE 1901.2 G3-PLC profile on control pilot line.....	72
Bibliography	79

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[SIST EN ISO 15118-3:2016](https://standards.iteh.ai/catalog/standards/sist/461e04e3-3ec-4c27-b009-392d8ed713ea/sist-en-iso-15118-3-2016)

<https://standards.iteh.ai/catalog/standards/sist/461e04e3-3ec-4c27-b009-392d8ed713ea/sist-en-iso-15118-3-2016>

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](http://www.iso.org/foreword)

The committee responsible for this document is ISO/TC 22, *Road vehicles*, Subcommittee SC 31, *Data communication*.

ISO 15118 consists of the following parts, under the general title *Road vehicles — Vehicle to grid communication interface*:

- *Part 1: General information and use-case definition*
- *Part 2: Network and application protocol requirements*
- *Part 3: Physical layer and Data Link Layer requirements*

The following parts are under preparation:

- *Part 4: Network and application protocol conformance test*
- *Part 5: Physical layer and data link layer conformance test*
- *Part 6: General information and use-case definition for wireless communication*
- *Part 7: Network and application protocol requirements for wireless communication*
- *Part 8: Physical layer and data link layer requirements for wireless communication*

ISO 15118-3:2015(E)**Introduction**

The pending energy crisis and the necessity to reduce greenhouse gas emissions has led the vehicle manufacturers to a very significant effort to reduce the energy consumption of their vehicles. They are presently developing vehicles partly or completely propelled by electric energy. Thus, vehicles will reduce the dependency on oil, improve the global energy efficiency, and reduce the total CO₂ emissions for road transportation if the electricity is produced from renewable sources. To charge the batteries of such vehicles, specific charging infrastructure is required.

Much of the standardization work on dimensional and electrical specifications of the charging infrastructure and the vehicle interface is already treated in the relevant ISO or IEC groups. However, the question of information transfer between the vehicle and the grid has not been treated sufficiently.

Such communication is beneficial for the optimization of energy resources and energy production systems as vehicles can recharge at the most economic or most energy-efficient instants.

It is also required to develop efficient and convenient payment systems in order to cover the resulting micro-payments. The necessary communication channel might serve in the future to contribute to the stabilization of the electrical grid, as well as to support additional information services required to operate electric vehicles efficiently.

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

[SIST EN ISO 15118-3:2016](https://standards.iteh.ai/catalog/standards/sist/461e04e3-3ec-4c27-b009-392d8ed713ea/sist-en-iso-15118-3-2016)

<https://standards.iteh.ai/catalog/standards/sist/461e04e3-3ec-4c27-b009-392d8ed713ea/sist-en-iso-15118-3-2016>

Road vehicles — Vehicle to grid communication interface —

Part 3: Physical and data link layer requirements

1 Scope

This part of ISO 15118 specifies the requirements of the physical and data link layer for a high-level communication, directly between battery electric vehicles (BEV) or plug-in hybrid electric vehicles (PHEV), termed as EV (electric vehicle) [ISO-1], based on a wired communication technology and the fixed electrical charging installation [Electric Vehicle Supply Equipment (EVSE)] used in addition to the basic signalling, as defined in [IEC-1].

It covers the overall information exchange between all actors involved in the electrical energy exchange. ISO 15118 (all parts) is applicable for manually connected conductive charging.

Only “[IEC-1] modes 3 and 4” EVSEs, with a high-level communication module, are covered by this part of ISO 15118.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 15118-1:2013, *Road vehicles — Vehicle to grid communication interface — Part 1: General information and use-case definition*

ISO 15118-2:2014, *Road vehicles — Vehicle to grid communication interface — Part 2: Network and application protocol requirements*

IEC 61851-1:2010, *Electric vehicle conductive charging system — Part 1: General requirements*

IEC/TS 62763:2013, *Pilot function through a control pilot circuit using PWM (pulse width modulation) and a control pilot wire*

3 Terms and definitions

For the purposes of this document, the terms and definition in [ISO-1] and the following apply.

3.1

amplitude map

specifies a transmit power-reduction factor for each subcarrier related to the tone mask

3.2

central coordinator

manager of a HomePlug Green PHY network

3.3

channel access priority

CAP

method to prioritize the channel access

Note 1 to entry: See [HPGP].

ISO 15118-3:2015(E)**3.4****coexistence**

ability of different low-layer communication systems to share the same physical media and to function simultaneously

3.5**communication media**

physical media carrying the low-layer communication signal is given by the cable assembly, which connects the charging infrastructure and the EV

3.6**communication node**

device equipped with a low-layer communication modem chip; it characterizes one logical and physical communication device that is attached to a physical media and is capable of sending, receiving, or forwarding information over a communication channel

3.7**connection coordination**

entity which provides the whole functionality for EV to EVSE matching and initialization, through the data link control SAP, described in [Clause 6](#)

Note 1 to entry: This entity also controls the relationships between the basic signalling and the upper layers.

3.8**crosstalk**

capacitive or inductive coupling between two individual electric circuits, each providing a media for a low-layer communication network, in a way that the two networks are influenced by each other

3.9**data link control SAP**

service access point which defines the interface between the connection coordination module and the low-layer communication technology for managing the link status

3.10**DATA SAP**

service access point that defines the interface between layer 2 and layer 3 for exchange of v2g-related payload

3.11**ETH SAP**

Ethernet II-class SAP supports applications using Ethernet II class packets, including IEEE 802.3 with or without IEEE 802.2 (LLC), IEEE 802.1H (SNAP) extensions, and/or VLAN tagging

3.12**external identification means****EIM**

any external means that enable the user to identify his contract or the car

3.13**initialization**

process of interaction between the EV, EVSE, and an external trigger, beginning from plug-in of the cable assembly until the decision for the charging mode to be applied

Note 1 to entry: This process is used for the charging modes 3 and 4, as described in *[IEC-1]*.

3.14**IO SAP**

IO control path interfaces hardware i/o control (e.g. control pilot duty cycle) and the control pilot wire

Note 1 to entry: This entity provides an IO SAP, which is defined in [Clause 12](#).

3.15**inter system protocol**

enables various broadband power line systems to share power line communication resources in time (time domain multiplex), in frequency (frequency domain multiplex), or both

Note 1 to entry: For more information, refer to [IEEE].

3.16**logical network**

set of low-layer communication stations which use the same network key

Note 1 to entry: Only members of the same logical network are able to exchange encrypted payload data and are visible for each other on higher layers. Different logical networks might exist on the same physical media at the same time and are typically used for network segmentation.

Note 2 to entry: A logical network is defined for layer 2.

3.17**low-layer communication**

functions managed by the OSI layer 1 and layer 2 of the modem

3.18**low-layer communication module**

functional assembly behind each socket outlet or each connector, depending on the type of EV connection ([IEC-1]), which includes the communication node and the connection coordination functionality

3.19**MAC address**

unique identifier assigned to network interfaces for communication on the data link layer

3.20**management message entry****MME**

messages exchanged between PLC nodes or a PLC node and higher layers for control purposes

3.21**matching**

process to determine the low-layer communication modules of EV and EVSE, where EV is physically connected to, in a direct way

Note 1 to entry: "Matching" refers to "Association" (use-case A) in ISO 15118-1.

3.22**nominal duty cycle**

10 % to 96 % control pilot duty cycle, according to [IEC-1], generated by the EVSE

3.23**pilot function controller**

system that manages the control pilot line on the EVSE side, according to [IEC-1]

3.24**plug and charge**

identification mode where the customer just has to plug their vehicle into the EVSE and all aspects of charging are automatically taken care of with no further intervention from the customer

3.25**QPSK modulation**

phase modulation technique that transmits two bits in four modulation states