
Cestna vozila - Komunikacijski vmesnik med vozilom in omrežjem - 1. del: Splošne informacije in definicija primera uporabe (ISO 15118-1:2013)

Road vehicles - Vehicle to grid communication interface - Part 1: General information and use-case definition (ISO 15118-1:2013)

Straßenfahrzeuge - Kommunikationsschnittstelle zwischen Fahrzeug und Ladestation - Teil 1: Allgemeine Informationen und Festlegungen der Anwendungsfälle (ISO 15118-1:2013)

(standards.iteh.ai)

Véhicules routiers - Interface de communication entre véhicule et réseau électrique - Partie 1: Informations générales et définition de cas d'utilisation (ISO 15118-1:2013)

Ta slovenski standard je istoveten z: EN ISO 15118-1:2015

ICS:

35.100.05	Večslojne uporabniške rešitve	Multilayer applications
43.040.15	Avtomobilska informatika. Vgrajeni računalniški sistemi	Car informatics. On board computer systems

SIST EN ISO 15118-1:2015**en**

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 15118-1:2015](#)

<https://standards.iteh.ai/catalog/standards/sist/26a8695a-636d-472b-9a5f-96d1a3f9ddcf/sist-en-iso-15118-1-2015>

EUROPEAN STANDARD

EN ISO 15118-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2015

ICS 43.120

English Version

Road vehicles - Vehicle to grid communication interface - Part 1: General information and use-case definition (ISO 15118-1:2013)

Véhicules routiers - Interface de communication entre véhicule et réseau électrique - Partie 1: Informations générales et définition de cas d'utilisation (ISO 15118-1:2013)

Straßenfahrzeuge - Kommunikationsschnittstelle zwischen Fahrzeug und Ladestation - Teil 1: Allgemeine Informationen und Festlegungen der Anwendungsfälle (ISO 15118-1:2013)

This European Standard was approved by CEN on 30 July 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

<https://standards.iteh.ai/catalog/standards/sist/26a8695a-636d-472b-9a5f-96d1a3f9ddcf/sist-en-iso-15118-1-2015>



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

	Page
European foreword	3

iTeh STANDARD PREVIEW **(standards.iteh.ai)**

[SIST EN ISO 15118-1:2015](https://standards.iteh.ai/catalog/standards/sist/26a8695a-636d-472b-9a5f-96d1a3f9ddcf/sist-en-iso-15118-1-2015)
<https://standards.iteh.ai/catalog/standards/sist/26a8695a-636d-472b-9a5f-96d1a3f9ddcf/sist-en-iso-15118-1-2015>

European foreword

The text of ISO 15118-1:2013 has been prepared by Technical Committee ISO/TC 22 “Road vehicles” of the International Organization for Standardization (ISO) and has been taken over as EN ISO 15118-1:2015 by Technical Committee CEN/TC 301 “Road vehicles” the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2016, and conflicting national standards shall be withdrawn at the latest by February 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice (standards.iteh.ai)

The text of ISO 15118-1:2013 has been approved by CEN as EN ISO 15118-1:2015 without any modification.

<https://standards.iteh.ai/catalog/standards/sist/26a8695a-636d-472b-9a5f-96d1a3f9ddcf/sist-en-iso-15118-1-2015>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 15118-1:2015](#)

<https://standards.iteh.ai/catalog/standards/sist/26a8695a-636d-472b-9a5f-96d1a3f9ddcf/sist-en-iso-15118-1-2015>

INTERNATIONAL
STANDARD

ISO
15118-1

First edition
2013-04-15

Corrected version
2013-10-01

**Road vehicles — Vehicle to grid
communication interface —**

**Part 1:
General information and use-case
definition**

iTeh STANDARD PREVIEW
*Véhicules routiers — Interface de communication entre véhicule et
réseau électrique —
(standards.iteh.ai)
Partie 1: Informations générales et définition de cas d'utilisation*

[SIST EN ISO 15118-1:2015](https://standards.iteh.ai/catalog/standards/sist/26a8695a-636d-472b-9a5f-96d1a3f9ddcf/sist-en-iso-15118-1-2015)

<https://standards.iteh.ai/catalog/standards/sist/26a8695a-636d-472b-9a5f-96d1a3f9ddcf/sist-en-iso-15118-1-2015>

Reference number
ISO 15118-1:2013(E)



iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 15118-1:2015](https://standards.iteh.ai/catalog/standards/sist/26a8695a-636d-472b-9a5f-96d1a3f9ddcf/sist-en-iso-15118-1-2015)

<https://standards.iteh.ai/catalog/standards/sist/26a8695a-636d-472b-9a5f-96d1a3f9ddcf/sist-en-iso-15118-1-2015>



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Symbols and abbreviated terms	9
5 Requirements	10
5.1 Communication concept.....	10
5.2 General considerations.....	11
5.3 User-specific requirements.....	11
5.4 OEM-specific requirements.....	12
5.5 Utility-specific requirements.....	13
6 Actors	14
6.1 General.....	14
7 Use Case Elements	15
7.1 General.....	15
7.2 Start of charging process [A].....	17
7.3 Communication set-up [B].....	20
7.4 Certificate handling [C].....	20
7.5 Identification and Authorization [D].....	23
7.6 Target setting and charging scheduling [E].....	29
7.7 Charging controlling and re-scheduling [F].....	36
7.8 Value Added Services [G].....	42
7.9 End of charging process [H].....	43
Annex A (informative) Charging infrastructure architecture	45
Annex B (informative) Security	55
Annex C (informative) Examples of charging scenarios derived from the use case elements	60
Bibliography	65

ISO 15118-1:2013(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

The committee responsible for this document is ISO/TC 22, *Road vehicles*, Subcommittee SC 3, *Electrical and electronic equipment*.

ISO 15118-1 was developed in cooperation with IEC TC 69, *Electric road vehicles and electric industrial trucks*.

ISO 15118 consists of the following parts, under the general title *Road vehicles — Vehicle to grid communication interface*:

- *Part 1: General information and use-case definition*
- *Part 2: Network and application protocol requirements*
- *Part 3: Physical and data link layer requirements*

The following parts are under preparation:

- *Part 4: Network and application protocol conformance test*
- *Part 5: Physical layer and data link layer conformance test*

This corrected version of ISO 15118-1:2013 incorporates the following correction:

- The ISO/IEC double logo was added to the cover page.

Introduction

The pending energy crisis and the necessity to reduce greenhouse gas emissions have led vehicle manufacturers to make a very significant effort to reduce the energy consumption of their vehicles. They are presently developing vehicles partly or completely propelled by electric energy. Those vehicles will reduce the dependency on oil, improve global energy efficiency and reduce the total CO₂ emissions for road transportation if the electricity is produced from renewable sources. To charge the batteries of such vehicles, specific charging infrastructure is required.

Much of the standardization work on dimensional and electrical specifications of the charging infrastructure and the vehicle interface is already treated in the relevant ISO or IEC groups. However, the question of information transfer between the vehicle, the local installation and the grid has not been treated sufficiently.

Such communication is beneficial for the optimization of energy resources and energy production systems as vehicles can recharge at the most economic or most energy-efficient instants. It is also required to develop efficient and convenient payment systems in order to cover the resulting micro-payments. The necessary communication channel may serve in the future to contribute to the stabilization of the electrical grid as well as to support additional information services required to operate electric vehicles efficiently.

iTeh STANDARD PREVIEW (standards.iteh.ai)

[SIST EN ISO 15118-1:2015](https://standards.iteh.ai/catalog/standards/sist/26a8695a-636d-472b-9a5f-96d1a3f9ddcf/sist-en-iso-15118-1-2015)

<https://standards.iteh.ai/catalog/standards/sist/26a8695a-636d-472b-9a5f-96d1a3f9ddcf/sist-en-iso-15118-1-2015>

iTeh STANDARD PREVIEW
(standards.iteh.ai)

[SIST EN ISO 15118-1:2015](#)

<https://standards.iteh.ai/catalog/standards/sist/26a8695a-636d-472b-9a5f-96d1a3f9ddcf/sist-en-iso-15118-1-2015>

Road vehicles — Vehicle to grid communication interface —

Part 1: General information and use-case definition

1 Scope

ISO 15118 specifies the communication between Electric Vehicles (EV), including Battery Electric Vehicles and Plug-In Hybrid Electric Vehicles, and the Electric Vehicle Supply Equipment (EVSE). As the communication parts of this generic equipment are the Electric Vehicle Communication Controller (EVCC) and the Supply Equipment Communication Controller (SECC), ISO 15118 describes the communication between these components. Although ISO 15118 is oriented to the charging of electric road vehicles, it is open for other vehicles as well.

This part of ISO 15118 specifies terms and definitions, general requirements and use cases as the basis for the other parts of ISO 15118. It provides a general overview and a common understanding of aspects influencing the charge process, payment and load levelling.

ISO 15118 does not specify the vehicle internal communication between battery and charging equipment and the communication of the SECC to other actors and equipment (beside some dedicated message elements related to the charging). All connections beyond the SECC, and the method of message exchanging are considered to be out of the scope as specific use cases.

NOTE 1 Electric road vehicles specifically are vehicles in categories M (used for carriage of passengers) and N (used for carriage of goods) (compare ECE/TR ANS/WP.29/78 ev.2). This does not prevent vehicles in other categories from adopting ISO 15118 as well.

NOTE 2 This part of ISO 15118 is destined to orientate the message set of ISO 15118-2. The absence of any particular use case in this part of ISO 15118 does not imply that it shall not put into practice, with the required messages.

NOTE 3 This part of ISO 15118 and ISO 15118-2 are designed to work independent of data transfer medium used. However, this series of documents are made for fitting the specified data link layers in the corresponding documents in this series.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050, *International electrotechnical vocabulary*

IEC 61851-1, *Electric vehicle conductive charging system — Part 1: General requirements*

ISO/TR 8713, *Electrically propelled road vehicles — Vocabulary*

ISO 15118-2, *Road vehicles — Vehicle to grid communication interface — Part 2: Network and application protocol requirements*

ISO 15118-3, *Road Vehicles — Vehicle to grid communication interface — Part 3: Physical and data link layer requirements*

ISO 15118-1:2013(E)

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/TR 8713 and the following apply.

3.1 actor
entity which characterizes a role played by a user or any other system that interacts with the subject

3.2 amount of energy for charging
energy required by the EV until the departure time has been reached or the battery's SOC is at 100 %

Note 1 to entry: This might include the amount of energy the EV consumes for other vehicle features than solely charging the battery.

3.3 authentication
procedure between EVCC and SECC or between USER and EVSE or SA, to prove that the provided information (see identification) is either correct, valid, or it belongs to the EVCC, the USER or the SECC

3.4 authorization
procedure for EVSE to verify if EV is allowed to be charged

3.5 basic signalling
physical signalling according to the pilot function provided by IEC 61851-1, Annex A

3.6 Battery Management System BMS
electronic device that controls or manages the electric and thermal functions of the battery system and that provides communication between the battery system and other vehicle controllers

3.7 certificate
electronic document which uses a digital signature to bind a public key with an identity

Note 1 to entry: ISO 15118 describes several certificates covering different purposes (e.g. Contract Certificate including the contract ID and OEM Provisioning Certificates)

3.8 charger
power converter that performs the necessary functions for charging a battery

3.9 charging control
function that confirms the maximum charge current which is allowed to be drawn from EVSE based on charging schedule

Note 1 to entry: Actual charge current to the battery should be controlled by BMS. It is not in scope of ISO 15118.

3.10 charging scenario
combination of use case elements to fulfil a specific charging use case

3.11 charging schedule
scheme which contains the power limits for charging the EV for a specific time

Note 1 to entry: The EV should apply the negotiated limits as close as possible, to allow power balancing for the DSO

EXAMPLE The schedule is calculated based on target setting, sales tariff table and grid schedule information, respecting the corresponding current limitations, i.e. using the lowest current value.

3.12

charging session

time between the beginning (connection of the cable) and the end (disconnection of the cable) of a charging process

Note 1 to entry: During a charging session the EV may have none, one, or many periods of charging the battery, doing pre-conditioning or post-conditioning.

3.13

contactor

electrically controlled switch used for switching a power circuit

Note 1 to entry: Unlike a circuit breaker, a contactor is not intended to interrupt a short circuit current.

Note 2 to entry: As far as communication is concerned the contactor occurs as a trigger for the power supply.

3.14

contract ID

contract IDentification of the contract that is used by the SECC or secondary actor to enable charging and related services (including billing)

Note 1 to entry: The contract ID is associated with the electricity consumer and may be vehicle-specific or customer-specific. The customer can e.g. be the driver, the owner of the vehicle.

3.15

credential

document attesting the permission of the EV to be charged

3.16

demand and prognosis

function that covers the collection of grid and local installation limits which applies to the actual charging process

EXAMPLE Sales tariff table containing a price, CO₂ content and percentage of renewable energy information vs. time based on grid, energy production, energy demand and customer contract information, along with an optional contract-based current limitation. Grid schedule containing a current vs. time limitation at the specific EVSE due to local installation and local electricity demand situation.

3.17

Demand Clearing House

DCH

entity for grid negotiation that provides information on the load of the grid

Note 1 to entry: The demand clearing house mediates between two clearing partners: a SECC and the part of the power grid connected to this SECC. Most likely this function will be served by a system operator.

Note 2 to entry: Demand clearing house and meter operator may exchange information with each other as well as with other actors.

EXAMPLE A DCH typically fulfils following tasks:

- Collect all necessary information from all parts of the power grid, e.g. current or forecasted load of local transformers, distribution grid, power substation, transmission grid, transmission substation, power plants (including renewable energies), and predicted charging schedules submitted by EVCCs.
- Consolidate the collected grid information to a “grid profile” and offer it to SECCs/EVCCs.
- Provide charging schedule proposal for the connected EV to the requesting SECC based on the collected grid profile.