

# SLOVENSKI STANDARD SIST EN ISO 15112:2014

01-maj-2014

# Zemeljski plin - Določevanje energijske vrednosti (ISO 15112:2011)

Natural gas - Energy determination (ISO 15112:2011)

Erdgas - Bestimmung von Energiemengen (ISO 15112:2011)

Gaz naturel - Détermination de l'énergie (ISO 15112:2011)

Ta slovenski standard je istoveten z: EN ISO 15112:2014

SIST EN ISO 15112:2014

https://standards.iteh.ai/catalog/standards/sist/3206b9df-deb7-4d9b-98a4-8b10366b8a52/sist-en-iso-15112-2014

ICS:

75.060 Zemeljski plin Natural gas

SIST EN ISO 15112:2014 en

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 15112:2014

 $https://standards.iteh.ai/catalog/standards/sist/3\overline{206}b9df\text{-}deb7\text{-}4d9b\text{-}98a4-8b10366b8a52/sist\text{-}en\text{-}iso\text{-}15112\text{-}2014}$ 

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM **EN ISO 15112** 

March 2014

ICS 75.060

## **English Version**

# Natural gas - Energy determination (ISO 15112:2011)

Gaz naturel - Détermination de l'énergie (ISO 15112:2011)

Erdgas - Bestimmung von Energiemengen (ISO 15112:2011)

This European Standard was approved by CEN on 16 February 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

### SIST EN ISO 15112:2014

https://standards.iteh.ai/catalog/standards/sist/3206b9df-deb7-4d9b-98a4-8b10366b8a52/sist-en-iso-15112-2014



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

# EN ISO 15112:2014 (E)

Contents	Pa	age
Faurand		,
Foreword		3

# iTeh STANDARD PREVIEW (standards.iteh.ai)

EN ISO 15112:2014 (E)

# **Foreword**

The text of ISO 15112:2011 has been prepared by Technical Committee ISO/TC 193 "Natural gas" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 15112:2014.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2014, and conflicting national standards shall be withdrawn at the latest by September 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### **Endorsement notice**

The text of ISO 15112:2011 has been approved by CEN as EN ISO 15112:2014 without any modification.

# iTeh STANDARD PREVIEW (standards.iteh.ai)

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 15112:2014

 $https://standards.iteh.ai/catalog/standards/sist/3\overline{206}b9df\text{-}deb7\text{-}4d9b\text{-}98a4-8b10366b8a52/sist\text{-}en\text{-}iso\text{-}15112\text{-}2014}$ 

# INTERNATIONAL STANDARD

ISO 15112

Second edition 2011-07-15

# Natural gas — Energy determination

Gaz naturel — Détermination de l'énergie

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 15112:2014</u> https://standards.iteh.ai/catalog/standards/sist/3206b9df-deb7-4d9b-98a4-8b10366b8a52/sist-en-iso-15112-2014



Reference number ISO 15112:2011(E)

# iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 15112:2014</u> https://standards.iteh.ai/catalog/standards/sist/3206b9df-deb7-4d9b-98a4-8b10366b8a52/sist-en-iso-15112-2014



# **COPYRIGHT PROTECTED DOCUMENT**

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

# **Contents**

Page

rorewo	Forewordv		
Introdu	ction	vi	
1	Scope	1	
2	Normative references	1	
3	Terms and definitions	1	
4	Symbols and units	6	
5	General principles	6	
6	Gas measurement		
6.1 6.2	General Volume measurement		
6.3	Calorific value measurement		
6.4	Volume conversion		
6.5 6.6	Calibration  Data storage and transmission		
	Energy determination STANDARD PREVIEW	40	
7 7.1	Interfaces	.12	
7.2	Interfaces	.14	
8	Strategy and procedures  General  SIST EN ISO 15112:2014  Strategies for energy determination standards/sist/3206b9df-deb7-4d9b-98a4-  Plausibility checks  8b10366b8a52/sist-en-iso-15112-2014	.16	
8.1	General SIST EN ISO 15112;2014	.16	
8.2 8.3	Strategies for energy determination and days \$552000001-000-7004-7004-7004-7004-7004-7004	.18	
	Assignment methods		
9 9.1	Fixed assignment		
9.2	Variable assignment		
-			
9.2	Determination of the representative calorific value	.27	
9.3 10	Determination of the representative calorific value	.27 .28	
9.3 10 10.1	Determination of the representative calorific value	.27 .28	
9.3 10	Determination of the representative calorific value	.27 .28 .28	
9.3 10 10.1 10.2 10.3	Determination of the representative calorific value	.27 .28 .28 .30	
9.3 10 10.1 10.2 10.3 10.4	Determination of the representative calorific value  Calculation of energy quantities  General equations for energy  Calculation of averaged values — Calculation from average calorific values and cumulative volumes  Volume and volume-to-mass conversions  Energy determination on the basis of declared calorific values	.27 .28 .28 .30 .30	
9.3 10 10.1 10.2 10.3 10.4	Determination of the representative calorific value  Calculation of energy quantities  General equations for energy  Calculation of averaged values — Calculation from average calorific values and cumulative volumes  Volume and volume-to-mass conversions  Energy determination on the basis of declared calorific values  Accuracy on calculated energy	.27 .28 .28 .30 .30 .30	
9.3 10 10.1 10.2 10.3 10.4 11	Determination of the representative calorific value  Calculation of energy quantities  General equations for energy  Calculation of averaged values — Calculation from average calorific values and cumulative volumes  Volume and volume-to-mass conversions  Energy determination on the basis of declared calorific values  Accuracy on calculated energy  Accuracy	.27 .28 .28 .30 .30 .30	
9.3 10 10.1 10.2 10.3 10.4	Determination of the representative calorific value  Calculation of energy quantities  General equations for energy  Calculation of averaged values — Calculation from average calorific values and cumulative volumes  Volume and volume-to-mass conversions  Energy determination on the basis of declared calorific values  Accuracy on calculated energy	.27 .28 .28 .30 .30 .30 .31	
9.3 10 10.1 10.2 10.3 10.4 11 11.1 11.2	Determination of the representative calorific value  Calculation of energy quantities  General equations for energy  Calculation of averaged values — Calculation from average calorific values and cumulative volumes  Volume and volume-to-mass conversions  Energy determination on the basis of declared calorific values  Accuracy on calculated energy  Accuracy  Calculation of uncertainty	.27 .28 .28 .30 .30 .30 .31 .31 .31	
9.3 10 10.1 10.2 10.3 10.4 11 11.1 11.2 11.3 12 12.1	Determination of the representative calorific value  Calculation of energy quantities  General equations for energy  Calculation of averaged values — Calculation from average calorific values and cumulative volumes  Volume and volume-to-mass conversions  Energy determination on the basis of declared calorific values  Accuracy on calculated energy  Accuracy  Calculation of uncertainty  Bias  Quality control and quality assurance  General	.27 .28 .30 .30 .31 .31 .31 .32 .33	
9.3 10 10.1 10.2 10.3 10.4 11 11.1 11.2 11.3 12 12.1 12.2	Determination of the representative calorific value	.27 .28 .30 .30 .31 .31 .32 .33 .33	
9.3 10 10.1 10.2 10.3 10.4 11 11.1 11.2 11.3 12 12.1	Determination of the representative calorific value  Calculation of energy quantities  General equations for energy  Calculation of averaged values — Calculation from average calorific values and cumulative volumes  Volume and volume-to-mass conversions  Energy determination on the basis of declared calorific values  Accuracy on calculated energy  Accuracy  Calculation of uncertainty  Bias  Quality control and quality assurance  General	.27 .28 .30 .30 .31 .31 .32 .33 .34 .34	
9.3 10 10.1 10.2 10.3 10.4 11 11.1 11.2 11.3 12 12.1 12.2 12.3 12.4	Determination of the representative calorific value  Calculation of energy quantities	.27 .28 .28 .30 .30 .31 .31 .32 .33 .33 .34 .34	
9.3 10 10.1 10.2 10.3 10.4 11 11.1 11.2 11.3 12 12.1 12.2 12.3 12.4 Annex	Determination of the representative calorific value	.27 .28 .28 .30 .30 .31 .31 .32 .33 .34 .34 .34	
9.3 10 10.1 10.2 10.3 10.4 11 11.1 11.2 11.3 12 12.1 12.2 12.3 12.4 Annex	Determination of the representative calorific value	.27 .28 .28 .30 .30 .31 .31 .32 .33 .34 .34 .34	

# ISO 15112:2011(E)

Annex E (informative) Practical examples for volume conversion and energy quantity calculation	n47
Annex F (informative) Practical examples for averaging the calorific value due to different delivery situations	51
Annex G (informative) Ways of determining substitute values	56
Annex H (informative) Plausibility check graphical example	58
Annex I (informative) Uncorrected data, bias correction and final result graphical example	59
Annex J (informative) Single-reservoir calorific value determination	61
Bibliography	62

# iTeh STANDARD PREVIEW (standards.iteh.ai)

# **Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 15112 was prepared by Technical Committee ISO/TC 193, Natural gas.

This second edition cancels and replaces the first edition (ISO 15112:2007), which has been technically revised.

(standards.iteh.ai)

## Introduction

Since the early 1800s, it has been general practice for manufactured gas and, subsequently, natural gas to be bought and sold on a volumetric basis. Much time and effort has therefore been devoted to developing the means of flow measurement.

Because of the increasing value of energy and variations in gas quality, billing on the basis of thermal energy has now become essential between contracting partners and the need to determine calorific value by measurement or calculation has led to a number of techniques. However, the manner in which calorific value data are applied to flow volume data to produce the energy content of a given volume of natural gas has been far from a standardized procedure.

Energy determination is frequently a necessary factor wherever and whenever natural gas is metered, from production and processing operations through to end-user consumption. This International Standard has been developed to cover aspects related to production/transmission and distribution/end user. It provides guidance to users of how energy units for billing purposes are derived, based on either measurement or calculation or both, to increase confidence in results for contracting partners.

Other standards relating to natural gas, flow measurement, calorific value measurement, calculation procedures and data handling with regard to gas production, transmission and distribution involving purchase, sales or commodity transfer of natural gas can be relevant to this International Standard.

This International Standard contains ten informative annexes iteh ai

# Natural gas — Energy determination

# 1 Scope

This International Standard provides the means for energy determination of natural gas by measurement or by calculation, and describes the related techniques and measures that are necessary to take. The calculation of thermal energy is based on the separate measurement of the quantity, either by mass or by volume, of gas transferred and its measured or calculated calorific value. The general means of calculating uncertainties are also given.

Only systems currently in use are described.

NOTE Use of such systems in commercial or official trade can require the approval of national authorization agencies, and compliance with legal regulations is required.

This International Standard applies to any gas-measuring station from domestic to very large high-pressure transmission.

iTeh STANDARD PREVIEW

New techniques are not excluded, provided their proven performance is equivalent to, or better than, that of those techniques referred to in this International Standard C 1. 21

Gas-measuring systems are not the subject of this International Standard.

https://standards.iteh.ai/catalog/standards/sist/3206b9df-deb7-4d9b-98a4-8b10366b8a52/sist-en-iso-15112-2014

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6976, Natural gas — Calculation of calorific values, density, relative density and Wobbe index from composition

### 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

#### 3.1

## accuracy of measurement

closeness of the agreement between a measurement result and a true value of the measurand

[ISO 14532:2001]

# 3.2

### adjustment

(of a measuring instrument) operation of bringing a measuring instrument into a state of performance suitable for its use

NOTE Adjustment may be automatic, semi-automatic or manual.

#### 3.3

### assignment method

(energy determination) method to derive a calorific value to be applied to the gas passing specified interfaces having only volume measurements

#### 3.4

#### availability

probability, at any time, that the measuring system, or a measuring instrument forming part of the measuring system, is functioning according to specifications

[EN 1776:1998]

#### 3.5

#### bias

systematic difference between the true energy and the actual energy determined of the gas passing a gas-measuring station

#### 3.6

#### calibration

set of operations that establish, under specified conditions, the relationship between values of quantities indicated by a measuring instrument or measuring system, or values represented by a material measure or a reference material, and the corresponding values obtained using working standards

[ISO 14532:2001, 2.5.2.2]

#### 3.7

# iTeh STANDARD PREVIEW

### superior calorific value

energy released as heat by the complete combustion in air of a specified quantity of gas, in such a way that the pressure,  $p_1$ , at which the reaction takes place remains constant, and all the products of combustion are returned to the same specified temperature,  $T_{1,1}$  as that of the reactants, all of these products being in the gaseous state except for water formed by combustion, which is condensed to the liquid state at  $T_1$ 

[ISO 14532:2001, 2.6.4.1]

8b10366b8a52/sist-en-iso-15112-2014

#### 3.8

# inferior calorific value

energy released as heat by the complete combustion in air of a specified quantity of gas, in such a way that the pressure,  $p_1$ , at which the reaction takes place remains constant, and all the products of combustion are returned to the same specified temperature,  $T_1$ , as that of the reactants, all of these products being in the gaseous state

[ISO 14532:2001, 2.6.4.2]

#### 3.9

#### calorific value station

installation comprising the equipment necessary for the determination of the calorific value of the natural gas in the pipeline

#### 3.10

#### adjusted calorific value

calorific value measured at a measuring station compensated for the time taken for the gas to travel to the respective volume-measuring station

#### 3.11

#### corrected calorific value

result of correcting a measurement to compensate for systematic error

#### 3.12

#### declared calorific value

calorific value that is notified in advance of its application to interfaces for the purpose of energy determination

#### 3.13

## representative calorific value

calorific value which is accepted to sufficiently approximate the actual calorific value at an interface

#### 3.14

#### charging area

set of interfaces where the same method of energy determination is used

#### 3.15

#### conversion

determination of the volume under reference conditions from the volume under operating conditions

#### 3.16

#### correction

value added algebraically to the uncorrected result of a measurement to compensate for systematic error

NOTE 1 The correction is equal to the negative of the estimated systematic error.

NOTE 2 Since the systematic error cannot be known perfectly, the correction cannot be complete (see Annex I).

#### 3.17

# correction factor iTeh STANDARD PREVIE

numerical factor by which the uncorrected result of a measurement is multiplied to compensate for a systematic-error object (standards.iteh.ai)

NOTE Since the systematic error cannot be known perfectly, the correction cannot be complete (see Annex I).

https://standards.iteh.ai/catalog/standards/sist/3206b9df-deb7-4d9b-98a4-

#### determination

8b10366b8a52/sist-en-iso-15112-2014

set of operations that are carried out on an object in order to provide qualitative or quantitative information about this object

NOTE In this International Standard, the term "determination" is only used quantitatively.

#### 3.19

3.18

#### direct measurement

measurement of a property from quantities which, in principle, define the property

NOTE For example, the determination of the calorific value of a gas using the thermoelectric measurement of the energy released in the form of heat during the combustion of a known amount of gas.

[ISO 14532:2001, 2.2.1.2]

### 3.20

### energy

product of gas quantity (mass or volume) and calorific value under given conditions

NOTE 1 The energy may be called energy amount.

NOTE 2 Energy is usually expressed in units of megajoules.

#### 3.21

#### energy determination

quantitative determination of the amount of energy of a quantity of gas based either on measurement or calculation using measured values