

SLOVENSKI STANDARD SIST EN ISO 11357-5:2014

01-maj-2014

Polimerni materiali - Diferenčna dinamična kalorimetrija (DSC) - 5. del: Ugotavljanje karakterističnih reakcijskih temperatur in časov, entalpije reakcije in stopnje pretvorbe (ISO 11357-5:2013)

Plastics - Differential scanning calorimetry (DSC) - Part 5: Determination of characteristic reaction-curve temperatures and times, enthalpy of reaction and degree of conversion (ISO 11357-5:2013)

iTeh STANDARD PREVIEW
Kunststoffe - Dynamische Differenz-Thermoanalyse (DSC) - Teil 5: Bestimmung von charakteristischen Reaktionstemperaturen und Zeiten, Reaktionsenthalpie und Umsatz (ISO 11357-5:2013)

SIST EN ISO 11357-5:2014

https://standards.iteh.ai/catalog/standards/sist/bcc2c8ac-b754-4828-9f63-

Plastiques - Analyse calorimétrique différentielle (DSC) - Partie 5: Détermination des températures et temps caractéristiques de la courbe de réaction, de l'enthalpie de réaction et du degré de transformation (ISO 11357-5:2013)

Ta slovenski standard je istoveten z: EN ISO 11357-5:2014

ICS:

17.200.10 Toplota. Kalorimetrija Heat. Calorimetry 83.080.01 Polimerni materiali na Plastics in general

splošno

SIST EN ISO 11357-5:2014 en,fr,de **SIST EN ISO 11357-5:2014**

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 11357-5:2014

https://standards.iteh.ai/catalog/standards/sist/bcc2c8ac-b754-4828-9f63-7374276e333a/sist-en-iso-11357-5-2014

EUROPEAN STANDARD NORME EUROPÉENNE

EUROPÄISCHE NORM

EN ISO 11357-5

March 2014

ICS 83.080.01

English Version

Plastics - Differential scanning calorimetry (DSC) - Part 5: Determination of characteristic reaction-curve temperatures and times, enthalpy of reaction and degree of conversion (ISO 11357-5:2013)

Plastiques - Analyse calorimétrique différentielle (DSC) -Partie 5: Détermination des températures et temps caractéristiques de la courbe de réaction, de l'enthalpie de réaction et du degré de transformation (ISO 11357-5:2013) Kunststoffe - Dynamische Differenz-Thermoanalyse (DSC) -Teil 5: Bestimmung von charakteristischen Reaktionstemperaturen und -zeiten, Reaktionsenthalpie und Umsatz (ISO 11357-5:2013)

This European Standard was approved by CEN on 6 March 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

SIST EN ISO 11357-5:2014

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Ozech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN ISO 11357-5:2014 (E)

Contents	Pag
Foreword	

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 11357-5:2014

https://standards.iteh.ai/catalog/standards/sist/bcc2c8ac-b754-4828-9f63-7374276e333a/sist-en-iso-11357-5-2014

EN ISO 11357-5:2014 (E)

Foreword

The text of ISO 11357-5:2013 has been prepared by Technical Committee ISO/TC 61 "Plastics" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 11357-5:2014 by Technical Committee CEN/TC 249 "Plastics" the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by September 2014, and conflicting national standards shall be withdrawn at the latest by September 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 11357-5:2013 has been approved by CEN as EN ISO 11357-5:2014 without any modification.

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 11357-5:2014</u> https://standards.iteh.ai/catalog/standards/sist/bcc2c8ac-b754-4828-9f63-7374276e333a/sist-en-iso-11357-5-2014 **SIST EN ISO 11357-5:2014**

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 11357-5:2014

https://standards.iteh.ai/catalog/standards/sist/bcc2c8ac-b754-4828-9f63-7374276e333a/sist-en-iso-11357-5-2014

SIST EN ISO 11357-5:2014

INTERNATIONAL STANDARD

ISO 11357-5

Second edition 2013-03-15

Plastics — Differential scanning calorimetry (DSC) —

Part 5:

Determination of characteristic reaction-curve temperatures and times, enthalpy of reaction and degree of conversion

(standards.iteh.ai)

Plastiques — Analyse calorimétrique différentielle (DSC) —

Partie 5: Détermination des températures et temps caractéristiques https://standards.itch.de la courbe de réaction, de l'enthalpie de réaction et du degré de 7374 transformation 0-11357-5-2014



ISO 11357-5:2013(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 11357-5:2014</u> https://standards.iteh.ai/catalog/standards/sist/bcc2c8ac-b754-4828-9f63-7374276e333a/sist-en-iso-11357-5-2014



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

ISO 11357-5:2013(E)

Con	tent	S	Page
Fore	word		iv
1	Scope	2	1
2	Normative references		1
3	Terms and definitions		1
4	Principle		
5	Apparatus and materials		
6	Test specimens		2
7	Test conditions and specimen conditioning		
8	Calibration		
9		Procedure	
	9.1	General	
	9.2	Temperature-scanning method	
	9.3	Isothermal method	
10	Dete	mination of results	4
	10.1	Determination of characteristic temperatures and enthalpy of reaction (temperature-	
		scanning method)	4
	10.2	Determination of characteristic times and enthalpy of reaction (isothermal method)	4
	10.3	Determination of degree of conversion PREVEV	6
11	Preci	sion (standards.iteh.ai)	9
12	Test 1	report	9
SIST EN ISO 11357-5:2014		SIST EN ISO 11357-5:2014	
ווטונם	ograpii	y https://standards.iteh.ai/catalog/standards/sist/bcc2c8ac-b754-4828-9f63-	10
		7374276e333a/sist-en-iso-11357-5-2014	

iii

ISO 11357-5:2013(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 11357-5 was prepared by Technical Committee ISO/TC 61, Plastics, Subcommittee SC 5, Physicalchemical properties.

This second edition cancels and replaces the first edition (ISO 11357-5:1999), which has been technically revised. Significant technical changes are the following PREVIEW

- adaption of definition of characteristic temperatures and endo-/exothermic direction in accordance with ISO 11357-1;
- revision of determination of results: SIST EN ISO 11357-5:2014
- https://standards.iteh.ai/catalog/standards/sist/bcc2c8ac-b754-4828-9f63-revision of test report. 7374276e333a/sist-en-iso-11357-5-2014

ISO 11357 consists of the following parts, under the general title *Plastics — Differential scanning* calorimetry (DSC):

- Part 1: General principles
- Part 2: Determination of glass transition temperature and glass transition step height
- Part 3: Determination of temperature and enthalpy of melting and crystallization
- Part 4: Determination of specific heat capacity
- Part 5: Determination of characteristic reaction-curve temperatures and times, enthalpy of reaction and degree of conversion
- Part 6: Determination of oxidation induction time (isothermal OIT) and oxidation induction temperature (dynamic OIT)
- Part 7: Determination of crystallization kinetics

Plastics — Differential scanning calorimetry (DSC) —

Part 5:

Determination of characteristic reaction-curve temperatures and times, enthalpy of reaction and degree of conversion

WARNING — Caution should be observed when working with materials which could give a runaway reaction or exhibit other dangerous behaviour.

1 Scope

This part of ISO 11357 specifies a method for the determination of reaction temperatures and times, enthalpies of reaction, and degrees of conversion using differential scanning calorimetry (DSC).

The method applies to monomers, prepolymers, and polymers in the solid or liquid state. The material can contain fillers and/or initiators in the solid or liquid state.

2 Normative references TANDARD PREVIEW

(standards.iteh.ai)
The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 11357-1, Plastics — Differential scanning calorimetry (DSC) 4 Part 1: General principles

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 11357-1 and the following apply.

3.1

polymerization

process of converting a monomer or a mixture of monomers into a polymer

3.2

crosslinking

process of multiple intermolecular covalent or ionic bonding between polymer chains

3.3

degree of conversion

quantity of reacted product obtained during a reaction compared with the maximum possible quantity of the product

Note 1 to entry: The degree of conversion will depend on both time and temperature.

4 Principle

The principle is specified in ISO 11357-1.

The test method described indicates the various stages of the reaction by means of DSC curves.