

## SLOVENSKI STANDARD SIST EN 30-2-1:2015

01-september-2015

Nadomešča:

SIST EN 30-2-1:1999

SIST EN 30-2-1:1999/A1:2004

SIST EN 30-2-1:1999/A1:2004/AC:2005

SIST EN 30-2-1:1999/A2:2005

Plinski gospodinjski aparati za kuhanje - 2-1. del: Smotrna raba energije - Splošno

Domestic cooking appliances burning gas - Part 2-1: Rational use of energy - General

Haushalt-Kochgeräte für gasförmige Brennstoffe Teil 21: Rationelle Energienutzung - Allgemeines

SIST EN 30-2-1:2015

https://standards.iteh.ai/catalog/standards/sist/7ebf4dfc-16e8-4548-aeb2-

Appareils de cuisson domestiques à gaz Partie 2-1-!-Utilisation rationnelle de l'énergie - Généralités

Ta slovenski standard je istoveten z: EN 30-2-1:2015

ICS:

97.040.20 Štedilniki, delovni pulti,

pečice in podobni aparati

Cooking ranges, working tables, ovens and similar

appliances

SIST EN 30-2-1:2015

en,fr,de

**SIST EN 30-2-1:2015** 

# iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 30-2-1:2015

https://standards.iteh.ai/catalog/standards/sist/7ebf4dfc-16e8-4548-aeb2-378a648c4b2b/sist-en-30-2-1-2015

EUROPEAN STANDARD NORME EUROPÉENNE EN 30-2-1

EUROPÄISCHE NORM

June 2015

ICS 97.040.20

Supersedes EN 30-2-1:1998

#### **English Version**

# Domestic cooking appliances burning gas - Part 2-1: Rational use of energy - General

Appareils de cuisson domestiques utilisant les combustibles gazeux - Partie 2-1 : Utilisation rationnelle de l'énergie - Généralités

Haushalt-Kochgeräte für gasförmige Brennstoffe - Teil 2-1: Rationelle Energienutzung - Allgemeines

This European Standard was approved by CEN on 7 May 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

SIST EN 30-2-1:2015

https://standards.iteh.ai/catalog/standards/sist/7ebf4dfc-16e8-4548-aeb2-378a648c4b2b/sist-en-30-2-1-2015



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Cont	Contents Page Foreword		
Forew			
1	Scope	4	
2	Normative references	4	
3	Terms and definitions	4	
4 4.1	Performance characteristics Efficiencies		
4.1.1 4.1.2	Single uncovered burner	4	
4.1.3 4.2	Hob	5	
5 5.1	Tests methodsGeneral	5	
5.1.1 5.1.2	Burner supply Test conditions	5	
5.1.3 5.2	Test pans	5	
5.2.1 5.2.2 5.3	Uncovered burners i.T.ch. S.T.A.N.D.A.R.D. P.R.E.V.IE.W.  Covered burners	8 8	
	ZA (informative) Clauses of this European Standard addressing essential requirements or other provisions of EU Directives		

https://standards.iteh.ai/catalog/standards/sist/7ebf4dfc-16e8-4548-aeb2-378a648c4b2b/sist-en-30-2-1-2015

#### **Foreword**

This document (EN 30-2-1:2015) has been prepared by Technical Committee CEN/TC 49 "Gas cooking appliances", the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by December 2015, and conflicting national standards shall be withdrawn at the latest by December 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 30-2-1:1998.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

The main technical changes with reference to EN 30-2-1:1998 are:

- adaptation to the requirements of EN 30-1-1:2008 and relevant amendments;
- indication on how to carry out the measurement of the efficiency for the hob;
- formula for the calculation of the efficiency for each gas burner and for the gas hob in line with what indicated in Regulation 66/2014;

  SIST EN 30-2-12015
- adaptation of Annex ZA to include the reference to Regulation 66/2014.

This Part 2-1 "Rational use of energy" of EN 30 complements Part 1-1 "Safety".

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

#### 1 Scope

This European Standard sets out the requirements and the test method for the rational use of energy of gas burning domestic cooking appliances, in accordance with EN 30-1-1:2008+A3:2013, Clause 1.

This European Standard covers type testing only.

NOTE The calorific values specified in this European Standard are based on the gross calorific value (Hs) as defined in EN 30–1-1:2008+A3:2013.

#### 2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 30-1-1:2008+A3:2013, Domestic cooking appliances burning gas - Part 1-1: Safety - General

#### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN 30-1-1:2008+A3:2013 and the following apply.

# 3.1 maintenance consumption of the oven STANDARD PREVIEW

quantity of heat to be released per unit of time by the gas combustion, in order to maintain the oven temperature constant (Standards.iteh.al)

Note 1 to entry: Notion: C<sub>e</sub> SIST EN 30-2-1:2015

https://standards.iteh.ai/catalog/standards/sist/7ebf4dfc-16e8-4548-aeb2-

Unit: kilowatt (kW) 378a648c4b2b/sist-en-30-2-1-2015

#### 4 Performance characteristics

#### 4.1 Efficiencies

#### 4.1.1 General

The requirements given in 4.1.2 and 4.1.3 are only applicable to hotplate burners, the nominal heat input of which is higher than 1,16 kW.

#### 4.1.2 Single uncovered burner

The efficiency of each single burner determined under the test conditions specified in 5.2.1 shall be at least 52 %.

#### 4.1.3 Single covered burner

The efficiency of each single covered burner determined under the test conditions specified in 5.2.2 shall be at least:

- 1) 25 % (from cold);
- 2) 35 % (from hot).

#### 4.1.4 Hob

The efficiency of the gas hob shall be determined under the test conditions specified in 5.2.1

#### 4.2 Maintenance consumption of the oven

Under the test conditions specified in 5.3, the maintenance consumption of the oven shall not exceed the value obtained using the formula:

$$C_{\rm e}$$
 = 0,93 + 0,035  $v$ 

where

v is the useful oven volume, expressed in cubic decimetres, defined in EN 30-1-1:2008+A3:2013, 3.4.3.12.

#### 5 Tests methods

#### 5.1 General

#### 5.1.1 Burner supply

According to the appliance category each burner is individually supplied either with one of the reference gases indicated in EN 30-1-1:2008+A3:2013, 7.1.1.1 or the actual gas distributed complying with the requirements in EN 30-1-1:2008+A3:2013, 7.1.1.3.

The burner in adjusted, within ± 2 %, in accordance with EN 30-1-1:2008+A3:2013, 7.1.3.2.4, to its nominal heat input or to the calorific value set in accordance with the indications of Table 1.

eh STANDARD PREVIEW

The corresponding position of the adjusting device or the corresponding value of the burner pressure is noted. The burner is then cooled prior to proceeding to the following test in accordance with 5.2.1 or 5.2.2.

378a648c4b2b/sist-en-30-2-1-2015

#### 5.1.2 Test conditions

Tests are carried out under the installation conditions specified in EN 30-1-1:2008+A3:2013, 7.1.3.3.

#### 5.1.3 Test pans

Aluminium test pans having a matt base, polished walls, no handles and complying with the characteristics of EN 30-1-1:2008+A3:2013, C.1 or 7.1.4.1, for fish burners, are used.

The pans are equipped with their lids.

#### 5.2 Efficiencies

#### 5.2.1 Uncovered burners

Depending on the nominal heat input of the burner being tested, the diameter of the pan to be used and the volume of water which it shall contain are given in Table 1 below.

For the fish burners the water mass is indicated in Table 1 as a function of the nominal heat input of the burner.

Table 1 — Pan diameter and mass of water depending on the heat input of the burner

Nominal heat input of the burner	Internal diameter of the test pan	Mass of water m <sub>e1</sub> to be used kg
between 1,16 and 1,64 inclusive	220	3,7
between 1,65 and 1,98 inclusive	<sub>240</sub> a	4,8
between 1,99 and 2,36 inclusive	<sub>260</sub> a	6,1
between 2,37 and 4,2 inclusive	260 a with an adjustment of the heat input of the burner to 2,36 kW ± 2 % using the method given in EN 30–1- 1:2008+A3:2013, 7.3.1.2.1.1 a)	6,1
greater than 4,2	300 a with an adjustment of the heat input of the burner to 4,2 kW ± 2 % using the method given in EN 30–1-1:2008+A3:2013, 7.3.1.2.1.1 a)	9,4

If the indicated diameter (300 mm, 260 mm or 240 mm) is greater than this maximum diameter given in the instructions for use, the test will be carried out using a pan with the next lower diameter (260 mm, 240 mm or 220 mm), containing the corresponding quantity of water (6,1 kg, 4,8 kg or 3,7 kg). In that case the burner heat input will be adjusted to 2,36 kW, 1,98 kW or 1,64 kW respectively, to ± 2 %, using the method described in EN 30-1-1:2008+A3:2013, 7.3.1.2.1.1 a). , 7.3.1.2.1.1 a). <u>SIST EN 30-2-1:2015</u> https://standards.iteh.ai/catalog/standards/sist/7ebf4dfc-16e8-4548-aeb2-

The initial temperature of the water  $t_1$  shall be (20 ± 4) C and the temperature at the time of extinction of the burner shall be (90 ± 1) °C.

The maximum temperature  $t_2$  observed after extinction of the burner (final temperature expressed in degrees Celsius) is measured.

The temperature sensor is placed in the centre of the volume of water and the temperature is measured using a sensor, the measurement uncertainty of which is less than 0,1 °C.

The burner is pre-heated under the following conditions:

- the burner is operated for 10 min at its nominal heat input or at the input adjusted according to Table 1, in the adjustment position defined and noted in 5.1.1;
- whatever the nominal heat input is the burner is covered with the 220 mm diameter pan containing 3,7 kg of water.

Once preheating is completed the 220 mm diameter pan is withdraw and immediately afterwards is replaced by the pan used for the efficiency test. The measurement of the gas consumption then begins and stops after the extinction of the burner, the pan staying in place.

The efficiency is calculated using the formula:

$$EE_{\textit{gas burner}} = \frac{E_{\textit{theoric}}}{E_{\textit{gas burner}}} \times 100$$

with

$$E_{theoric} = 4,186 \times 10^{-3} \ m_e \ (t_2 - t_1)$$

$$E_{gas\ burner} = V_c(or\ M_c) \times H_s$$

where

 $EE_{gas burner} =$  energy efficiency of a gas burner in % and rounded to the first decimal place;

 $E_{gas\ burner} = \frac{energy\ content\ of\ the\ consumed\ gas\ for\ the\ prescribed\ heating\ in\ MJ\ and\ rounded\ to}{energy\ content\ of\ the\ consumed\ gas\ for\ the\ prescribed\ heating\ in\ MJ\ and\ rounded\ to}$ 

the first decimal place;

 $E_{\it theoric} =$  theoretic minimum required energy for the corresponding prescribed heating in MJ and

rounded to the first decimal place.

 $m_{
m e}$  is the equivalent mass of the pan filled in accordance with the indications given in

Table 1.

The mass  $m_{\rm e}$  is made up as follows:

$$m_{\rm e} = m_{\rm e1} + 0.213 \ m_{\rm e2}$$

# where

### iTeh STANDARD PREVIEW

 $m_{\rm e1}$  is the mass of the water used in the pan rds. iteh. ai)

 $m_{\rm e2}$  is the mass of the aluminium corresponding to the pan and its lid (the mass  $m_{\rm e2}$  to be taken into account will be the mass measured) account will be the mass measured account will be the mass measured of standards sist/7ebf4dfc-16e8-4548-aeb2-

378a648c4b2b/sist-en-30-2-1-2015

All masses are expressed in kilograms:

 $V_{\rm C}$  is the volume of dry gas consumed, in cubic metres, determined from the measured volume, by the following formula:

$$V_{\rm C} = V_{\rm mes} \bullet \frac{p_{\rm a} + p - p_{\rm w}}{1013,25} \bullet \frac{288,15}{273,15 + t_{\rm g}}$$

where

 $V_{\text{mes}}$  is the measured gas volume, in cubic metres;

*p*<sub>a</sub> is the atmospheric pressure, in millibars;

*p* is the gas supply pressure at the point where the heart input is measured, in millibars;

 $p_{W}$  is the partial vapour pressure, in millibars;

 $t_{
m Q}$  is the gas temperature at the point where the heat input is measured, in degrees Celsius;

 $M_{\rm C}$  is the mass of dry gas consumed, in kilograms;

 $H_{\rm S}$  is the gross calorific value of the gas, as defined in EN 30–1-1:2008+A3:2013, 3.3.1.5.

The requirement in 4.1.2 shall be satisfied.