

SLOVENSKI STANDARD SIST EN 12520:2016

01-marec-2016

Nadomešča: SIST EN 12520:2010

Pohištvo - Trdnost, trajnost in varnost - Zahteve za sedežno pohištvo za domačo uporabo

Furniture - Strength, durability and safety - Requirements for domestic seating

Möbel - Festigkeit, Dauerhaltbarkeit und Sicherheit - Anforderungen an Sitzmöbel für den Wohnbereich Teh STANDARD PREVIEW

(standards.iteh.ai)

Mobilier - Résistance, durabilité et sécurité - Exigences relatives aux sièges à usage domestique SIST EN 12520:2016

https://standards.iteh.ai/catalog/standards/sist/e0e345a9-447d-4728-a41f-2a294ed4a23b/sist-en-12520-2016

Ta slovenski standard je istoveten z: EN 12520:2015

ICS:

97.140 Pohištvo Furniture

SIST EN 12520:2016 en,fr,de

SIST EN 12520:2016

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 12520:2016

https://standards.iteh.ai/catalog/standards/sist/e0e345a9-447d-4728-a41f-2a294ed4a23b/sist-en-12520-2016

EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM EN 12520

December 2015

ICS 97.140

Supersedes EN 12520:2010

English Version

Furniture - Strength, durability and safety - Requirements for domestic seating

Mobilier - Résistance, durabilité et sécurité - Exigences relatives aux sièges à usage domestique

Möbel - Festigkeit, Dauerhaltbarkeit und Sicherheit -Anforderungen an Sitzmöbel für den Wohnbereich

This European Standard was approved by CEN on 8 November 2015.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

https://standards.iteh.ai/catalog/standards/sist/e0e345a9-447d-4728-a41f-2a294ed4a23b/sist-en-12520-2016



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN 12520:2015 (E)

Contents European foreword		Page
Europ	pean foreword	3
1	Scope	4
2	Normative references	4
3	Terms and definitions	4
4	Test sequence	4
5	Constructional requirements	4
5.1	General requirements	4
5.2	Shear and squeeze points	
5.2.1	Shear and squeeze points when setting up and folding	5
5.2.2	Shear and squeeze points under influence of powered mechanisms	5
5.2.3	Shear and squeeze points during use	5
5.3	Stability	5
5.4	StabilityStrength and durability	5
5.4.1	General	5
5.4.2	Strength and durability requirements	
6	Strength and durability requirements Information for use iTeh STANDARD PREVIEW	7
7	Test report (standards.iteh.ai)	
/	rest report	/

SIST EN 12520:2016

https://standards.iteh.ai/catalog/standards/sist/e0e345a9-447d-4728-a41f-2a294ed4a23b/sist-en-12520-2016

European foreword

This document (EN 12520:2015) has been prepared by Technical Committee CEN/TC 207 "Furniture", the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2016 and conflicting national standards shall be withdrawn at the latest by June 2016.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12520:2010.

In comparison with EN 12520:2010, the following changes have been made:

- a) references to EN 1728:2000 were updated to EN 1728:2012;
- b) Annex A (normative) "Backward fall test" was deleted;
- c) the standard was editorially revised DARD PREVIEW

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 12520:2015 (E)

1 Scope

This European Standard specifies the minimum requirements for the safety, strength and durability of all types of domestic seating for adults.

It does not apply to ranked seating, seating for non-domestic use, office work chairs, office visitors chairs, chairs for educational institutions, outdoor seating and to links for linked seating for which European Standards exist.

It does not include requirements for the durability of upholstery materials, castors, reclining and tilting mechanisms and seat height adjustment mechanisms.

It does not include requirements for electrical safety.

It does not include requirements for the resistance to ageing, degradation, flammability and ergonomics.

The tests are based on use by persons weighing up to 110 kg.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 1022, Domestic furniture - Seating - Determination of stability REVIEW

EN 1728:2012, Furniture - Seating - Test methods for the determination of strength and durability

3 Terms and definitions

SIST EN 12520:2016

For the purposes of this document, the following terms and definitions apply.

3.1

accessible part

part to which access can easily be gained by the user when the seating is in its intended configuration of use and for which the probability of unintentional user contact is high

3.2

part accessible during setting up and folding

part to which access can only be gained when setting up and folding the furniture

3.3

shear and squeeze point

shear and squeeze point exists if the distance between two accessible parts moving relative to each other can be more than 7 mm or less than 18 mm in any position during movement

4 Test sequence

The tests shall be carried out in the order in which they are listed in this document.

5 Constructional requirements

5.1 General requirements

All parts of the seating with which the user comes into contact, during intended use, shall be designed to ensure that physical injury and damage are avoided.

These requirements are met when:

- edges of the seat, back rest and arm rests, which are in contact with the user when sitting are rounded or chamfered. All other edges accessible during use shall be free from burrs and/or sharp edges;
- b) ends of hollow components are closed or capped.

Movable and adjustable parts shall be designed so that injuries and inadvertent operation are avoided.

It shall not be possible for any load bearing part of the seating to come loose unintentionally.

All parts which are lubricated to assist sliding shall be designed to protect users from lubricant stains when in normal use.

5.2 Shear and squeeze points

5.2.1 Shear and squeeze points when setting up and folding

Unless 5.2.2 or 5.2.3 are applicable, shear and squeeze points, as defined in 3.3, that are created only during setting up and folding, including tipping seat, are acceptable, because the user can be assumed to be in control of his/her movements and to be able to cease applying the force immediately upon experiencing pain.

The edges of parts moving relative to each other and creating shear and squeeze points shall be as specified in 5.1.

5.2.2 Shear and squeeze points under influence of powered mechanisms

(standards.iteh.ai)
With the exception of tipping seats there shall be no shear and squeeze points created by parts of the seating under powered mechanisms, e.g. springs and gas lifts.

NOTE Electrically operated seating is covered by EEC Directives for EMC, Machinery, Low Voltage or Medical Devices. 2a294ed4a23b/sist-en-12520-2016

5.2.3 Shear and squeeze points during use

There shall be no shear and squeeze points created by loads applied during normal use.

The loads applied during normal use can be found in Table 1.

Shear and squeeze points are not acceptable if a hazard is created by the weight of the user during normal movements and actions, e.g. attempting to move the seating by lifting the seat or by adjusting the backrest.

NOTE This hazard is best prevented by the use of automatic locking mechanisms.

5.3 Stability

The seating shall fulfil the relevant requirements of EN 1022.

5.4 Strength and durability

5.4.1 General

Seating shall be tested for strength and durability according to and in the order given in Table 1 and in accordance with the test conditions contained in EN 1728:2012.

EN 12520:2015 (E)

Table 1 — Tests and test sequence

Test	Reference	Test parameters	
1. Seat static load and	EN 1728:2012, 6.4	Seat force F_1 , N	1 300
back static load test		Back force F_2 , N	450
		Minimum back force, N	410
		Load applied to seats not being tested, N	750
		Cycles	10
2. Seat front edge static	EN 1728:2012, 6.5	Force, N	1 300
load test		Load applied to seats not being tested, N	750
		Cycles	10
3. Foot rest static load	EN 1728:2012, 6.8	Force, N	1 000
test ^a		Minimum seat force, N	750
		Cycles	10
4. Arm rest sideways	EN 1728:2012, 6.10	Force, N	300
static load test		Cycles	10
5. Arm rest downwards	EN 1728:2012, 6.11	Force, N	700
static load test		Cycles	10
6. Combined seat and	EN 1728:2012,617 I Ch S I AND	Seat force F ₃ , N,	1 000
back durability test ^e		Back force F ₄ , N	300
	(standa	Load applied to seats not being tested, N	750
	CICTI	Cycles	25 000
7. Seat front edge	EN 17/28:2012:16:18/catalog/sta	r Earce s N/e0e345a9-447d-4728	8-a41f- 800
durability test ^d	2a294ed4a23	b.Cycles 12520-2016	20 000
8. Arm rest durability test	EN 1728:2012, 6.20	Force, N	400
		Cycles	10 000
9. Leg forward static load	EN 1728:2012, 6.15	Force, N (max.)	400
test		Seat load, N	1 000
		Cycles	10
10. Leg sideways static	EN 1728:2012, 6.16	Force, N (max.)	300
load test		Seat load, N	1 000
		Cycles	10
11. Seat impact test	EN 1728:2012, 6.24	Drop height, mm	180
		Cycles	10
12. Backward fall test ^b	EN 1728:2012, 6.28	Number of impacts	5
13. Back impact test ^c	EN 1728:2012, 6.25	Height of fall, mm	120
		or angle,°	28
		Cycles	10

 $^{^{\}rm a}$ $\,$ This test is only applicable to seating with a seat height greater than 600 mm.

This test is only for single seating units where the back will be the first part of the structure to strike the floor and the force used to overturn the chair rearwards is less than 30 N.

^c This test is for all seating not tested in accordance with Test 12.

d In derogation of EN 1728:2012 the loading points shall be 80 mm from the relevant edges of the seat.

e The minimum back force is the force that just prevents rearward overturning.