International Standard



197/2

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION●MEЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ●ORGANISATION INTERNATIONALE DE NORMALISATION

Copper and copper alloys — Terms and definitions — Part 2 : Unwrought products (refinery shapes)

Cuivre et alliages de cuivre - Termes et définitions - Partie 2 : Formes brutes (d'affinage)

First edition — 1983-12-01Teh STANDARD PREVIEW (standards.iteh.ai)

Descriptors: copper, copper alloys, unwrought products, vocabulary, definitions.

ISO 197-2:1983 https://standards.iteh.ai/catalog/standards/sist/79fbc330-18d9-4d3f-8127-ce498287c578/iso-197-2-1983

UDC 669.3:001.4

Ref. No. ISO 197/2-1983 (E)

J 197/2-1983 (E

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of developing International Standards is carried out through ISO technical committees. Every member body interested in a subject for which a technical committee has been authorized has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council.

iTeh STANDARD PREVIEW

International Standard ISO 197/2 was developed by Technical Committee ISO/TC 26, Copper and copper alloys, and was circulated to the member bodies in January 1982.

It has been approved by the member bodies of the following countries: 1983

https://standards.iteh.ai/catalog/standards/sist/79fbc330-18d9-4d3f-8127-

Australia France cc49828 South Africa, Rep. of
Austria Germany, F. R. Spain
Belgium Hungary Sweden

Brazil Italy Switzerland
Bulgaria Japan Turkey
Canada Korea, Dem. P. Rep. of United Kingdom

China Mexico USA
Czechoslovakia Norway USSR

Egypt, Arab Rep. of Poland Romania

No member body expressed disapproval of the document.

This International Standard cancels and replaces Technical Report ISO/TR 197/2-1976 of which it constitues a technical revision.

Copper and copper alloys — Terms and definitions — Part 2 : Unwrought products (refinery shapes)

iTeh STANDARD PREVIEW (standards.iteh.ai)

0 Introduction

2.2 cathode: A rough, flat, unwrought product made by ISO 197-2:198 electrolytic deposition and normally used for remelting.

Terms and definitions listed in this part of ISO 197 have been rds/sist/79fbc330-18d9-4d3f-8127-approved in principle by the Customs Co-operation Council SO-197-2-1983 (CCC) to form the basis of the Harmonized Commodity

Description and Coding System (Harmonized System) for the revision of chapter 74 "Copper" of the CCC-Nomenclature.

1 Scope and field of application

This part of ISO 197 gives terms for and definitions of unwrought products of copper and copper alloys.

2 Definitions

2.1 unwrought products: A general term for unwrought products obtained by refining or melting and casting processes, intended for further processing.

Examples of unwrought products are cathodes, wire bars, cakes, billets, ingots.

NOTE - "Unwrought products" are sometimes called "refinery shapes".

- **2.3** wire bar: A cast unwrought product normally of approximately square cross-section, with or without tapered ends, principally used for rolling into drawing stock or flat products for subsequent processing into wire, strip or profile.
- **2.4** cake: A cast unwrought product of rectangular cross-section, generally used for rolling into plate, sheet, strip or profiles.
- **2.5 billet**: A cast unwrought product of circular cross-section used for the production of tube, rode, bar, profiles or forgings.
- **2.6 ingot**: A cast unwrought product in a form suitable only for remelting primarily for the production of copper or copper alloys.

NOTE - "Ingots" are sometimes called "ingot bars".

iTeh STANDARD PREVIEW

This page intentionally left blank

ISO 197-2:1983

https://standards.iteh.ai/catalog/standards/sist/79fbc330-18d9-4d3f-8127-ce498287c578/iso-197-2-1983