

SLOVENSKI STANDARD**SIST EN 12697-7:2014****01-september-2014****Nadomešča:****SIST EN 12697-7:2004**

**Bitumenske zmesi - Preskusne metode za vroče asfaltne zmesi - 7. del:
Ugotavljanje gostote bitumenskih preskušancev z žarki gama**

Bituminous mixtures - Test methods for hot mix asphalt - Part 7: Determination of bulk density of bituminous specimens by gamma rays

Asphalt - Prüfverfahren für Heißasphalt - Teil 7: Bestimmung der Raumdichte von Asphalt-Probekörpern mit Gamma-Strahlen
iTeh STANDARD PREVIEW
(standards.iteh.ai)

Mélanges bitumineux - Méthodes d'essai pour mélange hydrocarboné à chaud - Partie 7:
Détermination de la masse volumique apparente des éprouvettes bitumineuses par les rayons gamma
<https://standards.iteh.ai/sist-en-12697-7-2014>

Ta slovenski standard je istoveten z: EN 12697-7:2014

ICS:

93.080.20 Materiali za gradnjo cest Road construction materials

SIST EN 12697-7:2014**en,fr,de**

**iTeh STANDARD PREVIEW
(standards.iteh.ai)**

SIST EN 12697-7:2014

<https://standards.iteh.ai/catalog/standards/sist/2ffa6b74-0919-488e-b170-9f67d4d0fce1/sist-en-12697-7-2014>

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

EN 12697-7

May 2014

ICS 93.080.20

Supersedes EN 12697-7:2002

English Version

**Bituminous mixtures - Test methods for hot mix asphalt - Part 7:
Determination of bulk density of bituminous specimens by
gamma rays**

Mélanges bitumineux - Méthodes d'essai pour mélange hydrocarboné à chaud - Partie 7: Détermination de la masse volumique apparente des éprouvettes bitumineuses par les rayons gamma

Asphalt - Prüfverfahren für Heißasphalt - Teil 7:
Bestimmung der Raumdichte von Asphalt-Probekörpern mit Gamma-Strahlen

This European Standard was approved by CEN on 4 April 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

The STANDARD PREVIEW
(standards.itch.ai)

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

| | Page |
|--|-----------|
| Contents | |
| Foreword | 3 |
| Introduction | 6 |
| 1 Scope | 7 |
| 2 Normative references | 7 |
| 3 Terms and definitions | 7 |
| 4 Principle | 8 |
| 5 Apparatus | 9 |
| 6 Preparation of specimens | 9 |
| 7 Procedure | 9 |
| 7.1 Prior adjustments | 9 |
| 7.2 Choice of beam diameter | 10 |
| 7.3 Measurement procedure | 10 |
| 7.3.1 Measurement mode | 10 |
| 7.3.2 Continuous measurements | 10 |
| 7.3.3 Localized or point measurements | 11 |
| 8 Expression of results | 11 |
| 9 Test report | 12 |
| 10 Precision https://standards.iteh.ai/catalog/standard/sist-en-12697-7-2014-9f67d4d0fce1 | 13 |

ITEh STANDARD PREVIEW
(standards.iteh.ai)

SIST EN 12697-7:2014

9f67d4d0fce1/sist-en-12697-7-2014

Foreword

This document (EN 12697-7:2014) has been prepared by Technical Committee CEN/TC 227 "Road materials", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2014, and conflicting national standards shall be withdrawn at the latest by November 2014.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 12697-7:2002.

The following is a list of significant technical changes since the previous edition:

- changed the consistency of the calibration coefficient k from "0,001" by "0,005";
- corrected Formulae (4) and (5).

This European Standard is one of a series of standards as listed below.

EN 12697-1, Bituminous mixtures — Test methods for hot mix asphalt — Part 1: Soluble binder content

STANDARD PREVIEW

EN 12697-2, Bituminous mixtures — Test methods for hot mix asphalt — Part 2: Determination of particle size distribution

EN 12697-3, Bituminous mixtures — Test methods for hot mix asphalt — Part 3: Bitumen recovery: Rotary Evaporator

<https://standards.iteh.ai/catalog/standards/sist/2ffa6b74-0919-488e-b170-9f67d4d0fce1/sist-en-12697-7-2014>

EN 12697-4, Bituminous mixtures — Test methods for hot mix asphalt — Part 4: Bitumen recovery: Fractionating column

EN 12697-5, Bituminous mixtures — Test methods for hot mix asphalt — Part 5: Determination of the maximum density

EN 12697-6, Bituminous mixtures — Test methods for hot mix asphalt — Part 6: Determination of bulk density of bituminous specimens

EN 12697-7, Bituminous mixtures — Test methods for hot mix asphalt — Part 7: Determination of bulk density of bituminous specimens by gamma rays

EN 12697-8, Bituminous mixtures — Test methods for hot mix asphalt — Part 8: Determination of void characteristics of bituminous specimens

EN 12697-10, Bituminous mixtures — Test methods for hot mix asphalt — Part 10: Compactability

EN 12697-11, Bituminous mixtures — Test methods for hot mix asphalt — Part 11: Determination of the affinity between aggregates and bitumen

EN 12697-12, Bituminous mixtures — Test methods for hot mix asphalt — Part 12: Determination of the water sensitivity of bituminous specimens

EN 12697-13, Bituminous mixtures — Test methods for hot mix asphalt — Part 13: Temperature measurement

EN 12697-7:2014 (E)

EN 12697-14, Bituminous mixtures — Test methods for hot mix asphalt — Part 14: Water content

EN 12697-15, Bituminous mixtures — Test methods for hot mix asphalt — Part 15: Determination of the segregation sensitivity

EN 12697-16, Bituminous mixtures — Test methods for hot mix asphalt — Part 16: Abrasion by studded tyres

EN 12697-17, Bituminous mixtures — Test methods for hot mix asphalt — Part 17: Particle loss of porous asphalt specimen

EN 12697-18, Bituminous mixtures — Test methods for hot mix asphalt — Part 18: Binder drainage

EN 12697-19, Bituminous mixtures — Test methods for hot mix asphalt — Part 19: Permeability of specimen

EN 12697-20, Bituminous mixtures — Test methods for hot mix asphalt — Part 20: Indentation using cube or cylindrical specimens (CY)

EN 12697-21, Bituminous mixtures — Test methods for hot mix asphalt — Part 21: Indentation using plate specimens

EN 12697-22, Bituminous mixtures — Test methods for hot mix asphalt — Part 22: Wheel tracking

EN 12697-23, Bituminous mixtures — Test methods for hot mix asphalt — Part 23: Determination of the indirect tensile strength of bituminous specimens

iTeh STANDARD PREVIEW

EN 12697-24, Bituminous mixtures — Test methods for hot mix asphalt — Part 24: Resistance to fatigue

(standards.iteh.ai)

EN 12697-25, Bituminous mixtures — Test methods for hot mix asphalt — Part 25: Cyclic compression test

EN 12697-26, Bituminous mixtures — Test methods for hot mix asphalt — Part 26: Stiffness
<https://standards.iteh.ai/catalog/standards/sist/2fa6b74-0919-488e-b170-9867d0fce1/sist-en-12697-7-2014>

EN 12697-27, Bituminous mixtures — Test methods for hot mix asphalt — Part 27: Sampling

EN 12697-28, Bituminous mixtures — Test methods for hot mix asphalt — Part 28: Preparation of samples for determining binder content, water content and grading

EN 12697-29, Bituminous mixtures — Test methods for hot mix asphalt — Part 29: Determination of the dimensions of a bituminous specimen

EN 12697-30, Bituminous mixtures — Test methods for hot mix asphalt — Part 30: Specimen preparation by impact compactor

EN 12697-31, Bituminous mixtures — Test methods for hot mix asphalt — Part 31: Specimen preparation by gyratory compactor

EN 12697-32, Bituminous mixtures — Test methods for hot mix asphalt — Part 32: Laboratory compaction of bituminous mixtures by a vibratory compactor

EN 12697-33, Bituminous mixtures — Test methods for hot mix asphalt — Part 33: Specimen preparation slab compactor

EN 12697-34, Bituminous mixtures — Test methods for hot mix asphalt — Part 34: Marshall test

EN 12697-35, Bituminous mixtures — Test methods for hot mix asphalt — Part 35: Laboratory mixing

EN 12697-36, Bituminous mixtures — Test methods for hot mix asphalt — Part 36: Determination of the thickness of a bituminous pavement

EN 12697-37, Bituminous mixtures — Test methods for hot mix asphalt — Part 37: Hot sand test for the adhesivity of binder on precoated chippings for HRA

EN 12697-38, Bituminous mixtures — Test methods for hot mix asphalt — Part 38: Common equipment and calibration

EN 12697-39, Bituminous mixtures — Test methods for hot mix asphalt — Part 39: Binder content by ignition

EN 12697-40, Bituminous mixtures — Test methods for hot mix asphalt — Part 40: In situ drainability

EN 12697-41, Bituminous mixtures — Test methods for hot mix asphalt — Part 41: Resistance to de-icing fluids

EN 12697-42, Bituminous mixtures — Test methods for hot mix asphalt — Part 42: Amount of foreign matter in reclaimed asphalt

EN 12697-43, Bituminous mixtures — Test methods for hot mix asphalt — Part 43: Resistance to fuel

EN 12697-44, Bituminous mixtures — Test methods for hot mix asphalt — Part 44: Crack propagation by semi-circular bending test

EN 12697-45, Bituminous mixtures — Test methods for hot mix asphalt — Part 45: Saturation ageing tensile stiffness (SATS) conditioning test

EN 12697-46, Bituminous mixtures — Test methods for hot mix asphalt — Part 46: Low temperature cracking and properties by uniaxial tension tests

EN 12697-47, Bituminous mixtures — Test methods for hot mix asphalt — Part 47: Determination of the ash content of natural asphalts

[SIST EN 12697-7:2014](#)

prEN 12697-48, Bituminous mixtures — Test methods for hot mix asphalt — Part 48: Interlayer Bonding (Torque bond test - TBT, Shear bond test - SBT, Tensile Adhesion Test (TAT)¹⁾

prEN 12697-49, Bituminous mixtures — Test methods for hot mix asphalt — Part 49: Determination of friction after polishing¹⁾

prCEN/TS 12697-50, Bituminous mixtures — Test methods for hot mix asphalt — Part 50: Scuffing resistance of surface course¹⁾

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1) In preparation

Introduction

Bulk density measurement in the laboratory using gamma rays is a method which does not affect the properties of the material. It can be included in a series of tests carried out on a given sample. It allows the plotting of a density chart or gradient.

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN 12697-7:2014

<https://standards.iteh.ai/catalog/standards/sist/2ffa6b74-0919-488e-b170-9f67d4d0fce1/sist-en-12697-7-2014>

1 Scope

This European Standard specifies a method for measuring the bulk density of pavement mixtures using a transmission-type gamma radiation test bench.

The applicability of this European Standard is described in the product standards for bituminous mixtures.

The safety regulations applicable to the use of gamma rays should be applied.

This European Standard applies to cylindrical specimens or blocks, prepared in a laboratory or cut from a pavement, the thickness and the mass absorption coefficient which is a function of the chemical composition are known. The thickness of the specimen body traversed by the radiation shall be between 30 mm and 300 mm. The method cannot be applied to materials containing slags, with variable metal content or chemical composition which may affect the absorption of gamma rays.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 12697-6, *Bituminous mixtures - Test methods for hot mix asphalt - Part 6: Determination of bulk density of bituminous specimens*

iTeh STANDARD PREVIEW
(standards.iteh.ai)

3 Terms and definitions

SIST EN 12697-7:2014

For the purposes of this document, the following terms and definitions apply:
9167d4d0fce1/sist-en-12697-7-2014

3.1

precision

closeness of agreement between independent test results obtained under stipulated conditions

Note 1 to entry: Precision depends only on the distribution of random errors and does not relate to the true value or the specified value.

Note 2 to entry: The measure of precision is usually expressed in terms of imprecision and computed as a standard deviation of the test results. Less precision is indicated by a larger standard deviation.

Note 3 to entry: “Independent test results” means results obtained in a manner not influenced by any previous result on the same or similar test sample. Quantitative measures of precision depend critically on the stipulated conditions. Repeatability and reproducibility conditions are particular sets of extreme conditions.

3.2

repeatability

precision under repeatability conditions

3.3

repeatability conditions

conditions where independent tests results are obtained with the same method on identical test items in the same laboratory by the same operator using the same equipment within short intervals of time

3.4

reproducibility

precision under reproducibility conditions