

SLOVENSKI STANDARD **SIST EN ISO 7539-11:2015**

01-marec-2015

Korozija kovin in zlitin - Ugotavljanje pokanja zaradi napetostne korozije - 11. del: Napotki za preskušanje odpornosti kovin in zlitin proti vodikovi krhkosti in pokanju s podprtim vodikom (ISO 7539-11:2013)

Corrosion of metals and alloys - Stress corrosion cracking - Part 11: Guidelines for testing the resistance of metals and alloys to hydrogen embrittlement and hydrogenassisted cracking (ISO 7539-11:2013)

iTeh STANDARD PREVIEW
Korrosion der Metalle und Legierungen - Prüfung der Spannungsrisskorrosion - Teil 11: Leitfaden für die Prüfung der Resistenz von Metallen und Legierungen gegen Wasserstoffversprödung und wasserstoffverursachte Brüche (ISO 7539-11:2013)

https://standards.iteh.ai/catalog/standards/sist/083f6937-145b-47ff-bf50-

Corrosion des métaux et alliages Essai de corrosion sous contrainte - Partie 11: Lignes directrices pour les essais de résistance des métaux et alliages à la fragilisation par l'hydrogène et la fissuration assistée sous hydrogène (ISO 7539-11:2013)

Ta slovenski standard je istoveten z: EN ISO 7539-11:2014

ICS:

77.060 Korozija kovin Corrosion of metals

SIST EN ISO 7539-11:2015 en **SIST EN ISO 7539-11:2015**

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 7539-11:2015</u> https://standards.iteh.ai/catalog/standards/sist/083f6937-145b-47ff-bf50-36c5fe747f71/sist-en-iso-7539-11-2015 EUROPEAN STANDARD NORME EUROPÉENNE EUROPÄISCHE NORM **EN ISO 7539-11**

December 2014

ICS 77.060

English Version

Corrosion of metals and alloys - Stress corrosion cracking - Part 11: Guidelines for testing the resistance of metals and alloys to hydrogen embrittlement and hydrogen-assisted cracking (ISO 7539-11:2013)

Corrosion des métaux et alliages - Essai de corrosion sous contrainte - Partie 11: Lignes directrices pour les essais de résistance des métaux et alliages à la fragilisation par l'hydrogène et la fissuration assistée sous hydrogène (ISO 7539-11:2013)

Korrosion der Metalle und Legierungen - Prüfung der Spannungsrisskorrosion - Teil 11: Leitfaden für die Prüfung der Resistenz von Metallen und Legierungen gegen Wasserstoffversprödung und wasserstoffverursachte Brüche (ISO 7539-11:2013)

This European Standard was approved by CEN on 16 December 2014.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

https://standards.iteh.ai/catalog/standards/sist/083f6937-145b-47ff-bt50-

CEN members are the national standards bodies of Austria Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION COMITÉ EUROPÉEN DE NORMALISATION EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

EN ISO 7539-11:2014 (E)

Contents	F	Page
Foreword		3

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 7539-11:2015</u> https://standards.iteh.ai/catalog/standards/sist/083f6937-145b-47ff-bf50-36c5fe747f71/sist-en-iso-7539-11-2015

EN ISO 7539-11:2014 (E)

Foreword

The text of ISO 7539-11:2013 has been prepared by Technical Committee ISO/TC 156 "Corrosion of metals and alloys" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 7539-11:2014 by Technical Committee CEN/TC 262 "Metallic and other inorganic coatings" the secretariat of which is held by BSI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2015, and conflicting national standards shall be withdrawn at the latest by June 2015.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 7539-11:2013 has been approved by CEN as EN ISO 7539-11:2014 without any modification.

(standards.iteh.ai)

SIST EN ISO 7539-11:2015 https://standards.iteh.ai/catalog/standards/sist/083f6937-145b-47ff-bf50-36c5fe747f71/sist-en-iso-7539-11-2015 **SIST EN ISO 7539-11:2015**

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 7539-11:2015</u> https://standards.iteh.ai/catalog/standards/sist/083f6937-145b-47ff-bf50-36c5fe747f71/sist-en-iso-7539-11-2015 **SIST EN ISO 7539-11:2015**

INTERNATIONAL STANDARD

ISO 7539-11

First edition 2013-04-15

Corrosion of metals and alloys — Stress corrosion cracking —

Part 11:

Guidelines for testing the resistance of metals and alloys to hydrogen embrittlement and hydrogen-

assisted cracking

Corrosion des métaux et alliages — Essai de corrosion sous contrainte —

Partie 11: Lignes directrices pour les essais de résistance des métaux https://standards.iteh et alliages à la fragilisation par l'hydrogène et la fissuration assistée 36c5 sous hydrogène -7539-11-2015



ISO 7539-11:2013(E)

iTeh STANDARD PREVIEW (standards.iteh.ai)

<u>SIST EN ISO 7539-11:2015</u> https://standards.iteh.ai/catalog/standards/sist/083f6937-145b-47ff-bf50-36c5fe747f71/sist-en-iso-7539-11-2015



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

ISO 7539-11:2013(E)

Co	Contents Foreword		Page	
Fore			iv	
1	Scop	e	1	
2	Nori	native references	1	
3	Factors to be considered in hydrogen embrittlement and hydrogen-assisted cracking testing		1	
	3.1	Dynamic plastic straining	1	
	3.2	Test time and hydrogen uptake	2	
	3.3	Temperature	2	
4	Sele	ction of test method	3	
	4.1	General	3	
	4.2	Specimen type	3	
	4.3	Test duration	3	
	4.4	Load form		
	4.5	Pre-charging and hydrogen effusivity	12	
	4.6	Testing of welds	12	
5	Post-test evaluation		13	
Rihl	ingranl	nv	15	

iTeh STANDARD PREVIEW (standards.iteh.ai)

SIST EN ISO 7539-11:2015 https://standards.iteh.ai/catalog/standards/sist/083f6937-145b-47ff-bf50-36c5fe747f71/sist-en-iso-7539-11-2015

ISO 7539-11:2013(E)

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

The committee responsible for this document is ISO/TC 156, Corrosion of metals and alloys.

ISO 7539 consists of the following parts, under the general title *Corrosion of metals and alloys — Stress* corrosion testing: (standards.iteh.ai)

- Part 1: General guidance on testing procedures
 - SIST EN ISO 7539-11:2015
- Part 2: Preparation and use of bent-beam specimens and sist/083f6937-145b-47ff-bf50-
- Part 3: Preparation and use of U-bend specimens
- Part 4: Preparation and use of uniaxially loaded tension specimens
- Part 5: Preparation and use of C-ring specimens
- $Part 6: Preparation\ and\ use\ of\ pre-cracked\ specimens\ for\ tests\ under constant\ load\ or\ constant\ displacement$
- Part 7: Method for slow strain rate testing
- Part 8: Preparation and use of specimens to evaluate weldments
- Part 9: Preparation and use of pre-cracked specimens for tests under rising load or rising displacement
- Part 11: Guidelines for testing the resistance of metals and alloys to hydrogen embrittlement and hydrogen assisted cracking

Corrosion of metals and alloys — Stress corrosion cracking —

Part 11:

Guidelines for testing the resistance of metals and alloys to hydrogen embrittlement and hydrogen-assisted cracking

1 Scope

This part of ISO 7539 gives guidance on the key features that should be accounted for in designing and conducting tests to evaluate the resistance of a metal or its alloy to hydrogen embrittlement and hydrogen-assisted cracking.

NOTE Particular methods of testing are not treated in detail in this document. These are described in other International Standards to which reference is given.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 7539-7, Corrosion of metals and alloys — Stress corrosion testing — Part 7: Method for slow strain rate testing SIST EN ISO 7539-11:2015

ISO 17081, Method of measurement of hydrogen permeation and determination of hydrogen uptake and transport in metals by an electrochemical technique

3 Factors to be considered in hydrogen embrittlement and hydrogen-assisted cracking testing

3.1 Dynamic plastic straining

- 3.1.1 Surface films such as passive oxide films, and sulphide films in the case of exposure of carbon steel to H_2S environments, for example, can markedly reduce hydrogen uptake. Film rupture will enhance ingress locally, which means that dynamic plastic straining and the strain rate can be particularly important. In that context, there is then usually no relationship between hydrogen uptake as measured in a permeation experiment and the cracking response since uptake is local at the film rupture sites. A possible exception is when there is a significant sub-surface region of susceptibility associated with residual stress or microchemistry as might possibly be found in welds. Here, detailed characterization of the weld should be conducted prior to testing.
- **3.1.2** Dynamic plastic straining may be induced under static load if there is significant creep, as in some duplex stainless steels.
- **3.1.3** In testing of alloys that are actively corroding, there is often a correlation between cracking and the measured bulk hydrogen uptake. Dynamic plastic straining may have only a relatively minor role in hydrogen uptake in that case.
- **3.1.4** In all alloys, dynamic plastic straining and the strain rate may be important in dislocation transport of hydrogen. The mobility of hydrogen atoms and trapping at dislocations means that dislocations can